

Product Catalog

All 522 published part numbers: transformer bobbins, toroid bases and cases, inductors, magnetic core materials and complete transformers.

CB Technology Industrial Co., Limited / Shenzhen CB Magnetics Co., Limited

Established 2009. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018. All products RoHS compliant.

Office: No.28 Zhongxin Road, Xinqiao Town, Bao'an District, Shenzhen, Guangdong, China

Plant: Building 29, No.3 Gongye Yi Road, Yongning Street, Zengcheng District, Guangzhou, Guangdong, China

Tel +86-755-61124460 WhatsApp +86 136 3166 2432 Email Sales@cb-magnetics.com

Web <https://cb-magnetics.com>

Data in this document is taken from the published CB Magnetics catalogue. Confirm dimensions against the current drawing before releasing tooling or a PCB. CAD files on request.

Transformer Bobbins - ATQ Bobbins (35 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ATQ17 Base		Phenolic			UL 94-V0
ATQ17 Bobbin 4+2 Pins		Phenolic			UL 94-V0
ATQ17 Bobbin 5+0 Pins	5+0	Phenolic	3.4mm		UL 94-V0
ATQ17 Bobbin 5+5 Pins	5+5	Phenolic			UL 94-V0
ATQ1715 Bobbin 4+2 Pins	4+2	Phenolic			UL 94-V0
ATQ21 Bobbin 5+0 Pins	5+0	Phenolic	3.4mm		
ATQ22 Bobbin 4+4+4 Pins	4+4+4	Phenolic			UL 94-V0
ATQ23 Bobbin 4+0 Pins	4+0	Phenolic	3.4mm		UL 94-V0
ATQ23 Bobbin 4+1 Pins	4+1	Phenolic			UL 94-V0
ATQ23 Bobbin 4+2 Pins	4+2	Phenolic			UL 94-V0
ATQ23.2X10 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ23.2X10.6 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ23.7X14.6 Bobbin with Gap 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ23.7X14.6 Bobbin 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ24 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ25 Bobbin 2+2 Pins	2+2	Phenolic			UL 94-V0
ATQ25 Bobbin 4+4 Pins	4+4	Phenolic			UL 94-V0
ATQ25 Bobbin 4+4 Pins	4+4	Phenolic			UL 94-V0
ATQ26 Bobbin 2+0 Pins	2+0	Phenolic			UL 94-V0
ATQ26 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 4+4 Pins	4+4	Phenolic			UL 94-V0
ATQ27 Bobbin 1 Pin	1 Pin	Phenolic			UL 94-V0
ATQ27 Bobbin 2+0Pins	2+0	Phenolic			UL 94-V0
ATQ27 Bobbin 2+2 Pins	2+2	Phenolic			UL 94-V0
ATQ27 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins L Pin	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins L pin	5+0	Phenolic			UL 94-V0

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ATQ28 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ30 Bobbin 5+0 Pins L Pin	5+0	Phenolic			UL 94-V0
ATQ31 Bobbin 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ32 Bobbin 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ34 Bobbin		Phenolic			UL 94-V0
ATQ34 Bobbin 2+2 Pins	2+2	Phenolic			UL 94-V0

Transformer Bobbins - EE Bobbins (42 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EE10 Bobbin, 4+4 Pins, 2 Section		Phenolic			
EE10 Bobbin, 4+4, 1 section		Phenolic			
EE10, Horizontal, 4+4 Pins, 1 section		Phenolic			
EE11 Horizontal bobbin with 8 Pins	4+4	Phenolic	2.50mm	10.50mm	
EE13 Bobbin, Horizontal, 4+4 Pins, 1 section		Phenolic			
EE13 Bobbin, Vertical, 5+5 Pins, 1 Section		Phenolic			
EE13 Bobbin, Vertical, 5+5 Pins, 2 Section		Phenolic			
EE1301 Vertical bobbin with 10 Pins	5+5	Phenolic	2.50mm	8.50mm	
EE1302 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.50mm	15.40mm	
EE16 Bobbin, Vertical, 6+4 Pins, 1 Section		Phenolic			
EE1601 Horizontal bobbin with 8 Pins	4+4	Phenolic	3.50mm	14.50mm	
EE1602 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.20mm	15.50mm	
EE1603 Horizontal bobbin with 8 Pins	3+5	Phenolic	9.60mm/3.20mm	15.50mm	
EE1604 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.20mm	17.50mm	
EE1605 Vertical bobbin with 8 Pins	3+5	Phenolic	5.25/3.20mm	22.50mm	
EE22 Horizontal bobbin with 9 Pins	4+5	Phenolic	5.0/4.0mm	17.00mm	
EE2202 Horizontal bobbin with 20 Pins	10+10	Phenolic	2.30mm	15.00mm	
EE25 Bobbin, Vertical, 5+5 Pins, 1 Section		Phenolic			
EE25 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.80/5.00m	15.50mm	
EE25 Horizontal bobbin with 2 sections	2+2	Phenolic	14.00mm	14.80mm	
EE25 Vertical bobbin with 8 Pins	4+2+2	Phenolic	2.8/3.0/4.0/3.5	14.15mm/22.35mm	
EE25, Horizontal, 4+4 Pins, 1 Section		Phenolic			
EE30 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.00mm	20.00mm	
EE40 Horizontal bobbin with 14Pins	7+7	Phenolic	5.00mm	25.80mm	
EE4002 Horizontal bobbin with 28 Pins	12+16	Phenolic	6.0/2.5mm	28.70mm	
EE42 Bobbin, 1 Section		GFN			
EE42 Bobbin, Horizontal, 6+6 Pins, 1 Section		Phenolic			
EE42 Bobbin, Horizontal, 7+7 Pins, 2 Section		Phenolic			
EE42 Bobbin, Vertical, 4+4 Pins, 1 section		GFN			
EE42 Bobbin, Vertical, 9+9 Pins, 1 Section		Phenolic			
EE4215 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.00mm	35.0mm	
EE4220 Bobbin, Vertical, 6+6 Pins		Phenolic	5.0mm	32.5mm	UL 94-V0
EE4220 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.00mm	35.0mm	
EE55 Bobbin, Horizontal, 10+10 Pins, 1 Section		Phenolic			
EE55 Bobbin, Vertical, 7+7 Pins, 1 Section		Phenolic			
EE55 Bobbin, Vertical, 8+8 Pins, 1 Section		PET			
EE5501 Vertical bobbin with 14 Pins	7+7	Phenolic	5.00mm	40.00mm	
EE55X4 Bobbin No Pins		PET FR530			
EE65 Bobbin, 1 Section		GFN			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EE65 Vertical bobbin with 12 Pins	6+6	Phenolic	7.00mm	38.50mm	
EE70 Bobbin		PET			
SMD EE6.0 Bobbin		LCP			UL 94-V0, Class F

Transformer Bobbins - EF Bobbins (41 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EF12 Horizontal bobbin with 2 sections	4+4	Phenolic	3.30mm	10.00mm	
EF12.6 Horizontal bobbin with 7 Pins	4+3	Phenolic	3.82/5.1/3.3mm	12.00mm	
EF12.6 Vertical bobbin with 2 sections	3+3	PET	3.8mm	7.6mm	
EF16 Horizontal bobbin with 14 Pins	7+7	Phenolic	2.50mm	15.30mm	
EF16 Horizontal bobbin with 2 section 12 pins	6+6	PET	2.5mm	12.50mm	
EF16 Horizontal bobbin with 2 sections 14 pins	7+7	Phenolic	2.5mm	15.3mm	
EF16 Horizontal bobbin with 4 sections	7+7	Phenolic	2.50mm	15.30mm	
EF16 Horizontal bobbin with 7 Pins	5+2	Phenolic	2.50mm/10.00mm	17.50mm	
EF16 Horizontal bobbin with 8 Pins	4+4	PET	3.81mm	15.24mm	
EF16 Vertical bobbin with 2 sections	3+3	PET	3.75mm	7.5mm	
EF16 Vertical bobbin with 3 sections	3+3	PET			
EF16 Vertical bobbin with 4 sections	3+3	PET	3.75mm	7.50mm	
EF16 Vertical bobbin with 6 Pins	3+3	PET	3.75mm	7.5mm	
EF16 Vertical bobbin with 6 Pins	3+3	Plastic	3.80mm	11.30mm/7.60mm	
EF16 Vertical bobbin with 8 Pins	4+4	PET	3.80mm	8.80mm	
EF20 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.8mm	15.2mm	
EF20 Horizontal bobbin with 2 sections	4+4	PET/GFN	5.00mm	15.00mm	
EF20 Horizontal bobbin with 2 sections	5+5	Phenolic	3.81mm	15.24mm	
EF20 Horizontal bobbin with 3 sections	4+4	Phenolic	5.0mm	15.24mm	
EF20 Horizontal bobbin with 4 sections	4+4	PET/GFN	5.0mm	14.85mm/15.00mm	
EF20 Horizontal bobbin with 4 sections 4 pins	2+2	GFN	11.00mm	20.0mm	
EF20 Horizontal bobbin with 6 Pins	4+2	Phenolic	5.0mm	20.9mm	
EF20 Horizontal bobbin with 8 Pins	4+4	Phenolic	5.0mm/4.00mm	15.0mm/18.2mm	
EF20 Vertical bobbin with 10 Pins	5+5	Phenolic	3.8mm	10.2mm	
EF20 Vertical bobbin with 2 sections	3+3	PET/GFN	5.08mm	15.00mm	
EF20 Vertical bobbin with 2 sections	4+4	PET	5.08mm	10.16mm	
EF20 Vertical Bobbin with 4 sections	3+3	PET/GFN	5.08mm	15.00mm	
EF20 Vertical bobbin with 6 Pins	3+3	PET	5.08mm	10.00mm	
EF25 Horizontal bobbin with 10 Pins	5+5	Phenolic	5.0mm	20.0mm	
EF25 Horizontal bobbin with 12 Pins	6+6	PET	5.0mm	20.0mm	
EF25 Horizontal bobbin with 2 sections	4+4	Phenolic	5.0mm	20.0mm	
EF25 Horizontal bobbin with 4 sections	4+4	PET/GFN	5.0mm	20.0mm	
EF25 Horizontal bobbin with 8 Pins	4+4	Phenolic	5.0mm	20.2mm	
EF25 Horizontal Bobbin with 9 Pins	5+4	Phenolic	5.0mm	24.75mm	
EF25 Vertical bobbin	5+5	Phenolic	5.08mm	12.7mm	
EF28 Bobbin? 2 Sections	5+5	Phenolic	3.70mm	15.5mm	
ER28 Horizontal bobbin with 4 sections	3+3	PBT	8.7mm	30.0mm	
SMD EF12.6 2 sections Bobbin with 10 gull-wing	5+5	Phenolic-PM9630			
SMD EF12.6 2 sections Bobbin with 10 Type-C Pi	5+5	LCP			
SMD EF12.6 BOBBIN WITH 10 GULL-WING PINS	5+5	Phenolic-PM9630			
SMD EF12.6 Bobbin with 10 pins	5+5	LCP			

Transformer Bobbins - EFD Bobbins (20 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EFD15 Bobbin, 4+2 Pins, 1 Section		Phenolic; Pin Material:			
EFD15 Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
EFD20 Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
EFD25 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EFD25 Bobbin, 5+5 Pins, 4 Sections		Phenolic; Pin Material:			
EFD25 Bobbin, 5+5 Pins, 6 Sections		Phenolic; Pin Material:			
EFD25 Bobbin, 6+6 Pins, 4 Sections		Phenolic; Pin Material:			
EFD25 Bobbin, 7+7 Pins, 1 Section		Phenolic; Pin Material:			
EFD25 Bobbin, 8+9 Pins, 1 Section		Phenolic; Pin Material:			
EFD30 Bobbin, 6+6 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD10 Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD15 Bobbin, 4+4 Pins, 1 section		Phenolic; Pin Material:			
SMD EFD15 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD15 Bobbin, 6+6 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD20 Bobbin, 5+5 Pins, 1 Section, Type L		Phenolic; Pin Material:			
SMD EFD20 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD20 Bobbin, 5+5 Pins, 1 Section, Type C		Phenolic; Pin Material:			
SMD EFD25 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD25 Bobbin, 6+6 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD6.5 Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			

Transformer Bobbins - EI Bobbins (35 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EI 16X5.5 Bobbin, no Pins, 1 Section		PA66			
EI 19 Bobbin, Horizontal, 4+4 Pins, 1 Section		PBT			
EI 19X5 Bobbin, Horizontal, 2+2 Pins, 3 Sections		PBT			
EI 19X6.2 Bobbin, Horizontal, 2+2 Pins, 1 Section		PBT			
EI 19X8 Bobbin, Horizontal, 2+2 Pins, 1 Section		PBT			
EI 19X8.3 Bobbin, No Pins, 1 Section		PA66			
EI 24X7.5 Bobbin, No Pins, 1 Section		PA66			
EI 25X7 Bobbin, Vertical, 3+3 Pins, 2 Sections		PA66			
EI 28X11 Bobbin, Horizontal, 3+4 Pins, 2 Sections		PET			
EI 28X11.5 Bobbin, Vertical, 3+3 Pins, 1 Section		PET			
EI 28X12 Bobbin, Horizontal, 3+4 Pins, 2 Sections		PBT			
EI 28X12 Bobbin, Horizontal, 5+4 Pins, 2 Sections		PBT			
EI 28X12 Bobbin, Molded in, Horizontal, 5+5 Pins,		PBT			
EI 28X13.5 Bobbin, Molded in, Vertical, 3+2 Pins,		PBT			
EI 28X15.5 Bobbin, Molded in, Horizontal, 3+2 Pi		PBT			
EI 28X16 Bobbin, Horizontal, 5+5 Pins, 2 Sections		PBT			
EI 28X17 Bobbin, Molded in, Vertical, 3+2 Pins, 1		PBT			
EI 28X18 Bobbin, Molded in, Horizontal, 5+5 Pins,		PBT			
EI 28X7 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PBT			
EI 35X10 Bobbin, Horizontal, 3+3 Pins, 2 Sections		PA66			
EI 35X10 Bobbin, Horizontal, 5+4 Pins, 2 Sections		PET			
EI 35X10 Bobbin, Horizontal, 6+6 Pins, 1 Section		PBT			
EI 35X10.5 Bobbin, Vertical, 3+3 Pins, 1 Section		GFN			
EI 35X11 Bobbin, Horizontal, 5+5 Pins, 2 Sections		PBT			
EI 35X11.5 Bobbin, Horizontal, 5+5 Pins, 2 Sectio		PBT			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EI 35X12 Bobbin, Horizontal, 3+4 Pins, 2 Sections		PBT			
EI 35X13 Bobbin, Horizontal, 5+5 Pins, 2 Sections		GFN			
EI 35X14 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PBT			
EI 35X14 Bobbin, Molded in, Horizontal, 3+3 Pins,		PBT			
EI 35X8 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PBT& PET			
EI 35x7 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PA66			
EI 41X13 Bobbin, Horizontal, 5+6 Pins, 2 Sections		GFN			
EI 41X13 Bobbin, Horizontal, 6+6 Pins, 1 Section		PBT & PET			
EI14 Bobbin, Vertical, 3+3 Pins, 1 Section		Phenolic			
EI57 Bobbin, Horizontal, 6+6 Pins, 1 Section		GFN			

Transformer Bobbins - EP Bobbins (20 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EP10 SMD Bobbin, 4+4 Pins, 1 Section		LCP; Pin Material: Phos			
EP10 SMD Bobbin, 4+4 Pins, 2 Sections		LCP; Pin Material: Phos			
EP13 Bobbin, 5+5 Pins, 1 Section		Phenolic	2.5 mm, Row Dist		
EP13 Bobbin, 5+5 Pins, 2 Sections		Phenolic; Pin Material: C	2.5mm; Row Dista		
EP13 SMD Bobbin, 5+5 Pins, 1 Section		LCP; Pin Material: Pho			
EP13 SMD Bobbin, 5+5 Pins, 1 Section, Type C		LCP; Pin Material: Pho			
EP13 SMD Bobbin, 5+5 Pins, 4 Sections		Phenolic; Pin Material:			
EP5 SMD Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material: P			
EP7 Bobbin, 3+3 Pins, 1 Section		Phenolic	2.54mm, Row Dist		
EP7 Bobbin, 3+3 Pins, 2 Section		Phenolic	2.54mm, Row Dista		
EP7 SMD Bobbin, 3+3 Pins, 1 Section, Type C		LCP ; Pin Material: Pho			
EP7 SMD Bobbin, 3+3 Pins, 2 Section		LCP; Pin Material: Pho			
EP7 SMD Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material: P			
SMD EP13 8+8 Pins		Phenolic PM9630	1.7mm		
SMD EP13 Bobbin 2 Sections 5+5 Pins Type L	5+5	Phenolic/DAP			UL 94-V0
SMD EP13 Bobbin 5+5 Pins, 2 Sections	5+5	Phenolic PM9630			UL 94-V0
SMD EP7 Bobbin		PM9630			UL 94-V0, Class F
SMD EP7 Bobbin 2 Sections		PM9630			UL 94-V0, Class F
SMD EP7 Bobbin of LCP Material		LCP			UL 94-V0, Class F
SMD EP7 Bobbin Type L		PM9630			UL 94-V0, Class F

Transformer Bobbins - EPC Bobbins (17 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EPC13 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EPC16.8 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EPC17 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EPC19 Bobbin, 5+2 Pins, 1 Section		Phenolic; Pin Material:			
EPC19 Bobbin, 5+6 Pins, 1 Section		Phenolic; Pin Material:			
EPC19 Bobbin, 6+6 Pins, 1 Section		Phenolic PM9630; Pin			
EPC25 Bobbin, 5+6 Pins, 1 Section		Phenolic; Pin Material:			
EPC39 Bobbin, 8 Pins right, 1 Section		Phenolic; Pin Material:			
EPC39 Bobbin, 8 Pins left, 3 Sections		Phenolic; Pin Material:			
EPC39 Bobbin, 8 Pins right, 3 Sections		Phenolic; Pin Material:			
EPC39 BOBBIN, 8pins left, 1 section		Phenolic; Pin Material:			
EPC43 Bobbin, 5+7 Pins, 1 Section		Phenolic; Pin Material:			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
SMD EPC13 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC17 Bobbin, 5+0 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC17 Bobbin, 5+4 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC19 Bobbin, 6+4 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC19 Bobbin, 6+6 Pins, 1 Section		LCP E4008; Pin Material:			

Transformer Bobbins - EPX Bobbins (4 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
SMD EPX7 Bobbin 4+4 Pins		LCP	2.54mm		
SMD EPX7 Bobbin 4+4 Pins Type C		LCP	2.5mm		
SMD EPX7 Bobbin 4+4 Pins Type L		LCP	2.5mm	5.3mm	
SMD EPX7 Bobbin 8Pins Type L		LCP		5.3mm	

Transformer Bobbins - ER Bobbins (45 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ER11.5 Bobbin, Vertical , 6+6 Pins, L Lead		GFN; Pin Material: CP			
ER11.5 Bobbin, Vertical, 4+4 Pins, L Lead		GFN; Pin Material: CP			
ER11.5 Bobbin, Vertical, 5+5 Pins, L Lead		GFN; Pin Material: CP			
ER11.5 SMD Bobbin, 4+4 Pins		LCP E4008; Pin Material:			
ER11.5 SMD Bobbin, 5+5 Pins		Phenolic; Pin Material: P			
ER14.5 SMD Bobbin, 5+5 Pins		Phenolic PM9630; Pin M			
ER14.5 SMD Bobbin, 6+6 Pins		LCP E4008; Pin Material:			
ER20 Vertical bobbin, 5+5 Pins		Phenolic	2.5mm	16.7mm	
ER25 Vertical bobbin, 10 Pins	5+5	Phenolic	3.5mm	14.0mm	
ER28 Horizontal bobbin with 10 pins	5+5	Phenolic	6.0mm	22.7mm	
ER28 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.0mm	25.4mm	
ER28 Vertical bobbin with 15 pins	6+9	Phenolic	5.0mm/4.0mm	22.5mm	
ER28 Vertical bobbin with 18 Pins	9+9	Phenolic	4.0mm	20.0mm	
ER28 Vertical bobbin with 26 Pins	13+13	Phenolic	2.5mm	17.5mm	
ER28 Vertical bobbin with 28 Pins	14+14	Phenolic	2.5mm/ 4.0mm/5.0	20.0mm	
ER2820 Vertical bobbin with 10 Pins	5+5	Phenolic	5.0mm	17.8mm	
ER2828 Vertical bobbin with 10 Pins	5+5	Phenolic	5.0mm	17.5mm	
ER34 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0mm	25.5mm	
ER35 2 sections Horizontal bobbin	7+7	Phenolic	5.0mm	37.0mm	
ER35 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.5mm/9.0mm	37.0mm	
ER35 Horizontal bobbin with 14 pins	7+7	Phenolic	5.0mm	37.0mm	
ER35 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0mm	22.5mm	
ER3542 Vertical bobbin with 14 pins	7+7	Phenolic	5.0mm	22.5mm	
ER39 Horizontal 2 sections bobbin with 14 Pins	7+7	Phenolic	5.8mm	36.0mm	
ER39 Horizontal 2 sections wider bobbin	7+7	Phenolic	5.8mm	39.3 mm	
ER39 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.0mm	30.5mm	
ER39 Vertical 9 Sections bobbin	8+8	Phenolic	5.0mm	27.5 mm	
ER39 Vertical bobbin with 16 Pins	8+8	Phenolic	5.0mm	25.0mm	
ER40 Bobbin, Vertical, 7+7 Pins, pin distance: 5.0		Phenolic	5.0mm	25.0mm	UL 94-V0
ER40 Horizontal Bobbin 8+8 Pins		Phenolic	5.00mm	35.00mm	UL 94-V0, Class F
ER4035 Vertical bobbin with 12 pins	6+6	Phenolic	5.0mm	22.5mm	
ER42 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.0mm	35.0mm	
ER4220 Vertical bobbin with 14 Pins	7+7	Phenolic	5.0mm	30.2mm	

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ER4330 Horizontal 2 sections bobbin	9+9	Phenolic	5.0mm	35.0 mm	
ER49 Horizontal bobbin with 22 Pins	11+11	Phenolic	5.0mm	40.0mm	
ER4901 Vertical bobbin with 14 Pins	7+7	Phenolic	5.0mm	30.0 mm	
ER4904 Vertical bobbin with 18 Pins	9+9	Phenolic	5.0mm	27.5 mm	
ER5301 Vertical bobbin with 18 Pins	9+9	Phenolic	5.0mm	32.6 mm	
ER7.5 SMD Bobbin, 4+4 Pins		LCP E4008; Pin Materia			
ER9.5 Bobbin, Horizontal, 4+4 Pins, C		Phenolic PM9630; Pin			
ER9.5 Bobbin, Vertical, 3+3 Pins, L Lead		GFN; Pin Material: CP			
ER9.5 Bobbin, Vertical, 4+4 Pins, L Lead		GFN; Pin Material: CP			
ER9.5 SMD Bobbin, 4+4 Pins		Phenolic PM9630; Pin M			
ER9.5 SMD Bobbin, 4+4 Pins, gap on top		Phenolic PM9630; Pin M			
SMD ER11.5 Bobbin, 5+5 Pins, LCP Material		LCP E4008			

Transformer Bobbins - ETD Bobbins (13 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ETD 29 Bobbin, Vertical, 7+7 Pins, 1 Section		Phenolic; Pin Material: C			
ETD29 Bobbin, Horizontal, 7+7 Pins, 1 Section		Phenolic; Pin Material: C			
ETD34 Bobbin, Horizontal, 6+6 Pins, 2 Sections		Phenolic; Pin Material:			
ETD34 Bobbin, Horizontal, 7+7 Pins, 1 Section		Phenolic; Pin Material:			
ETD34 Bobbin, Horizontal, 7+7 Pins, 2 Sections		Phenolic; Pin Material: C			
ETD39 Horizontal biobbin with 16 Pins	8+8	Phenolic	5.00mm	30.5mm	
ETD39 Vertical bobbin with 16 Pins	8+8	PET	5.08mm	22.86mm	
ETD44 Bobbin, Horizontal, 9+9 Pins, 1 Section		Phenolic; Pin Material:			
ETD49 Bobbin, Horizontal, 10+10 Pins, 1 Section		Phenolic; Pin Material:			
ETD49 Bobbin, Vertical, 11+11 Pins, 1 Section		Phenolic; Pin Material: C			
ETD54 Bobbin, Horizontal, 11+11 Pins, 1 Section		Phenolic; Pin Material:			
ETD54 Bobbin, Horizontal, 5+8 Pins, 1 Section		Phenolic; Pin Material:			
ETD59 Bobbin, Horizontal, 13+13 Pins, 1 Section		Phenolic; Pin Material: C			

Transformer Bobbins - PQ Bobbins (54 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
PQ2008 Vertical bobbin with 8 Pins	4+2+2	Phenolic	3.0/4.5/6.45mm	15.2/21.3mm	
PQ2016 Bobbin, 6+8 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2016 Vertical Bobbin 4+6 Pins		Phenolic	2.5mm	20.2mm	
PQ2016 Vertical bobbin with 8 Pins	6+2	Phenolic	3.8/4.95mm	22.9mm	
PQ2020 Bobbin, 6+8 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2620 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2621 Vertical Bobbin with 12 Pins	6+6	Phenolic	3.8/7.6mm	25.4mm	
PQ2625 Bobbin without Pins		Phenolic			
PQ2625 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2625 Vertical Bobbin with 4 Pins	2+2	Phenolic	7.62mm	25.4mm	
PQ2635 Vertical Bobbin with 12 Pins	6+6	Phenolic	3.8/7.5mm	25.5mm	
PQ26X22.5 Vertical Bobbin with 12 Pins	6+6	Phenolic	3.8/7.5mm	25.4mm	
PQ3220 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ3220 Vertical bobbin with 6 Pins	3+3	Phenolic	4.0mm	21.9mm	
PQ3220 Vertical Bobbin with 11 Pins	6+5	Phenolic	5.1/7.5mm	30.8mm	
PQ3220 Vertical bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3220 Vertical Bobbin without Pins		Phenolic			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
PQ3225 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ3225 Horizontal bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3225 Vertical bobbin with 16 pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3230 BOBBIN without Pins		Phenolic			
PQ3230 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ3230 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.0/7.5mm	30.0mm	
PQ3230 Horizontal bobbin with 16 pins	8+8	Phenolic	4.0/5.0mm	30.2mm	
PQ3230 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0/10.0mm	35.5mm	
PQ3230 Vertical bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3230 vertical bobbin with 2 sections	6+6	Phenolic	5.0/10.0mm	35.5mm	
PQ3235 Horizontal bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3235 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0/7.5mm	30.0mm	
PQ33 Bobbin without Pins		Phenolic			
PQ35 Vertical bobbin with 10 Pins	6+4	Phenolic	5.0/7.4mm	30.5mm	
PQ3528 Vertical bobbin with 12 pins	6+6	Phenolic	5.08/10.16mm	35.5mm	
PQ3530 Horizontal bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	29.8mm	
PQ3535 Bobbin without pins		Phenolic			
pq3535 horizontal bobbin with 2 sections	7+7	Phenolic	5.0mm	32.0mm	
PQ3535, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ36 Vertical bobbin with 5 Pins	3+2	PET		38.75mm	
PQ3813 Vertical bobbin with 6 Pins	3+3	Phenolic	6.00/7.50mm	47.00mm	
PQ3813 Vertical bobbin with 9 Pins	4+5	Phenolic	6.0/5.0mm	47.0mm	
PQ3813 Vertical bobbin with 9 type-L Pins	4+5	Phenolic	6.0/5.0mm	43.0mm	
PQ4013 Vertical bobbin with 9 Pins	5+4	Phenolic	5.0/6.0mm	47.00mm	
PQ4013 Vertical bobbin with 9 type-L pins	5+4	Phenolic	5.0/6.0mm	43.00mm	
PQ4040 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ4040 Horizontal bobbin with 14 pins	7+7	Phenolic	5.00mm	35.00mm	
PQ4040 Horizontal bobbin with 2 sections	7+7	Phenolic	5.00mm	35.00mm	
PQ4040 Vertical bobbin with 16 Pins	8+8	Phenolic	5.0/7.5mm	40.0mm	
PQ4040 Vertical bobbin with 2 sections no pins		Phenolic			
PQ5030 Vertical bobbin with 12 Pins	6+6	Phenolic	7.40/12.60mm	46.00mm	
PQ5050 Bobbin, 7+7 Pins, 1 Section		LCP, Pin Material: CP			
PQ5050 Bobbin, 7+7 Pins, 2 Sections		LCP, Pin Material: CP			
PQ5050 Bobbin, No Pin, 1 Section		LCP			
PQ5050 Horizontal Bobbin, 8+8 Pins		Phenolic			UL 94-VO
PQ5050 Vertical Bobbin 2 Sections 6+6 Pins		Phenolic	7.4mm, 12.4mm	45.6mm	
PQ5050 Vertical Bobbin 6+6 Pins 1 section		Phenolic	7.4mm, 12.4mm	45.6mm	

Transformer Bobbins - RM Bobbins (23 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
RM10 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP			
RM12 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP			
RM14 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP Wi			
RM4 Vertical Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			
RM4 Vertical Bobbin, 3+3 Pins, 2 Sections		Phenolic; Pin Material:			
RM5 SMD Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 2+2 Pins, 1 Section		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 2+2 Pins, 2 Sections		Phenolic; Pin Material:			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
RM5 Vertical Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 3+3 Pins, 2 Sections		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 4+4 Pins, 2 Sections		Phenolic; Pin Material:			
RM6 SMD Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
RM6 SMD Bobbin, 4+4 Pins, 2 Sections		Phenolic; Pin Material:			
RM6 SMD Bobbin, 6+6 Pins, 1 Section		LCP ; Pin Material: Pho			
RM6 Vertical Bobbin Low Profile, 2+2 Pins, 1 Secti		PM9630; Pin Material: C			
RM6 Vertical Bobbin, 2+2 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 3+3 Pins, 2 Sections		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 3+6 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 5+0 Pins, 1 Section		Phenolic; Pin Material:			
RM8 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP			
SMD RM8 Bobbins 6+6 Pins Type C	6+6	GFN/PET			UL 94-V0

Transformer Bobbins - UI Bobbins (1 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
UI9332 Bobbin No Pins		GFN			

Toroid Mounts and Bases - Through Hole Base and Case (61 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
12X10mm base		Phenolic	8.00mm	7.00mm	UL 94-V0, Class F
25.4x15.24mm base for Totoidal core		GFN/PBT/PET	20.32mm	10.16mm	UL 94-V0, Class F
27.94x20.32mm base with 4 pins for Toroid core		GFN/PBT/PET	22.86mm	15.24mm	UL 94-V0, Class F
Base 10X6mm for Toroidal core or coils		Phenolic	7mm	4mm	UL 94-V0, Class F
BASE 10x10 MM 6P		Phenolic			UL 94-V0, Class F
Base 11.9X11.9MM		Phenolic			UL 94-V0, Class F
Base 13X9.2MM for Toroidal core		PET	8.4mm	6mm	UL 94-V0, Class F
Base 23.32x15.7mm for Toroidal core or coils		GFN	5.08mm	12.7mm	UL 94-V0
Base 28x18mm for Toroidal core and coils		GFN	6.25mm	15mm	UL 94-V0
Base 33x23mm for Toroidal core or coils		GFN	7.50mm	20.00mm	UL 94-V0
DG380-5/PH		DAP			UL 94-V0, Class F
DG550-8/PH		DAP (Black)			UL94-V0, Class F
Horizontal Toroid Cup DG965-4		GFN			UL 94-V0
Horizontal Toroid Mount DG1208-4		GFN			UL 94-V0
HTC Part DG583-4		GFN			UL 94-V0
HTC Part DG764-4		GFN			UL 94-V0
Through hole base 10.1X8.75X5.00mm		DAP			
Through hole base 10.1X8.75X6.00mm		DAP			
Through hole base 10.1X8.75X6.20mm		DAP			
Through hole base 10.2x8.7x6.0mm		DAP			
Through hole base DR-15 4 pins		Phenolic	10.0mm		
Through hole base DR-15 5 pins		Phenolic			
Through hole base DR-15 6 pins		Phenolic			
Through hole base R-10 6PINS		PA66			
Through hole base R-10 6PINS with cap		PA66			
Toroid Mount DG400-8/PH		DAP (Black)			UL94-V0, Class F

Part number	Pins	Material	Pin dist.	Row dist.	Rating
Toroid Mount DG440-8		Phenolic (Black)			UL94-V0, Class F
Toroid Mount DG450-6		PET (Black)			UL94-V0, Class F
Toroid Mount DG595-8		Phenolic (Black)			UL94-V0, Class F
Toroidal Base for Toroidal core or coils		Phenolic	10mm		UL 94-V0, Class F
Vertical Base DG244-8		Phenolic			UL 94-V0
Vertical base DG455-4		GFN			UL 94-V0
Vertical base DG521-4		Phenolic			UL 94-V0
Vertical Base DG540-4		Phenolic			UL 94-V0
Vertical Base DG555-4		GFN (Natural)/PET			UL 94-V0
Vertical Base DG590-3		PBT			UL 94-V0, Class F
Vertical base DG600-6		GFN(Natural)			UL 94-V0, Class F
Vertical Base DG620-2		PBT			UL 94-V0, Class F
Vertical Base DG650-6		Phenolic			UL 94-V0
Vertical Base DG681-4		PET			UL 94-V0, Class F
Vertical Base DG800-0		GFN			UL 94-V0, Class F
Vertical Base DG945-2		PBT			UL 94-V0, Class F
Vertical Base DG955-4		GFN			UL 94-V0
Vertical Toroid Cup DG1227-4		GFN			UL 94-V0
Vertical Toroid Cup DG1468-4		GFN			UL 94-V0
Vertical Toroid Cup DG613-4		GFN			UL 94-V0
Vertical Toroid Cup DG774-4		GFN			UL 94-V0
Vertical Toroid Mount DG100-4		GFN/PBT			UL 94-V0, Class F
Vertical Toroid Mount DG120-0/06		GFN/PBT			UL 94-V0, Class F
Vertical Toroid Mount DG1300-14		Phenolic			UL 94-V0
Vertical Toroid Mount DG160-0		GFN/PBT			UL 94-V0, Class F
Vertical Toroid Mount DG254-4		GFN/PBT/PET			UL 94-V0, Class F
Vertical Toroid Mount DG280-4		GFN/PBT/PET			UL 94-V0, Class
Vertical Toroid Mount DG500-4		Phenolic			UL94-V0, Class F
Vertical Toroid Mount DG950-6		Phenolic			UL 94-V0, Class F
VTC Part DG1156-4		GFN			UL 94-V0
VTC Part DG512-4		GFN			UL 94-V0
VTC Part DG935-4		GFN			UL 94-V0
VTM BASE DG1050-10		Phenolic			UL 94-V0
VTM Part DG1060-08		GFN			UL 94-V0
VTM Part DG980-3		PET			UL 94-V0

Toroid Mounts and Bases - SMD Base and Case (70 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
LCP self Terminating Base 8.76x6.48mm for Toroi		LCP			UL 94-V0, Class F
SMD Base 10x9.5x3.5mm 3+3 Pins		Phenolic PM9630	2.5mm		
SMD Base 14.6X17.78mm		PPS			UL 94-V0, Class F
SMD Base 16.51X19.05MM		PPS			UL 94-V0, Class F
SMD Base 19.8X22.7MM		PPS			UL 94-V0, Class F
SMD Base 2.8X3.8mm 5P		Phenolic-PM9630			UL 94-V0, Class F
SMD Base 2.8X3.8mm 6P		Phenolic-PM9630			UL 94-V0, Class F
SMD Base 4.0X5.8mm 8P		Phenolic-PM9630			UL 94-V0, Class F
SMD Base 4.27X2.6MM		DAP			UL 94-V0, Class F
SMD Base 5.5X5.7MM		LCP			UL 94-V0, Class F

Part number	Pins	Material	Pin dist.	Row dist.	Rating
SMD Base 6.0X6.0mm of LCP Material		LCP			UL 94-V0, Class F
SMD Base 6.0X6.0mm with shorter Pins		LCP			UL 94-V0, Class F
SMD Base 7.0X7.0MM		LCP			UL 94-V0, Class F
SMD Base 7.0X7.0mm		LCP			UL 94-V0, Class F
SMD Base 7.0X7.0mm Thinner one		LCP			UL 94-V0, Class F
SMD Base 7.0X7.0mm with shorter pins		LCP			UL 94-V0, Class F
SMD Base DG106-5		Phenolic			UL 94-V0, Class F
SMD Base DG107-6		DAP(Black)			UL 94-V0, Class F
SMD Base DG148-4		Phenolic (Black)			UL 94-V0, Class F
SMD Base DG150-10		DAP			UL 94-V0, Class F
SMD Base DG152-6		DAP(Black)			UL 94-V0, Class F
SMD BASE DG161-5		Phenolic PM9630			UL 94-V0, Class F
SMD BASE DG166-4		DAP(Black)			UL 94-V0, Class F
SMD Base DG166-6		DAP(Black)			UL 94-V0, Class F
SMD Base DG170-8		DAP			UL 94-V0, Class F
SMD Base DG176-2		LCP (Black)			UL 94-V0, Class F
SMD Base DG186-2		LCP (Black)			UL 94-V0, Class F
SMD BASE DG216-4		LCP(Black)			UL 94-V0, Class F
SMD BASE DG226-2		LCP(Black)			UL 94-V0, Class F
SMD Base DG240-5		Phenolic (Black)			UL 94-V0, Class F
SMD Base DG241-6		Phenolic (Black)			UL 94-V0, Class F
SMD Base DG255-4		DAP (Black)			UL 94-V0, Class F
SMD Base DG260-4		DAP (Black)			UL 94-V0, Class F
SMD Base DG270-06		LCP (Natural)			UL 94-V0, Class F
SMD Base DG281-8		DAP (Black)			UL 94-V0, Class F
SMD Base DG309-8		LCP (Black)			UL 94-V0, Class F
SMD Base DG346-2		LCP(Black)			UL 94-V0, Class F
SMD Base DG360-4		DAP (Black)			UL 94-V0, Class F
SMD Base DG366-6		DAP (Black)			UL 94-V0, Class F
SMD Base DG376-8		DAP (Black)			UL 94-V0, Class F
SMD Base DG386-2		LCP (Black)			UL 94-V0, Class F
SMD Base DG391-8		DAP (Black)			UL 94-V0, Class F
SMD Base DG396-4		LCP(Black)			UL 94-V0, Class F
SMD Base DG416-2		LCP(Black)			UL 94-V0, Class F
SMD Base DG420-6		LCP E4008			
SMD Base DG516-2		LCP(Black)			UL 94-V0, Class F
SMD Base DG526-02		Phenolic (Black)			UL 94-V0, Class F
SMD Base DG550-4		DAP			
SMD Base DG581-12		DAP (Black)			UL 94-V0, Class F
SMD Base DG581-8		DAP (Black)			UL 94-V0, Class F
SMD Base DG765-8		Phenolic PM9630			
SMD Base DG880-10		DAP (Black)			UL 94-V0, Class F
SMD BASE DR10 2PAD		LCP			UL 94-V0, Class F
SMD Base DR5.4		LCP			UL 94-V0, Class F
SMD Base DR507		LCP			UL 94-V0, Class F
SMD Base DR8.6		LCP			UL 94-V0, Class F
SMD Base DR8.6L		LCP			UL 94-V0, Class F
SMD Base DRH124 4 Pad		LCP			UL 94-V0, Class F

Part number	Pins	Material	Pin dist.	Row dist.	Rating
STM Base DG50HCC-04		PPS			UL 94-V0
STM Base DG50LCC-04		PPS			UL 94-V0
Surface Toroid Mount DG056-6		PPS			UL 94-V0
Surface Toroid Mount DG198-06		LCP (Natural)			UL 94-V0, Class F
Surface toroid Mount DG20LC-02		PPS			UL 94-V0
Surface toroid Mount DG30LC-02		PPS			UL 94-V0
Surface Toroid Mount DG37LC-02		PPS			UL 94-V0
Surface toroid Mount DG37LCC-04		PPS			UL 94-V0
Surface toroid Mount DG40LCC-04		LCP/PPS			UL 94-V0
Surface Toroid Mount DG460-4		DAP (Black)			UL 94-V0, Class F
Surface Toroid Mount DG560-4		DAP (Black)			UL94-V0, Class F
Surface Toroid Mount DG80HCC-04		PPS			UL 94-V0

Toroid Mounts and Bases - other (3 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
Case for T14x9x5mm Toroidal core or coil		PBT			UL 94-V0
Case for T25x15x13mm Toroidal core		PBT/PET			UL 94-V0
Case for T31x19x13mm Toroidal core		PBT			UL 94-V0

Inductors (15 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
Common Mode choke 5000 series					
Common Mode Choke DG-T6X4X3 Min: 560uH					
Common Mode Choke DG-T8X4X3 Min: 560uH					
Common Mode Choke T6X3X2 Min:10uH					
Common Mode choke T9X5X3 Min: 70uH					
Common Mode Choke T9X5X3 Min: 80uH					
Common Mode Filter 9.2x6.6x2.5					
Common Mode Filter SF1006 Series					
Common Mode line filter 0905C Series					
Common Mode Line Filter 9.5mm x 8.3mm x 5.3					
Differential Mode Choke DG-R5X11 Min: 10uH					
Differential Mode Choke DG-S031125 Min: 100uH					
Differential Mode choke DG-S097125 Min: 40uH					
Differential Mode Choke DG-S097125 Min: 80uH					
T16*9*7 LINE FILTER					

Core Materials - Amorphous Cores (2 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
Amorphous C-Core					
Amorphous Toroidal core					

Core Materials - Silicon Steel Cores (8 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
C-Core					
Clamp Meter Strip Wound Core					
Current sensor core					

Part number	Pins	Material	Pin dist.	Row dist.	Rating
E-Core					
Rectangular Core					
Split Current Transformer Core					
Super core					
Toroidal Core					

Core Materials - Nanocrystalline Cores (1 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
Nanocrystalline Toroidal Core					

Transformers - Low Frequency Transformers (2 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EI5719 6+6 Horizontal Transformer					
EI7619 Transformer Horizontal 6+6 Pins					

Transformers - RJ45 Transformers (2 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
RJ Transformer 1000m 2x4 Port 10P8					
RJ45 1CM (1000 Base-T 1Port)					

Transformers - other (8 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ATQ1711 Transformer for 20w quick charger					
ATQ2516 Transformer for 65w quick charger					
EE20 Transformer					
EPC46.5 Transformer					
PQ5050 Transformer					
R-transformer, R-core power transformer					
Toroid Inductor, Toroidal Transformer for Medical					
Toroidal Transformer					