

Transformer Bobbins and Hardware

Coil formers for EE EF EFD EI EP EPC EPX ER ETD PQ RM ATQ and UI core sets moulded in phenolic DAP PBT PET and other UL 94-V0 Class F materials.

CB Technology Industrial Co., Limited / Shenzhen CB Magnetcs Co., Limited

Established 2009. ISO 9001:2015, ISO 14001:2015, ISO 45001:2018. All products RoHS compliant.

Office: No.28 Zhongxin Road, Xinqiao Town, Bao'an District, Shenzhen, Guangdong, China

Plant: Building 29, No.3 Gongye Yi Road, Yongning Street, Zengcheng District, Guangzhou, Guangdong, China

Tel +86-755-61124460 WhatsApp +86 136 3166 2432 Email Sales@cb-magnetics.com

Web <https://cb-magnetics.com>

Data in this document is taken from the published CB Magnetcs catalogue. Confirm dimensions against the current drawing before releasing tooling or a PCB. CAD files on request.

ATQ Bobbins (35 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ATQ17 Base		Phenolic			UL 94-V0
ATQ17 Bobbin 4+2 Pins		Phenolic			UL 94-V0
ATQ17 Bobbin 5+0 Pins	5+0	Phenolic	3.4mm		UL 94-V0
ATQ17 Bobbin 5+5 Pins	5+5	Phenolic			UL 94-V0
ATQ1715 Bobbin 4+2 Pins	4+2	Phenolic			UL 94-V0
ATQ21 Bobbin 5+0 Pins	5+0	Phenolic	3.4mm		
ATQ22 Bobbin 4+4+4 Pins	4+4+4	Phenolic			UL 94-V0
ATQ23 Bobbin 4+0 Pins	4+0	Phenolic	3.4mm		UL 94-V0
ATQ23 Bobbin 4+1 Pins	4+1	Phenolic			UL 94-V0
ATQ23 Bobbin 4+2 Pins	4+2	Phenolic			UL 94-V0
ATQ23.2X10 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ23.2X10.6 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ23.7X14.6 Bobbin with Gap 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ23.7X14.6 Bobbin 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ24 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ25 Bobbin 2+2 Pins	2+2	Phenolic			UL 94-V0
ATQ25 Bobbin 4+4 Pins	4+4	Phenolic			UL 94-V0
ATQ25 Bobbin 4+4 Pins	4+4	Phenolic			UL 94-V0
ATQ26 Bobbin 2+0 Pins	2+0	Phenolic			UL 94-V0
ATQ26 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 4+4 Pins	4+4	Phenolic			UL 94-V0
ATQ27 Bobbin 1 Pin	1 Pin	Phenolic			UL 94-V0
ATQ27 Bobbin 2+0Pins	2+0	Phenolic			UL 94-V0
ATQ27 Bobbin 2+2 Pins	2+2	Phenolic			UL 94-V0
ATQ27 Bobbin 4+0 Pins	4+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins L Pin	5+0	Phenolic			UL 94-V0
ATQ27 Bobbin 5+0 Pins L pin	5+0	Phenolic			UL 94-V0

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ATQ28 Bobbin 5+0 Pins	5+0	Phenolic			UL 94-V0
ATQ30 Bobbin 5+0 Pins L Pin	5+0	Phenolic			UL 94-V0
ATQ31 Bobbin 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ32 Bobbin 3+3 Pins	3+3	Phenolic			UL 94-V0
ATQ34 Bobbin		Phenolic			UL 94-V0
ATQ34 Bobbin 2+2 Pins	2+2	Phenolic			UL 94-V0

EE Bobbins (42 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EE10 Bobbin, 4+4 Pins, 2 Section		Phenolic			
EE10 Bobbin, 4+4, 1 section		Phenolic			
EE10, Horizontal, 4+4 Pins, 1 section		Phenolic			
EE11 Horizontal bobbin with 8 Pins	4+4	Phenolic	2.50mm	10.50mm	
EE13 Bobbin, Horizontal, 4+4 Pins, 1 section		Phenolic			
EE13 Bobbin, Vertical, 5+5 Pins, 1 Section		Phenolic			
EE13 Bobbin, Vertical, 5+5 Pins, 2 Section		Phenolic			
EE1301 Vertical bobbin with 10 Pins	5+5	Phenolic	2.50mm	8.50mm	
EE1302 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.50mm	15.40mm	
EE16 Bobbin, Vertical, 6+4 Pins, 1 Section		Phenolic			
EE1601 Horizontal bobbin with 8 Pins	4+4	Phenolic	3.50mm	14.50mm	
EE1602 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.20mm	15.50mm	
EE1603 Horizontal bobbin with 8 Pins	3+5	Phenolic	9.60mm/3.20mm	15.50mm	
EE1604 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.20mm	17.50mm	
EE1605 Vertical bobbin with 8 Pins	3+5	Phenolic	5.25/3.20mm	22.50mm	
EE22 Horizontal bobbin with 9 Pins	4+5	Phenolic	5.0/4.0mm	17.00mm	
EE2202 Horizontal bobbin with 20 Pins	10+10	Phenolic	2.30mm	15.00mm	
EE25 Bobbin, Vertical, 5+5 Pins, 1 Section		Phenolic			
EE25 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.80/5.00m	15.50mm	
EE25 Horizontal bobbin with 2 sections	2+2	Phenolic	14.00mm	14.80mm	
EE25 Vertical bobbin with 8 Pins	4+2+2	Phenolic	2.8/3.0/4.0/3.5	14.15mm/22.35mm	
EE25, Horizontal, 4+4 Pins, 1 Section		Phenolic			
EE30 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.00mm	20.00mm	
EE40 Horizontal bobbin with 14Pins	7+7	Phenolic	5.00mm	25.80mm	
EE4002 Horizontal bobbin with 28 Pins	12+16	Phenolic	6.0/2.5mm	28.70mm	
EE42 Bobbin, 1 Section		GFN			
EE42 Bobbin, Horizontal, 6+6 Pins, 1 Section		Phenolic			
EE42 Bobbin, Horizontal, 7+7 Pins, 2 Section		Phenolic			
EE42 Bobbin, Vertical, 4+4 Pins, 1 section		GFN			
EE42 Bobbin, Vertical, 9+9 Pins, 1 Section		Phenolic			
EE4215 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.00mm	35.0mm	
EE4220 Bobbin, Vertical, 6+6 Pins		Phenolic	5.0mm	32.5mm	UL 94-V0
EE4220 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.00mm	35.0mm	
EE55 Bobbin, Horizontal, 10+10 Pins, 1 Section		Phenolic			
EE55 Bobbin, Vertical, 7+7 Pins, 1 Section		Phenolic			
EE55 Bobbin, Vertical, 8+8 Pins, 1 Section		PET			
EE5501 Vertical bobbin with 14 Pins	7+7	Phenolic	5.00mm	40.00mm	
EE55X4 Bobbin No Pins		PET FR530			
EE65 Bobbin, 1 Section		GFN			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EE65 Vertical bobbin with 12 Pins	6+6	Phenolic	7.00mm	38.50mm	
EE70 Bobbin		PET			
SMD EE6.0 Bobbin		LCP			UL 94-V0, Class F

EF Bobbins (41 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EF12 Horizontal bobbin with 2 sections	4+4	Phenolic	3.30mm	10.00mm	
EF12.6 Horizontal bobbin with 7 Pins	4+3	Phenolic	3.82/5.1/3.3mm	12.00mm	
EF12.6 Vertical bobbin with 2 sections	3+3	PET	3.8mm	7.6mm	
EF16 Horizontal bobbin with 14 Pins	7+7	Phenolic	2.50mm	15.30mm	
EF16 Horizontal bobbin with 2 section 12 pins	6+6	PET	2.5mm	12.50mm	
EF16 Horizontal bobbin with 2 sections 14 pins	7+7	Phenolic	2.5mm	15.3mm	
EF16 Horizontal bobbin with 4 sections	7+7	Phenolic	2.50mm	15.30mm	
EF16 Horizontal bobbin with 7 Pins	5+2	Phenolic	2.50mm/10.00mm	17.50mm	
EF16 Horizontal bobbin with 8 Pins	4+4	PET	3.81mm	15.24mm	
EF16 Vertical bobbin with 2 sections	3+3	PET	3.75mm	7.5mm	
EF16 Vertical bobbin with 3 sections	3+3	PET			
EF16 Vertical bobbin with 4 sections	3+3	PET	3.75mm	7.50mm	
EF16 Vertical bobbin with 6 Pins	3+3	PET	3.75mm	7.5mm	
EF16 Vertical bobbin with 6 Pins	3+3	Plastic	3.80mm	11.30mm/7.60mm	
EF16 Vertical bobbin with 8 Pins	4+4	PET	3.80mm	8.80mm	
EF20 Horizontal bobbin with 10 Pins	5+5	Phenolic	3.8mm	15.2mm	
EF20 Horizontal bobbin with 2 sections	4+4	PET/GFN	5.00mm	15.00mm	
EF20 Horizontal bobbin with 2 sections	5+5	Phenolic	3.81mm	15.24mm	
EF20 Horizontal bobbin with 3 sections	4+4	Phenolic	5.0mm	15.24mm	
EF20 Horizontal bobbin with 4 sections	4+4	PET/GFN	5.0mm	14.85mm/15.00mm	
EF20 Horizontal bobbin with 4 sections 4 pins	2+2	GFN	11.00mm	20.0mm	
EF20 Horizontal bobbin with 6 Pins	4+2	Phenolic	5.0mm	20.9mm	
EF20 Horizontal bobbin with 8 Pins	4+4	Phenolic	5.0mm/4.00mm	15.0mm/18.2mm	
EF20 Vertical bobbin with 10 Pins	5+5	Phenolic	3.8mm	10.2mm	
EF20 Vertical bobbin with 2 sections	3+3	PET/GFN	5.08mm	15.00mm	
EF20 Vertical bobbin with 2 sections	4+4	PET	5.08mm	10.16mm	
EF20 Vertical Bobbin with 4 sections	3+3	PET/GFN	5.08mm	15.00mm	
EF20 Vertical bobbin with 6 Pins	3+3	PET	5.08mm	10.00mm	
EF25 Horizontal bobbin with 10 Pins	5+5	Phenolic	5.0mm	20.0mm	
EF25 Horizontal bobbin with 12 Pins	6+6	PET	5.0mm	20.0mm	
EF25 Horizontal bobbin with 2 sections	4+4	Phenolic	5.0mm	20.0mm	
EF25 Horizontal bobbin with 4 sections	4+4	PET/GFN	5.0mm	20.0mm	
EF25 Horizontal bobbin with 8 Pins	4+4	Phenolic	5.0mm	20.2mm	
EF25 Horizontal Bobbin with 9 Pins	5+4	Phenolic	5.0mm	24.75mm	
EF25 Vertical bobbin	5+5	Phenolic	5.08mm	12.7mm	
EF28 Bobbin? 2 Sections	5+5	Phenolic	3.70mm	15.5mm	
ER28 Horizontal bobbin with 4 sections	3+3	PBT	8.7mm	30.0mm	
SMD EF12.6 2 sections Bobbin with 10 gull-wing	5+5	Phenolic-PM9630			
SMD EF12.6 2 sections Bobbin with 10 Type-C Pi	5+5	LCP			
SMD EF12.6 BOBBIN WITH 10 GULL-WING PINS	5+5	Phenolic-PM9630			
SMD EF12.6 Bobbin with 10 pins	5+5	LCP			

EFD Bobbins (20 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EFD15 Bobbin, 4+2 Pins, 1 Section		Phenolic; Pin Material:			
EFD15 Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
EFD20 Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
EFD25 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EFD25 Bobbin, 5+5 Pins, 4 Sections		Phenolic; Pin Material:			
EFD25 Bobbin, 5+5 Pins, 6 Sections		Phenolic; Pin Material:			
EFD25 Bobbin, 6+6 Pins, 4 Sections		Phenolic; Pin Material:			
EFD25 Bobbin, 7+7 Pins, 1 Section		Phenolic; Pin Material:			
EFD25 Bobbin, 8+9 Pins, 1 Section		Phenolic; Pin Material:			
EFD30 Bobbin, 6+6 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD10 Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD15 Bobbin, 4+4 Pins, 1 section		Phenolic; Pin Material:			
SMD EFD15 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD15 Bobbin, 6+6 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD20 Bobbin, 5+5 Pins, 1 Section, Type L		Phenolic; Pin Material:			
SMD EFD20 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD20 Bobbin, 5+5 Pins, 1 Section, Type C		Phenolic; Pin Material:			
SMD EFD25 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD25 Bobbin, 6+6 Pins, 1 Section		Phenolic; Pin Material:			
SMD EFD6.5 Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			

EI Bobbins (35 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EI 16X5.5 Bobbin, no Pins, 1 Section		PA66			
EI 19 Bobbin, Horizontal, 4+4 Pins, 1 Section		PBT			
EI 19X5 Bobbin, Horizontal, 2+2 Pins, 3 Sections		PBT			
EI 19X6.2 Bobbin, Horizontal, 2+2 Pins, 1 Section		PBT			
EI 19X8 Bobbin, Horizontal, 2+2 Pins, 1 Section		PBT			
EI 19X8.3 Bobbin, No Pins, 1 Section		PA66			
EI 24X7.5 Bobbin, No Pins, 1 Section		PA66			
EI 25X7 Bobbin, Vertical, 3+3 Pins, 2 Sections		PA66			
EI 28X11 Bobbin, Horizontal, 3+4 Pins, 2 Sections		PET			
EI 28X11.5 Bobbin, Vertical, 3+3 Pins, 1 Section		PET			
EI 28X12 Bobbin, Horizontal, 3+4 Pins, 2 Sections		PBT			
EI 28X12 Bobbin, Horizontal, 5+4 Pins, 2 Sections		PBT			
EI 28X12 Bobbin, Molded in, Horizontal, 5+5 Pins,		PBT			
EI 28X13.5 Bobbin, Molded in, Vertical, 3+2 Pins,		PBT			
EI 28X15.5 Bobbin, Molded in, Horizontal, 3+2 Pi		PBT			
EI 28X16 Bobbin, Horizontal, 5+5 Pins, 2 Sections		PBT			
EI 28X17 Bobbin, Molded in, Vertical, 3+2 Pins, 1		PBT			
EI 28X18 Bobbin, Molded in, Horizontal, 5+5 Pins,		PBT			
EI 28X7 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PBT			
EI 35X10 Bobbin, Horizontal, 3+3 Pins, 2 Sections		PA66			
EI 35X10 Bobbin, Horizontal, 5+4 Pins, 2 Sections		PET			
EI 35X10 Bobbin, Horizontal, 6+6 Pins, 1 Section		PBT			
EI 35X10.5 Bobbin, Vertical, 3+3 Pins, 1 Section		GFN			
EI 35X11 Bobbin, Horizontal, 5+5 Pins, 2 Sections		PBT			
EI 35X11.5 Bobbin, Horizontal, 5+5 Pins, 2 Sectio		PBT			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EI 35X12 Bobbin, Horizontal, 3+4 Pins, 2 Sections		PBT			
EI 35X13 Bobbin, Horizontal, 5+5 Pins, 2 Sections		GFN			
EI 35X14 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PBT			
EI 35X14 Bobbin, Molded in, Horizontal, 3+3 Pins,		PBT			
EI 35X8 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PBT& PET			
EI 35x7 Bobbin, Horizontal, 4+4 Pins, 2 Sections		PA66			
EI 41X13 Bobbin, Horizontal, 5+6 Pins, 2 Sections		GFN			
EI 41X13 Bobbin, Horizontal, 6+6 Pins, 1 Section		PBT & PET			
EI14 Bobbin, Vertical, 3+3 Pins, 1 Section		Phenolic			
EI57 Bobbin, Horizontal, 6+6 Pins, 1 Section		GFN			

EP Bobbins (20 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EP10 SMD Bobbin, 4+4 Pins, 1 Section		LCP; Pin Material: Phos			
EP10 SMD Bobbin, 4+4 Pins, 2 Sections		LCP; Pin Material: Phos			
EP13 Bobbin, 5+5 Pins, 1 Section		Phenolic	2.5 mm, Row Dist		
EP13 Bobbin, 5+5 Pins, 2 Sections		Phenolic; Pin Material: C	2.5mm; Row Dista		
EP13 SMD Bobbin, 5+5 Pins, 1 Section		LCP; Pin Material: Pho			
EP13 SMD Bobbin, 5+5 Pins, 1 Section, Type C		LCP; Pin Material: Pho			
EP13 SMD Bobbin, 5+5 Pins, 4 Sections		Phenolic; Pin Material:			
EP5 SMD Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material: P			
EP7 Bobbin, 3+3 Pins, 1 Section		Phenolic	2.54mm, Row Dist		
EP7 Bobbin, 3+3 Pins, 2 Section		Phenolic	2.54mm, Row Dista		
EP7 SMD Bobbin, 3+3 Pins, 1 Section, Type C		LCP ; Pin Material: Pho			
EP7 SMD Bobbin, 3+3 Pins, 2 Section		LCP; Pin Material: Pho			
EP7 SMD Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material: P			
SMD EP13 8+8 Pins		Phenolic PM9630	1.7mm		
SMD EP13 Bobbin 2 Sections 5+5 Pins Type L	5+5	Phenolic/DAP			UL 94-V0
SMD EP13 Bobbin 5+5 Pins, 2 Sections	5+5	Phenolic PM9630			UL 94-V0
SMD EP7 Bobbin		PM9630			UL 94-V0, Class F
SMD EP7 Bobbin 2 Sections		PM9630			UL 94-V0, Class F
SMD EP7 Bobbin of LCP Material		LCP			UL 94-V0, Class F
SMD EP7 Bobbin Type L		PM9630			UL 94-V0, Class F

EPC Bobbins (17 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
EPC13 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EPC16.8 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EPC17 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
EPC19 Bobbin, 5+2 Pins, 1 Section		Phenolic; Pin Material:			
EPC19 Bobbin, 5+6 Pins, 1 Section		Phenolic; Pin Material:			
EPC19 Bobbin, 6+6 Pins, 1 Section		Phenolic PM9630; Pin			
EPC25 Bobbin, 5+6 Pins, 1 Section		Phenolic; Pin Material:			
EPC39 Bobbin, 8 Pins right, 1 Section		Phenolic; Pin Material:			
EPC39 Bobbin, 8 Pins left, 3 Sections		Phenolic; Pin Material:			
EPC39 Bobbin, 8 Pins right, 3 Sections		Phenolic; Pin Material:			
EPC39 BOBBIN, 8pins left, 1 section		Phenolic; Pin Material:			
EPC43 Bobbin, 5+7 Pins, 1 Section		Phenolic; Pin Material:			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
SMD EPC13 Bobbin, 5+5 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC17 Bobbin, 5+0 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC17 Bobbin, 5+4 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC19 Bobbin, 6+4 Pins, 1 Section		Phenolic; Pin Material:			
SMD EPC19 Bobbin, 6+6 Pins, 1 Section		LCP E4008; Pin Material:			

EPX Bobbins (4 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
SMD EPX7 Bobbin 4+4 Pins		LCP	2.54mm		
SMD EPX7 Bobbin 4+4 Pins Type C		LCP	2.5mm		
SMD EPX7 Bobbin 4+4 Pins Type L		LCP	2.5mm	5.3mm	
SMD EPX7 Bobbin 8Pins Type L		LCP		5.3mm	

ER Bobbins (45 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ER11.5 Bobbin, Vertical , 6+6 Pins, L Lead		GFN; Pin Material: CP			
ER11.5 Bobbin, Vertical, 4+4 Pins, L Lead		GFN; Pin Material: CP			
ER11.5 Bobbin, Vertical, 5+5 Pins, L Lead		GFN; Pin Material: CP			
ER11.5 SMD Bobbin, 4+4 Pins		LCP E4008; Pin Material:			
ER11.5 SMD Bobbin, 5+5 Pins		Phenolic; Pin Material: P			
ER14.5 SMD Bobbin, 5+5 Pins		Phenolic PM9630; Pin M			
ER14.5 SMD Bobbin, 6+6 Pins		LCP E4008; Pin Material:			
ER20 Vertical bobbin, 5+5 Pins		Phenolic	2.5mm	16.7mm	
ER25 Vertical bobbin, 10 Pins	5+5	Phenolic	3.5mm	14.0mm	
ER28 Horizontal bobbin with 10 pins	5+5	Phenolic	6.0mm	22.7mm	
ER28 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.0mm	25.4mm	
ER28 Vertical bobbin with 15 pins	6+9	Phenolic	5.0mm/4.0mm	22.5mm	
ER28 Vertical bobbin with 18 Pins	9+9	Phenolic	4.0mm	20.0mm	
ER28 Vertical bobbin with 26 Pins	13+13	Phenolic	2.5mm	17.5mm	
ER28 Vertical bobbin with 28 Pins	14+14	Phenolic	2.5mm/ 4.0mm/5.0	20.0mm	
ER2820 Vertical bobbin with 10 Pins	5+5	Phenolic	5.0mm	17.8mm	
ER2828 Vertical bobbin with 10 Pins	5+5	Phenolic	5.0mm	17.5mm	
ER34 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0mm	25.5mm	
ER35 2 sections Horizontal bobbin	7+7	Phenolic	5.0mm	37.0mm	
ER35 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.5mm/9.0mm	37.0mm	
ER35 Horizontal bobbin with 14 pins	7+7	Phenolic	5.0mm	37.0mm	
ER35 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0mm	22.5mm	
ER3542 Vertical bobbin with 14 pins	7+7	Phenolic	5.0mm	22.5mm	
ER39 Horizontal 2 sections bobbin with 14 Pins	7+7	Phenolic	5.8mm	36.0mm	
ER39 Horizontal 2 sections wider bobbin	7+7	Phenolic	5.8mm	39.3 mm	
ER39 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.0mm	30.5mm	
ER39 Vertical 9 Sections bobbin	8+8	Phenolic	5.0mm	27.5 mm	
ER39 Vertical bobbin with 16 Pins	8+8	Phenolic	5.0mm	25.0mm	
ER40 Bobbin, Vertical, 7+7 Pins, pin distance: 5.0		Phenolic	5.0mm	25.0mm	UL 94-V0
ER40 Horizontal Bobbin 8+8 Pins		Phenolic	5.00mm	35.00mm	UL 94-V0, Class F
ER4035 Vertical bobbin with 12 pins	6+6	Phenolic	5.0mm	22.5mm	
ER42 Horizontal bobbin with 16 Pins	8+8	Phenolic	5.0mm	35.0mm	
ER4220 Vertical bobbin with 14 Pins	7+7	Phenolic	5.0mm	30.2mm	

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ER4330 Horizontal 2 sections bobbin	9+9	Phenolic	5.0mm	35.0 mm	
ER49 Horizontal bobbin with 22 Pins	11+11	Phenolic	5.0mm	40.0mm	
ER4901 Vertical bobbin with 14 Pins	7+7	Phenolic	5.0mm	30.0 mm	
ER4904 Vertical bobbin with 18 Pins	9+9	Phenolic	5.0mm	27.5 mm	
ER5301 Vertical bobbin with 18 Pins	9+9	Phenolic	5.0mm	32.6 mm	
ER7.5 SMD Bobbin, 4+4 Pins		LCP E4008; Pin Materia			
ER9.5 Bobbin, Horizontal, 4+4 Pins, C		Phenolic PM9630; Pin			
ER9.5 Bobbin, Vertical, 3+3 Pins, L Lead		GFN; Pin Material: CP			
ER9.5 Bobbin, Vertical, 4+4 Pins, L Lead		GFN; Pin Material: CP			
ER9.5 SMD Bobbin, 4+4 Pins		Phenolic PM9630; Pin M			
ER9.5 SMD Bobbin, 4+4 Pins, gap on top		Phenolic PM9630; Pin M			
SMD ER11.5 Bobbin, 5+5 Pins, LCP Material		LCP E4008			

ETD Bobbins (13 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
ETD 29 Bobbin, Vertical, 7+7 Pins, 1 Section		Phenolic; Pin Material: C			
ETD29 Bobbin, Horizontal, 7+7 Pins, 1 Section		Phenolic; Pin Material: C			
ETD34 Bobbin, Horizontal, 6+6 Pins, 2 Sections		Phenolic; Pin Material:			
ETD34 Bobbin, Horizontal, 7+7 Pins, 1 Section		Phenolic; Pin Material:			
ETD34 Bobbin, Horizontal, 7+7 Pins, 2 Sections		Phenolic; Pin Material: C			
ETD39 Horizontal biobbin with 16 Pins	8+8	Phenolic	5.00mm	30.5mm	
ETD39 Vertical bobbin with 16 Pins	8+8	PET	5.08mm	22.86mm	
ETD44 Bobbin, Horizontal, 9+9 Pins, 1 Section		Phenolic; Pin Material:			
ETD49 Bobbin, Horizontal, 10+10 Pins, 1 Section		Phenolic; Pin Material:			
ETD49 Bobbin, Vertical, 11+11 Pins, 1 Section		Phenolic; Pin Material: C			
ETD54 Bobbin, Horizontal, 11+11 Pins, 1 Section		Phenolic; Pin Material:			
ETD54 Bobbin, Horizontal, 5+8 Pins, 1 Section		Phenolic; Pin Material:			
ETD59 Bobbin, Horizontal, 13+13 Pins, 1 Section		Phenolic; Pin Material: C			

PQ Bobbins (54 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
PQ2008 Vertical bobbin with 8 Pins	4+2+2	Phenolic	3.0/4.5/6.45mm	15.2/21.3mm	
PQ2016 Bobbin, 6+8 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2016 Vertical Bobbin 4+6 Pins		Phenolic	2.5mm	20.2mm	
PQ2016 Vertical bobbin with 8 Pins	6+2	Phenolic	3.8/4.95mm	22.9mm	
PQ2020 Bobbin, 6+8 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2620 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2621 Vertical Bobbin with 12 Pins	6+6	Phenolic	3.8/7.6mm	25.4mm	
PQ2625 Bobbin without Pins		Phenolic			
PQ2625 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ2625 Vertical Bobbin with 4 Pins	2+2	Phenolic	7.62mm	25.4mm	
PQ2635 Vertical Bobbin with 12 Pins	6+6	Phenolic	3.8/7.5mm	25.5mm	
PQ26X22.5 Vertical Bobbin with 12 Pins	6+6	Phenolic	3.8/7.5mm	25.4mm	
PQ3220 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ3220 Vertical bobbin with 6 Pins	3+3	Phenolic	4.0mm	21.9mm	
PQ3220 Vertical Bobbin with 11 Pins	6+5	Phenolic	5.1/7.5mm	30.8mm	
PQ3220 Vertical bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3220 Vertical Bobbin without Pins		Phenolic			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
PQ3225 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ3225 Horizontal bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3225 Vertical bobbin with 16 pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3230 BOBBIN without Pins		Phenolic			
PQ3230 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ3230 Horizontal bobbin with 12 Pins	6+6	Phenolic	5.0/7.5mm	30.0mm	
PQ3230 Horizontal bobbin with 16 pins	8+8	Phenolic	4.0/5.0mm	30.2mm	
PQ3230 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0/10.0mm	35.5mm	
PQ3230 Vertical bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3230 vertical bobbin with 2 sections	6+6	Phenolic	5.0/10.0mm	35.5mm	
PQ3235 Horizontal bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	30.0mm	
PQ3235 Vertical bobbin with 12 Pins	6+6	Phenolic	5.0/7.5mm	30.0mm	
PQ33 Bobbin without Pins		Phenolic			
PQ35 Vertical bobbin with 10 Pins	6+4	Phenolic	5.0/7.4mm	30.5mm	
PQ3528 Vertical bobbin with 12 pins	6+6	Phenolic	5.08/10.16mm	35.5mm	
PQ3530 Horizontal bobbin with 16 Pins	8+8	Phenolic	4.0/5.0mm	29.8mm	
PQ3535 Bobbin without pins		Phenolic			
pq3535 horizontal bobbin with 2 sections	7+7	Phenolic	5.0mm	32.0mm	
PQ3535, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ36 Vertical bobbin with 5 Pins	3+2	PET		38.75mm	
PQ3813 Vertical bobbin with 6 Pins	3+3	Phenolic	6.00/7.50mm	47.00mm	
PQ3813 Vertical bobbin with 9 Pins	4+5	Phenolic	6.0/5.0mm	47.0mm	
PQ3813 Vertical bobbin with 9 type-L Pins	4+5	Phenolic	6.0/5.0mm	43.0mm	
PQ4013 Vertical bobbin with 9 Pins	5+4	Phenolic	5.0/6.0mm	47.00mm	
PQ4013 Vertical bobbin with 9 type-L pins	5+4	Phenolic	5.0/6.0mm	43.00mm	
PQ4040 Bobbin, 6+6 Pins, 1 Section		Phenolic, Pin Material: C			
PQ4040 Horizontal bobbin with 14 pins	7+7	Phenolic	5.00mm	35.00mm	
PQ4040 Horizontal bobbin with 2 sections	7+7	Phenolic	5.00mm	35.00mm	
PQ4040 Vertical bobbin with 16 Pins	8+8	Phenolic	5.0/7.5mm	40.0mm	
PQ4040 Vertical bobbin with 2 sections no pins		Phenolic			
PQ5030 Vertical bobbin with 12 Pins	6+6	Phenolic	7.40/12.60mm	46.00mm	
PQ5050 Bobbin, 7+7 Pins, 1 Section		LCP, Pin Material: CP			
PQ5050 Bobbin, 7+7 Pins, 2 Sections		LCP, Pin Material: CP			
PQ5050 Bobbin, No Pin, 1 Section		LCP			
PQ5050 Horizontal Bobbin, 8+8 Pins		Phenolic			UL 94-VO
PQ5050 Vertical Bobbin 2 Sections 6+6 Pins		Phenolic	7.4mm, 12.4mm	45.6mm	
PQ5050 Vertical Bobbin 6+6 Pins 1 section		Phenolic	7.4mm, 12.4mm	45.6mm	

RM Bobbins (23 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
RM10 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP			
RM12 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP			
RM14 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP Wi			
RM4 Vertical Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			
RM4 Vertical Bobbin, 3+3 Pins, 2 Sections		Phenolic; Pin Material:			
RM5 SMD Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 2+2 Pins, 1 Section		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 2+2 Pins, 2 Sections		Phenolic; Pin Material:			

Part number	Pins	Material	Pin dist.	Row dist.	Rating
RM5 Vertical Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 3+3 Pins, 2 Sections		Phenolic; Pin Material:			
RM5 Vertical Bobbin, 4+4 Pins, 2 Sections		Phenolic; Pin Material:			
RM6 SMD Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
RM6 SMD Bobbin, 4+4 Pins, 2 Sections		Phenolic; Pin Material:			
RM6 SMD Bobbin, 6+6 Pins, 1 Section		LCP ; Pin Material: Pho			
RM6 Vertical Bobbin Low Profile, 2+2 Pins, 1 Secti		PM9630; Pin Material: C			
RM6 Vertical Bobbin, 2+2 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 3+3 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 3+3 Pins, 2 Sections		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 3+6 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 4+4 Pins, 1 Section		Phenolic; Pin Material:			
RM6 Vertical Bobbin, 5+0 Pins, 1 Section		Phenolic; Pin Material:			
RM8 Vertical Bobbin, 6+6 Pins, 1 Section		PET; Pin Material: CP			
SMD RM8 Bobbins 6+6 Pins Type C	6+6	GFN/PET			UL 94-V0

UI Bobbins (1 parts)

Part number	Pins	Material	Pin dist.	Row dist.	Rating
UI9332 Bobbin No Pins		GFN			