

Tophome Product Catalogue

38 small kitchen appliance models - bread toasters, juicers, blenders and snack makers

Every model published on cntophome.com, with finish, published specification and feature list. OEM and ODM projects are welcome on all of them.

BT100

Gloss black with a brushed metal side panel

The BT100 is the two slice toaster most Tophome buyers start with - a 600-700 W cool touch body that runs on both 100-120 V and 220-240 V supplies, so one tooling set covers a European and a North American programme.

Features

- 2 slice cool touch toaster
- Multifunction: reheat, cancel, defrost
- Self-centering guides optional
- Variable electronic timing control
- Re-upgrade function
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 220-240 V / 100-120 V
Frequency	50/60 Hz
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT101 4 Slice

White long slot

The BT101 is the long slot four slice version of the range, rated 1200-1400 W so all four slices brown at the same rate instead of the back pair lagging behind.

Features

- 4 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Cord storage
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light



Voltage	AC 100-120 V / 220-240 V
Power	1200-1400 W
Slots	4 slice
Housing	Cool touch

BT102

White with a side mounted dial

The BT102 is the simplified two slice unit: no defrost or reheat buttons, just a mid cycle cancel and a browning dial, which keeps the bill of materials down for entry price points.

Features

- 2 slice cool touch toaster
- Mid cycle cancel function
- Variable electronic browning control
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage
- 2 anti-slip rubber feet



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Feet	2 anti-slip rubber feet

BT103

White with three front buttons

The BT103 puts every control on the front face, which is what buyers ask for when the toaster is sold in open display packaging and has to explain itself on the shelf.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT104

Brushed stainless with blue LED controls

The BT104 is the lit control version - blue LED buttons and an illuminated dial ring on a brushed stainless face, aimed at the mid tier price point where a plain white toaster will not sell.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Front panel	Brushed stainless

BT105

Black with a chrome top deck

The BT105 pairs a matt black body with a polished chrome top deck, the combination that keeps selling in kitchens where the kettle and the toaster are bought as a pair.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT106

White with a blue LED base ring

The BT106 carries a blue light ring around the whole base rather than a single indicator lamp, which is the detail that gets it picked up in gift and promotional programmes.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT107

Gunmetal wedge

The BT107 is the wedge profile in the range - a tapered gunmetal body that sits lower at the back and takes up less depth on a shallow worktop.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT108

White with a chrome slot surround

The BT108 runs its controls in a vertical strip beside the lever, so the front face stays blank for printing or for a retailer badge.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT109

Plain white

The BT109 is the plainest body in the toaster range, and that is the point - a white cool touch shell with no decoration is the easiest base for a private label programme.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT110

Yellow with printed function labels

The BT110 is the colour body in the range, supplied with the Frozen, Reheat and Cancel functions printed straight onto the housing instead of moulded icons.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: frozen, reheat, cancel
- Cord storage
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT111

Dark navy with a light side panel

The BT111 is the higher powered two slice unit at 750-850 W, and it sits on four anti-slip feet rather than two so it does not walk when the carriage drops.

Features

- 2 slice cool touch toaster
- Multifunction: defrost, reheat, cancel
- Variable electronic browning control
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- 4 anti-slip rubber feet
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	750-850 W
Slots	2 slice
Feet	4 anti-slip rubber feet

BT112

Full brushed stainless on a black base

The BT112 is the full stainless body - the metal wraps the whole shell rather than sitting as a front panel, which is what buyers checking finish quality in the sample stage look for.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Brushed stainless over cool touch base

BT113

Gloss black with chrome slot trim

The BT113 keeps the gloss black shell but moves the control group behind the lever, which shortens the front face and suits narrower carton sizes.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT114

Light grey

The BT114 is the light grey body, the neutral finish buyers pick when the toaster has to sit next to appliances that are neither white nor stainless.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT115

Brushed stainless panel in a black frame

The BT115 splits the difference between the plastic and the all metal bodies: a stainless panel carried in a black frame costs less than a full stainless shell but reads the same on the shelf.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Stainless panel in cool touch frame

BT116 4 Slice

Black long slot with a cream side panel

The BT116 is the 220-240 V long slot four slice unit at 1000-1200 W, and its side panels are laser engraved rather than printed, so the branding does not rub off in use.

Features

- 4 slice cool touch toaster
- Laser engraved logo on side panels
- Multifunction: reheat, cancel, defrost
- Variable electronic browning control
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- 4 anti-slip rubber feet
- Cord storage



Voltage	AC 220-240 V
Power	1000-1200 W
Slots	4 slice
Feet	4 anti-slip rubber feet

BT117

White with a wide front dial

The BT117 uses an oversized browning dial, the detail that matters when the end user is older or the toaster is going into a hotel room or a serviced apartment.

Features

- 2 slice cool touch toaster
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Cool touch

BT118

Stainless steel housing with black slot guards

The BT118 is the one to quote when returns are the problem: a stainless steel housing plus an anti-jam function that releases the carriage when a thick slice sticks.

Features

- 2 slice cool touch toaster
- Anti-jam function
- Stainless steel housing
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	600-700 W
Slots	2 slice
Housing	Stainless steel

BT119 4 Slice

Brushed stainless four slot

The BT119 is the four slot unit with two independent control sets at 1200-1400 W - the configuration hotels and canteens ask for, because half the unit can run while the other half is idle.

Features

- 4 slice cool touch toaster
- Two independent control sets
- Variable electronic browning control
- Multifunction: defrost, reheat, cancel
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Cord storage



Voltage	AC 100-120 V / 220-240 V
Power	1200-1400 W
Slots	4 slice, 2 independent controls
Housing	Brushed stainless

BT120 with coffee maker

Black long body with a hinged stainless lid

The BT120 puts a two slice toaster and a one mug coffee maker on the same base with separate switches, which is the breakfast set hotels and student accommodation buy instead of two appliances.

Features

- 2 slice cool touch toaster
- Independent switch on and switch off control
- Mid cycle cancel function
- 7 degrees for browning control
- Auto pop up and auto shut off
- Slide out crumb tray easy to clean
- Indicator light
- Coffee maker with on/off indicator light
- 1-mug capacity (250 ml)
- Dismantle filter net easy to clean
- Anti-slip rubber feet



Toaster	230 V, 700 W
Coffee maker	230 V, 300 W
Slots	2 slice
Mug capacity	1 mug, 250 ml
Browning settings	7 degrees

WM32A

Brushed stainless rotary waffle maker

The WM32A is a rotating Belgian waffle maker: the whole plate assembly turns over during baking so the batter spreads across both plates instead of settling into the bottom one.



Features

- Rotary feature for even baking and browning
- 1" thick Belgian maker rotates for perfect baking
- Steady base, easy storage
- Brushed stainless steel housing
- Removable metal tray for easy cleaning
- Can be stored vertical and horizontal
- Non-stick plates allow for easy quick cleanup

Voltage	120 V, 60 Hz, 1080 W or 230 V, 50 Hz, 1000 W
Waffle diameter	8" (20 cm)
Waffle thickness	1" thick Belgian
Product size	45 cm total length x 16.5 cm height
Drip tray	21.3 x 23.8 cm, removable metal
Housing	Brushed stainless steel

JE47

Glass jar on a polished stainless housing

The JE47 is the 500 W glass jar table blender - a 1500 ml thick glass jar, stainless ice crushing blades and a five speed rotary dial on a polished metal housing.



Features

- Powerful 500 W motor
- Glass jar and stainless steel motor housing
- 5 speed rotary control dial switch
- 1500 ml thick glass jar
- Stainless steel ice crushing blades
- Removable filler cap

Power	500 W
Voltage	100-240 V
Frequency	50-60 Hz
Jar	1500 ml thick glass
Speeds	5 speed rotary control dial

JE47B

White body with an orange jug collar and base trim

The JE47B is the 450 W AC motor blender, offered in either a four speed or a two speed build so one jug and one housing cover two price points.



Features

- 1.5 L blender jar
- Safety lock-out cap
- Stainless steel blade
- Options: 4-speed or 2-speed
- Pulse function

Motor	AC
Power consumption	450 W
Voltage	120 V / 220 V / 230 V
Frequency	50-60 Hz
Jar	1.5 L blender jar
Speeds	4-speed or 2-speed options

JE47C

White body with a dark brown blade housing

The JE47C is the two speed with pulse table blender at 400 W - the simplest build in the blender range and the one with the fewest parts to fail in a warranty claim.

Features

- Table blender
- Function: blend, ice crush, smoothie
- Glass jug, 1.5 L capacity
- Two speeds with pulse



Voltage	220-240 V
Frequency	50 Hz
Power	400 W
Jug	Glass jug, 1.5 L
Speeds	Two speeds with pulse

JE47D

White body with a dark brown blade housing

The JE47D is the five speed with pulse version of the same 400 W table blender - the build to quote when the buyer wants a speed ladder printed on the dial for the packaging.

Features

- Table blender
- Function: blend, ice crush, smoothie
- Glass jug, 1.5 L capacity
- Five speeds with pulse



Voltage	220-240 V
Frequency	50 Hz
Power	400 W
Jug	Glass jug, 1.5 L
Speeds	Five speeds with pulse

JE47E

All dark brown body

The JE47E is the 400 W table blender specified with the full safety package - a safety lock, over heat protection and a stainless blade - and it can be built with two speeds or five.

Features

- Table blender
- Function: blend, ice crush, smoothie
- Glass jug 1.5 L capacity
- Two speeds with pulse, 5 speed for option
- Safety lock
- High quality stainless steel blade
- Over heat protection



Voltage	220-240 V
Frequency	50 Hz
Power	400 W
Jug	Glass jug, 1.5 L
Speeds	Two speeds with pulse, 5 speed optional

BL601

Black personal blender set

The BL601 is the 600 W multi cup set: one motor base, several cups and two blade assemblies, so the end user blends and drinks from the same vessel.



Features

- Function: blend, ice crush, smoothie
- Jug capacity 1.5 L
- BPA free cup
- Two safety locks
- High quality stainless steel blade
- Over heat protection

Voltage	220-240 V
Frequency	50 Hz
Power	600 W
Jug capacity	1.5 L
Cup material	BPA free

BL901

Silver and green personal blender set

The BL901 is the 900 W version of the same multi cup set, and the extra power is there for ice and frozen fruit, which is where the lower rated build in this range starts to stall.



Features

- Function: blend, ice crush, smoothie
- Jug capacity 1.5 L
- BPA free cup
- Two safety locks
- High quality stainless steel blade
- Over heat protection

Voltage	220-240 V
Frequency	50 Hz
Power	900 W
Jug capacity	1.5 L
Cup material	BPA free

BL301AB

Stainless personal blender with travel bottles

The BL301AB is the 220 W portable blender: a 0.6 litre smart cup that blends, then becomes the bottle the drink is carried in to school, the office or a training session.



Features

- Portable blender
- Function: blend, make smoothies
- Pulse function available
- Two LED indicator lights
- On/off switch
- Smart cup can be used to blend and drink and can be taken to school, the office or outdoors for sports

Voltage	220-240 V
Frequency	50 Hz
Power	220 W
Cup capacity	0.6 L

JE103

Black head with a burgundy body panel

The JE103 is the 80 RPM slow juicer: a DC motor turns the auger at walking pace so the juice is pressed out rather than spun out, and the machine runs quietly enough for an early morning kitchen.

Features

- 80 RPM masticating action
- DC motor
- Brushed stainless steel finish
- 250 V 5 A fuse
- Upright body, 21.5 x 20.5 x 43 cm



Voltage	120 V / 220 V / 230 V
Frequency	50-60 Hz
Motor	DC
Power consumption	150 W
Speed	80 RPM
Fuse	250 V 5 A
Weight	5.02 kg
Dimensions	21.5 x 20.5 x 43 cm
Colour	Brushed stainless steel

JE103A

Black head with a brushed stainless body

The JE103A is the brushed stainless build of the 80 RPM slow juicer, rated for continuous runs of less than 30 minutes, which is the figure to put in the manual before a buyer asks.

Features

- 80 RPM masticating action
- DC motor
- Brushed stainless steel finish
- Maximum continuous use less than 30 minutes
- 250 V 5 A fuse



Voltage	120 V / 220 V / 230 V
Colour	Brushed stainless steel
Motor	DC
Frequency	50-60 Hz
Power consumption	150 W
Speed	80 RPM
Fuse	250 V 5 A
Weight	5.02 kg
Dimensions	21.5 x 20.5 x 43 cm
Max. use	Less than 30 min

JE127

Brushed stainless cylinder with a blue lit switch

The JE127 is the quiet one - an AC induction motor running at 1000 RPM with patented Spin-Dry juicing technology, measured below 60 dB, against the high speed power juicers that dominate the category.

Features

- Patented "Spin-Dry Juicing Technology"
- Super quiet, below 60 dB
- Extra large 75 mm chute mouth
- LED light switch panel
- AC induction super-silent motor



Colour	Brushed stainless steel
Motor	AC induction super-silent motor
Voltage	120 V / 220 V / 230 V
Frequency	50-60 Hz
Power consumption	300 W
Speed	1000 RPM
Noise	below 60 dB
Chute mouth	75 mm
Weight	6 kg
Dimensions	23.10 x 23.10 x 40.50 cm

JE128

Stainless power juicer with a stainless handle

The JE128 is the 850 W power juicer with the stainless steel locking handle - the build buyers choose when the same unit has to survive a display model and a demonstration counter.

Features

- Power juicer with stainless steel handle
- Built in safety switch system
- High quality stainless steel blade and juicing system
- 75 mm chute mouth
- Anti-skid silicon feet
- Stainless steel spout (S/S 304)
- 2.0 L pulp container



Colour	Brushed stainless steel finish
Voltage	100-120 V / 220-240 V
Power	850 W
Speeds	2-speed, 14,000-18,000 RPM
Pulp container	2.0 L
Chute mouth	75 mm
Handle	Stainless steel

JE129

Stainless power juicer with a plastic handle

The JE129 is the plastic handle build of the 850 W power juicer - same motor, same 2.0 litre pulp container and 75 mm chute, at the handle cost that lands a lower retail price.

Features

- Power juicer with plastic handle
- Built in safety switch system
- High quality stainless steel blade and juicing system
- 75 mm chute mouth
- Anti-skid silicon feet
- Stainless steel spout (S/S 304)
- 2.0 L pulp container



Colour	Brushed stainless steel finish
Voltage	100-120 V / 220-240 V
Power	850 W
Speeds	2-speed, 14,000-18,000 RPM
Pulp container	2.0 L
Chute mouth	75 mm
Handle	Plastic

JE72

White and green juicer and blender combination

The JE72 is the 2 in 1 unit - a 250 W juicer and a 1.5 litre glass jar blender sharing one motor base, which is the answer when shelf space allows only one appliance.

Features

- Multi-purpose 2 in 1 juicer and blender
- 1.5 L glass jar
- 0.3 L cup and 1.0 L residue cabinet
- Safety lock switch
- Dual-speed adjustment and pulse switch
- Detachable parts, easy to clean up



Voltage	230 V
Frequency	50 Hz
Power	250 W
Blender jar	1.5 L glass
Cup capacity	0.3 L
Residue cabinet	1.0 L

JE19

White and grey with a green lever

The JE19 is the 200 W compact juicer, a small footprint unit with a safety lock switch that sells at the entry price point in the juicer range.

Features

- Extract juice from fruit and vegetables
- Novel streamline design
- Durable structure
- With safety lock switch



Voltage	230 V
Frequency	50 Hz
Power	200 W

JE16

Clear citrus press with a pale green base

The JE16 is the citrus press in the juicer range - a reaming cone over a clear collection jug, the simplest and lowest cost way into a juicer programme.

Features

- Citrus press with reaming cone
- Clear collection jug with pouring spout



Type	Citrus press
Voltage	TBC
Power	TBC
Jug capacity	TBC

All figures in this sheet are taken from the published specifications on cntophome.com. Values that are not published are shown as TBC rather than estimated. Approvals are held per model with validity dates; the certificates current for your models and your destination market are confirmed in writing before an order.