

LED Bulbs Datasheet

59 models with full published specifications

Company	C&R Technology Co., Limited
Manufacturing	Shenzhen Chiclits Technology Co., Ltd.
Registered	Hong Kong, April 2010 (52075396-000-04-13-A)
Address	Floor 6, Bantian Business Building, Banxuegang Road, Bantian Street, Longgang District, Shenzhen, Guangdong Province 518129, China
Email	info@group-cr.com
Telephone	+86 755 81467599
Certification	CE (LVD) BST1703508020002Y-1SC-2 and RoHS BST1703508020001Y-1RC-4, issued by Shenzhen BST Technology Co., Ltd. for the LED bulb line

Every figure in this datasheet is taken from the manufacturer's specification for the model shown. Where a value is not listed it is not published; ask us and we will confirm it against current production before you order.

LED Bulbs

The retrofit range: everything that screws or bayonets into a socket somebody already owns.

Retrofit bulbs keep a lighting importer's catalogue alive between project orders. They sell on base type, wattage and colour temperature, and they sell all year. Our bulb range covers E27, E26, B22 and E14 bases across globe, candle, flame tip, filament, ceramic, Edison, spotlight, sensor and smart formats, so one purchase order can restock an entire shelf rather than one facing of it.

Models In This Range

LED PIR Motion Sensor Bulb



Bulb Video	Motion sensor bulb (PS: https://youtu.be/uoGq8dh6bow)
Motion Sensor Bulb Instructions	1.Under the bright environment,the automatically is put out.

8W RGBWW Bluetooth Smart LED Bulb

Part number: **CRBU-BT-08**



P/N	CRBU-BT-08
Luminous Flux(lm)	0~500lm Cool White
CCT Adjustable	2700~6500K
Size	120 x 68.5mm
Input Voltage	AC85-264V
Power	8Watt
LED Type	SMD5050 4PCS + SMD2835 WW 10PCS + SMD2835 CW 10PCS
Max. Lumen	550lm
Material	Aluminum +PC
Option Base	E27
E26	B22
PF	>0.65
Lifespan	50,000Hours

GU10 6W COB LED Spotlight

Part number: **CRSP-GU-01**



P/N	CRSP-GU-01
Luminous Flux(lm)	620lm Cool White
Type	Dimmable Or Non-Dimmable
Size	50 x 58mm
Input Voltage	AC 180-265V 50/60Hz
Power	6 Watt
LED Type	COB
Beam Angle	60°
Material	Aluminum +PC
Option Base	GU10
Operating Temperature	0°C to 40°C
Lifespan	50,000Hours
Packing Information	One bulb per box
Inner Box Size	56 x 56 x 73mm, Gross Weight: 70G, Net Weight: 58G

MR16 6W COB LED Spotlight

Part number: **CRSP-MR-01**



P/N	CRSP-MR-01
Luminous Flux(lm)	620lm Cool White
Type	Dimmable Or Non-Dimmable
Size	50x51mm
Input Voltage	AC/DC 12V
Power	6 Watt
LED Type	COB
Beam Angle	60°
Material	Aluminum +PC
Option Base	MR16
Operating Temperature	0°C to 40°C
Lifespan	50,000Hours
Packing Information	One bulb per box
Inner Box Size	56x56x65mm, Gross Weight: 60G, Net Weight: 48G

3W Vintage Edison LED Bulb E26 Model CRBU-360E-03

Part number: **CRBU-360E-03**



P/N	CRBU-360E-03
Light Source	160pcs SMD3014
Luminous Flux	100~130Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	64*140mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

3W Vintage Edison LED Bulb E26 Model CRBU-360E-04

Part number: CRBU-360E-04



P/N	CRBU-360E-04
Light Source	160pcs SMD3014
Luminous Flux	100~130Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	64x140mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

4W WWCW Smart WiFi LED Bulb

Part number: CRBU-RF-06



P/N	CRBU-RF-06
Luminous Flux(lm)	0~220lm Cool White
CCT Adjustable	2700~6500K
Size	50x74mm
Input Voltage	AC85-264V
Power	4Watt
LED Type	SMD5730 0.5W
LED Quantity	12pcs
Max. Lumen	220lm
Material	Aluminum +PC
Option Base	GU10
PF	>0.65
Lifespan	50,000Hours
Packing Information	One bulb per color box
Inner Box Size	65x65x78mm, Gross Weight: 100G, Net Weight:80G

2W RGB Smart WiFi Glass LED Bulb

Part number: CRBU-RF-14

Mi-Light®



Power	2W
Color	RGB + warm white (2700k-3200k); RGB + cold white (6000k-6500k)
Lumen	120lm
Material	Acrylic
Weight	350g
Dimension	183 * 80mm
Capacity	3.7v/1400mA
Working Time	10 hours for RGB color, 5 hours for white color
Charge Time	3.5 hours
Charge Input	5v/500mA (package come with an USB cable)
Color Changeable	9 flashing modes
Brightness Adjustable	20 level
Wireless Control	by remote controller; by smart phone (need a Wifi controller)

3W Ceramic LED Bulb 45x80mm

Part number: CRBU-CE-01



P/N	CRBU-CE-01
Luminous Flux(lm)	300lm Cool White
Type	Non-Dimmable
Size	45x80mm
Input Voltage	180~264VAC
Power	3 Watt
LED Type	SMD5730 5PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E27
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

3W Vintage Edison LED Bulb E26 160-200lm

Part number: **CRBU-360E-01**



P/N	CRBU-360E-01
Light Source	47pcs D3 dip LED
Luminous Flux	160~200Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	64x140mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

6W RGBW Smart WiFi LED Bulb 117x60mm

Part number: **CRBU-RF-09**



P/N	CRBU-RF-09
Luminous Flux(lm)	0~370lm Cool White
Color Adjustable	16million colors changing
Size	117x60mm
Input Voltage	AC85-264V
Power	6Watt
LED Type	SMD5630 0.5Watt SMD5050 1.5W
LED Quantity	11pcs
Max. Lumen	370lm
Material	Aluminum +PC
Option Base	E14
PF	>0.65
Lifespan	50,000Hours
Packing Information	One bulb per color box
Inner Box Size	65x65x130mm, Gross Weight: 120G

3.6W LED Filament Globe Bulb E26

Part number: **CRBU-360F-01**



P/N	CRBU-360F-01
Light Source	Filament COB 4PCS
Luminous Flux	350~400lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:185~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	60*108mm
Color Temperature	2700~3000K / 4000~4500K / 6000~6500K
Lamp Base	E26/ E27/B22
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85% / 1.
Application	Hotel, Conference Room, Exhibition Center etc.

3W LED Globe Bulb E14

Part number: **CRBU-360-01**



P/N	CRBU-360-01
Light Source	SMD3014 0.2W 12PCS
Luminous Flux	210~240lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ / 40*92mm/ / 45*95mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/E26/ E27/B22
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

5W RGB LED Spotlight

Part number: **CRSP-RGB5A**



Item No	CRSP-RGB5A
Working Voltage	DC12/24V
LED Quantity	1pcs
Power	5w
Base Type	GU10,MR16,E27
Beam Angle	30°,45°,60° for option.
Color Rendering	≥75
Color Temperature	2700-7000K
Luminous	110-130lm
Material	Aluminum + PMMA
Lighting	RGB,Gradual changing
LED Lifespan	>50000hrs

AR111 7W COB LED Spotlight

Part number: **CRSP-010**



Item No	CRSP-010
Working Voltage	AC/DC24V
LED Quantity	7pcs
Power	7w
Beam Angle	30°(normal), 15°, 45°,60° for option.
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	550lm±8%
Material	Aluminum alloy+ lens
LED Lifespan	>40000hrs

9W LED Globe Bulb E27

Part number: CRBU-030



Item No	CRBU-030
Lamp Base	E27/E26/B22
Working Voltage	AC100-240V 50/60Hz
Power	9W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	645lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

5W Ceramic LED Bulb

Part number: CRBU-CE-02



P/N	CRBU-CE-02
Luminous Flux(lm)	550lm Cool White
Type	Non-Dimmable
Size	57x105mm
Input Voltage	180~264VAC
Power	5 Watt
LED Type	SMD5730 10PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E27
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

2W Vintage Edison LED Bulb E26

Part number: CRBU-360E-02



P/N	CRBU-360E-02
Light Source	30pcs D3 dip LED
Luminous Flux	100~130Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	60*108mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

6W LED Filament Globe Bulb E26 600-700lm

Part number: **CRBU-360F-02**



P/N	CRBU-360F-02
Light Source	Filament COB 4PCS
Luminous Flux	600~700lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	60*108mm
Color Temperature	2700~3000K / 4000~4500K / 6000~6500K
Lamp Base	E26/ E27/B22
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85% / 1.
Application	Hotel, Conference Room, Exhibition Center etc

4W LED Globe Bulb E14

Part number: **CRBU-360-02**



P/N	CRBU-360-02
Light Source	SMD3014 0.2W 18PCS
Luminous Flux	310~360lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■45*95mm / ■50*102mm/■60*117mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/E26/ E27/B22
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

AR111 9W COB LED Spotlight

Part number: **CRSP-010**



Item No	CRSP-010
Working Voltage	AC/DC24V
LED Quantity	9pcs
Power	9w
Beam Angle	30°(normal), 15°, 45°,60° for option.
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	706lm±8%
Material	Aluminum alloy+ lens
LED Lifespan	>40000hrs

7W LED Globe Bulb E27

Part number: **CRBU-020**



Item No	CRBU-020
Lamp Base	E27/E26/B22
Working Voltage	AC100-240V 50/60Hz
Power	7W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	550lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

3W Ceramic LED Bulb 40x105mm

Part number: **CRBU-CE-03**



P/N	CRBU-CE-03
Luminous Flux(lm)	300lm Cool White
Type	Non-Dimmable
Size	40x105mm
Input Voltage	85~264VAC
Power	3 Watt
LED Type	SMD5730 5PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E14/E27
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

GU10 5W COB LED Spotlight 24-36 Degree Beam

Part number: **CRSP-GU-02**



P/N	CRSP-GU-02
Luminous Flux(lm)	520lm Cool White
Type	Dimmable Or Non-Dimmable
Size	50x56mm
Input Voltage	AC 180-265V 50/60Hz
Power	5 Watt
LED Type	COB 1PCS
Beam Angle	24° 36°
Material	Aluminum +PC
Option Base	GU10
Operating Temperature	0°C to 40°C
Lifespan	50,000Hours
Packing Information	One bulb per box
Inner Box Size	52x52x65mm, Gross Weight: 90G, Net Weight: 75G

1.8W LED Filament Candle Bulb E14 180-230lm

Part number: **CRBU-360F-03**



P/N	CRBU-360F-03
Light Source	Filament COB 2PCS
Luminous Flux	180~230lm
Type	Non-dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	35*118mm
Color Temperature	2700~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85% / 1.
Application	Hotel, Conference Room, Exhibition Center etc.

6W LED Globe Bulb E14

Part number: **CRBU-360-03**



P/N	CRBU-360-03
Light Source	SMD3014 0.2W 30PCS
Luminous Flux	510~560lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ / 45*99mm / 50*106mm / 60*121mmFor E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/E26/ E27/B22
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

3W RGB LED Spotlight

Part number: **CRSP-RGB3B**



Item No	CRSP-RGB3B
Working Voltage	DC12/24V
LED Quantity	1pcs
Power	3w
Base Type	E27, GU10, MR16
Beam Angle	30°, 45°, 60° for option.
Color Rendering	≥75
Color Temperature	2700-7000K
Luminous	90-110lm
Material	Aluminum + PMMA
Lighting	RGB, Gradual changing
LED Lifespan	>50000hrs

5W LED Globe Bulb E27 450lm

Part number: **CRBU-010**



Item No	CRBU-010
Lamp Base	E27/E26/B22
Working Voltage	AC100-240V 50/60Hz
Power	5W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	450lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

GU10 5W COB LED Spotlight 60 Degree Beam

Part number: **CRSP-GU-04**



P/N	CRSP-GU-04
Luminous Flux(lm)	520lm Cool White
Type	Dimmable Or Non-Dimmable
Size	50x56mm
Input Voltage	AC 180-265V 50/60Hz
Power	5 Watt
LED Type	COB 1PCS
Beam Angle	60°
Material	Aluminum +PC
Option Base	GU10
Operating Temperature	0°C to 40°C
Lifespan	50,000Hours
Packing Information	One bulb per box
Inner Box Size	52x52x65mm, Gross Weight: 90G, Net Weight: 75G

3W LED Filament Candle Bulb E14

Part number: **CRBU-360F-04**



P/N	CRBU-360F-04
Light Source	Filament COB 2PCS
Luminous Flux	330~360lm
Type	Non-dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	35*118mm
Color Temperature	2700~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85% / 1.
Application	Hotel, Conference Room, Exhibition Center etc.

9W LED Globe Bulb E26

Part number: **CRBU-360-04**



P/N	CRBU-360-04
Light Source	SMD3014 0.2W 48PCS
Luminous Flux	800~880lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	Φ60*133mm
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E26/E27/B22
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85% / 1.

6W RGBW Smart WiFi LED Bulb 100x57mm


Part number: **CRBU-RF-04**



P/N	CRBU-RF-04
Luminous Flux(lm)	0~470lm Cool White
Color Adjustable	16million colors changing
Size	100x57mm
Input Voltage	AC85-264V
Power	6Watt
LED Type	SMD5630 0.5Watt
LED Quantity	14pcs
Max. Lumen	470lm
Material	Aluminum +PC
Option Base	E27
E26	B22
PF	>0.65
Lifespan	50,000Hours
Packing Information	One bulb per color box
Inner Box Size	65x65x130mm, Gross Weight: 120G, Net Weight: 100G

3W LED Candle Bulb E27

Part number: **CRBU-001**



Item No	CRBU-001
Lamp Base	E27/E26/B22/E14
Working Voltage	AC100-240V 50/60Hz
Power	3W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	240lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

3W Ceramic LED Bulb G45

Part number: CRBU-CE-05



P/N	CRBU-CE-05
Luminous Flux(lm)	300lm Cool White
Type	Non-Dimmable
Size	45x80mm
Input Voltage	85~264VAC
Power	3 Watt
LED Type	SMD5730 5PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E14/E27
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

GU10 5W COB LED Spotlight 45 Degree Beam

Part number: CRSP-GU-03



P/N	CRSP-GU-03
Luminous Flux(lm)	520lm Cool White
Type	Dimmable Or Non-Dimmable
Size	50x56mm
Input Voltage	AC 180-265V 50/60Hz
Power	5 Watt
LED Type	COB 1PCS
Beam Angle	45°
Material	Aluminum +PC
Option Base	GU10
Operating Temperature	0°C to 40°C
Lifespan	50,000Hours
Packing Information	One bulb per box
Inner Box Size	52x52x65mm, Gross Weight: 90G, Net Weight: 75G

1.8W LED Filament Candle Bulb E14 190-210lm

Part number: **CRBU-360F-05**



P/N	CRBU-360F-05
Light Source	Filament COB 2PCS
Luminous Flux	190~210lm
Type	Non-dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>80
Beam Angle	360°
Size	35*118mm
Color Temperature	2700~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14
Material	Aluminum+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85% / 1.
Application	Hotel, Conference Room, Exhibition Center etc.

12W LED Globe Bulb E26

Part number: **CRBU-360-04**



P/N	CRBU-360-04
Light Source	SMD2835 0.5W 28PCS
Luminous Flux	1000~1100lm
Type	Non-dimmable
Input Voltage	AC:85-264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	Φ80*167mm
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E26/E27/B22
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

9W RGBW Smart WiFi LED Bulb



Input Voltage	AC85-264V
Power	9Watt
LED Type	SMD5050+SMD5630
LED Quantity	20pcs(including 5pcs5050, 15pcs 5630)
Lumen	760lm
Material	Plastic+ Aluminum +PC
Option Base	E27
E26	B22
Size	120 x 60mm
PF	>0.65
Lifespan	50.000Hours
Function	LED Lamp is dimming, color temperature adjustable, night mode, etc.
Packing Information	One bulb per color box
Inner Box Size	65 x 65 x 130mm, weight: 120G, net weight: 100G

11W LED Globe Bulb E27

Part number: CRBU-041



Item No	CRBU-041
Lamp Base	E27
Working Voltage	AC100-240V 50/60Hz
Power	11W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	896lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

7W Ceramic LED Bulb

Part number: CRBU-CE-06



P/N	CRBU-CE-06
Luminous Flux(lm)	650lm Cool White
Type	Non-Dimmable
Size	60x100mm
Input Voltage	85~264VAC
Power	7 Watt
LED Type	SMD5730 14PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E14/E27
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

6W LED Filament Globe Bulb E26 610-720lm

Part number: CRBU-360F-06



P/N	CRBU-360F-06
Light Source	Filament COB 6PCS
Luminous Flux	610~720lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>80
Beam Angle	360°
Size	60*108mm
Color Temperature	2700~3000K / 4000~4500K / 6000~6500K
Lamp Base	E26/ E27/B22
Material	Aluminum+ Glass
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85% / 1.
Application	Hotel, Conference Room, Exhibition Center etc.

3W LED Candle Bulb E14 210-240lm

Part number: CRCD-360-01



P/N	CRCD-360-01
Light Source	SMD3014 0.2W 12PCS
Luminous Flux	210~240lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*120mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/ E27
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

3W LED Candle Bulb E14 240lm

Part number: CRBU-002



Item No	CRBU-002
Lamp Base	E14
Working Voltage	AC100-240V 50/60Hz
Power	3W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	240lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

9W Ceramic LED Bulb

Part number: CRBU-CE-07



P/N	CRBU-CE-07
Luminous Flux(lm)	830lm Cool White
Type	Non-Dimmable
Size	70x127mm
Input Voltage	85~264VAC
Power	9 Watt
LED Type	SMD5730 18PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E14/E27
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

3W LED Flame Tip Bulb E14


Part number: CRCD-360-02



P/N	CRCD-360-02
Light Source	SMD3014 0.2W 12PCS
Luminous Flux	210~240lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*130mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/ E27
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

5W LED Globe Bulb E27 425lm

Part number: CRBU-012



Item No	CRBU-012
Lamp Base	E27
Working Voltage	AC100-240V 50/60Hz
Power	5W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	425lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

5W WWCW Smart WiFi LED Bulb

Part number: CRBU-RF-08



P/N	CRBU-RF-08
Luminous Flux(lm)	0~370lm Cool White
CCT Adjustable	2700~6500K
Size	117x60mm
Input Voltage	AC85-264V
Power	5Watt
LED Type	SMD5630 0.5W
LED Quantity	16pcs
Max. Lumen	370lm
Material	Aluminum +PC
Option Base	E14
PF	>0.65
Lifespan	50,000Hours
Packing Information	One bulb per color box
Inner Box Size	65x65x130mm, Gross Weight: 120G, Net Weight: 100G

4W LED Candle Bulb E14

Part number: CRCD-360-03



P/N	CRCD-360-03
Light Source	SMD3014 0.2W 18PCS
Luminous Flux	310~360lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*120mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/ E27
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

3W LED Globe Bulb E27

Part number: CRBU-003



Item No	CRBU-003
Lamp Base	E27/E26/B22
Working Voltage	AC100-240V 50/60Hz
Power	3W
Color Rendering	≥75
Color Temperature	2700-8000K
Luminous Flux	250lm±8%
Material	Aluminum alloy+ PC
LED Lifespan	>40000hrs

3W Ceramic LED Bulb 40x130mm

Part number: CRBU-CE-04



P/N	CRBU-CE-04
Luminous Flux(lm)	300lm Cool White
Type	Non-Dimmable
Size	40x130mm
Input Voltage	85~264VAC
Power	3 Watt
LED Type	SMD5730 5PCS
Beam Angle	120°
Material	Glass +Ceramic
Color Rendering Index	Ra>80
Option Base	E14
Operating Temperature	-20°C to 45°C
Lifespan	50,000Hours

4W RGBW Smart WiFi LED Bulb

Part number: CRBU-RF-07



P/N	CRBU-RF-07
Luminous Flux(lm)	0~220lm Cool White
Color Adjustable	16million colors changing
Size	74x50mm
Input Voltage	AC85-264V
Power	4Watt
LED Type	SMD5630 0.5Watt SMD5050 1.5W
LED Quantity	8pcs
Max. Lumen	220lm
Material	Aluminum +PC
Option Base	GU10
PF	>0.65
Lifespan	50,000Hours
Packing Information	One bulb per color box
Inner Box Size	65x65x78mm, Gross Weight: 100G, Net Weight:80G

4W LED Flame Tip Bulb E14

Part number: CRCD-360-04



P/N	CRCD-360-04
Light Source	SMD3014 0.2W 18PCS
Luminous Flux	310~360lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*130mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/ E27
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

12W R95 WWCW Smart WiFi LED Bulb

Part number: CRBU-RF-12



P/N	CRBU-RF-12
Luminous Flux(lm)	0~1100lm Cool White
CCT Adjustable	2700~6500K
Size	132x95mm
Input Voltage	AC85-264V
Power	12Watt
LED Type	SMD5730 0.5W
LED Quantity	48pcs
Max. Lumen	1100lm
Material	Aluminum +PC
Option Base	E27,E26
PF	>0.65
Lifespan	50,000Hours

6W LED Candle Bulb E14

Part number: CRCD-360-05



P/N	CRCD-360-05
Light Source	SMD3014 0.2W 30PCS
Luminous Flux	510~560lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ / 37*124mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/ E27
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

7W R63 WWCW Smart WiFi LED Bulb

Part number: CRBU-RF-11



P/N	CRBU-RF-11
Luminous Flux(lm)	0~650lm Cool White
CCT Adjustable	2700~6500K
Size	102x63mm
Input Voltage	AC85-264V
Power	7Watt
LED Type	SMD5730 0.5W
LED Quantity	28pcs
Max. Lumen	650lm
Material	Aluminum +PC
Option Base	E27,E26
PF	>0.65
Lifespan	50,000Hours

6W LED Flame Tip Bulb E14

Part number: **CRCD-360-06**



P/N	CRCD-360-06
Light Source	SMD3014 0.2W 30PCS
Luminous Flux	510~560lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ / 37*134mm For E27
Color Temperature	2600~2850K / 2850~3000K / 4000~4500K / 6000~6500K
Lamp Base	E14/ E27
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

7W WWCW Smart WiFi LED Bulb

Part number: **CRBU-RF-10**



P/N	CRBU-RF-10
Luminous Flux(lm)	0~650lm Cool White
CCT Adjustable	2700~6500K
Size	118x60mm
Input Voltage	AC85-264V
Power	7Watt
LED Type	SMD5730 0.5W
LED Quantity	28pcs
Max. Lumen	650lm
Material	Aluminum +PC
Option Base	E27,E26
PF	>0.65
Lifespan	50,000Hours

12W BR30 WWCW Smart WiFi LED Bulb

Part number: **CRBU-RF-13**



P/N	CRBU-RF-13
Luminous Flux(lm)	0~1100lm Cool White
CCT Adjustable	2700~6500K
Size	132x95mm
Input Voltage	AC85-264V
Power	12Watt
LED Type	SMD5730 0.5W
LED Quantity	48pcs
Max. Lumen	1100lm
Material	Aluminum +PC
Option Base	E27,E26
PF	>0.65
Lifespan	50,000Hours

2W RGBW Smart WiFi Glass LED Bulb

Part number: **CRBU-RF-15**



Power	2W
Color	RGB + warm white (2700k-3200k); RGB + cold white (6000k-6500k)
Lumen	120lm
Material	Acrylic
Weight	350g
Dimension	183 x 80mm
Capacity	3.7v/1400mA
Working Time	10 hours for RGB color, 5 hours for white color
Charge Time	3.5 hours
Charge Input	5v/500mA (package come with an USB cable)
Color Changeable	9 flashing modes
Brightness Adjustable	20 level
Wireless Control	by remote controller; by smart phone (need a Wifi controller)