

LED Tube Lights Datasheet

7 models with full published specifications

Company	C&R Technology Co., Limited
Manufacturing	Shenzhen Chiclits Technology Co., Ltd.
Registered	Hong Kong, April 2010 (52075396-000-04-13-A)
Address	Floor 6, Bantian Business Building, Banxuegang Road, Bantian Street, Longgang District, Shenzhen, Guangdong Province 518129, China
Email	info@group-cr.com
Telephone	+86 755 81467599
Certification	CE (LVD) BST1703508020002Y-1SC-2 and RoHS BST1703508020001Y-1RC-4, issued by Shenzhen BST Technology Co., Ltd. for the LED bulb line

Every figure in this datasheet is taken from the manufacturer's specification for the model shown. Where a value is not listed it is not published; ask us and we will confirm it against current production before you order.

LED Tube Lights


T5 and T8 retrofit tubes in the four standard lengths, for fluorescent replacement.

Tube replacement is a volume business driven by one question: does it fit the fitting already on the ceiling. We build T5 and T8 SMD tubes in 600mm, 900mm, 1200mm and 1500mm, which covers the fluorescent lengths installed across most commercial and industrial buildings in Europe and North America.

Models In This Range

600mm T5 LED Tube Light


Part number: **CRTB-506**



Item No	CRTB-506
Input	AC85-265V
Length	600mm
LED Diodes Location In Tube	1 rows
Cover	Aluminum cover
LED Current	57.5 mA
Power Factor	0.9
CRI (color Rendering Index)	74-90 Ra
Power Consumption	7w for 600mm

600mm T8 LED Tube Light

Part number: **CRTB-006**



Item No	CRTB-006
Input	AC100-240V, or AC220V, AC110V
Length	600mm
Cover	Aluminum cover
LED Current	15-18mA
Power Factor	0.85~0.95
CRI (color Rendering Index)	74-90 Ra
Power Consumption	8w for 600mm

900mm T5 LED Tube Light

Part number: **CRTB-509**



Item No	CRTB-509
Input	AC85-265V
Length	900mm
Cover	Aluminum cover
LED Current	57.5 mA
Power Factor	0.9
CRI (color Rendering Index)	74-90 Ra
Power Consumption	10w for 900mm

1200mm T8 LED Tube Light

Part number: **CRTB-012**



Item No	CRTB-012
Input	AC100-240V, or AC220V, AC110V
Length	1200mm
LED Diodes Location In Tube	2 rows
Cover	Aluminum cover
LED Current	15-18mA
Power Factor	0.85~0.95
CRI (color Rendering Index)	74-90 Ra
Power Consumption	16w for 1200mm

1200mm T5 LED Tube Light


Part number: **CRTB-512**



Item No	CRTB-512
Input	AC85-265V
Length	1200mm
Cover	Aluminum cover
LED Current	57.5 mA
Power Factor	0.9
CRI (color Rendering Index)	74-90 Ra
Power Consumption	14w for 1200mm

1500mm T8 LED Tube Light

Part number: **CRTB-015**



Item No	CRTB-015
Input	AC100-240V, or AC220V, AC110V
Lenght	1500mm
Cover	Aluminum cover
LED Current	15-18mA
Power Factor	0.85~0.95
CRI (color Rendering Index)	74-90 Ra
Power Consumption	18w for 1500mm

1500mm T5 LED Tube Light

Part number: **CRTB-515**



Item No	CRTB-515
Input	AC85-265V
Length	1500mm
Cover	Aluminum cover
LED Current	57.5 mA
Power Factor	0.9
CRI (color Rendering Index)	74-90 Ra
Power Consumption	18w for 1500mm