



Zhaoqing Jinsheng Precision Hardware Products Co., Ltd. | No.5, Harmony 1st Road, Jinfeng District, Jinli Town, Zhaoqing City, Guangdong Province, China

Peter@jinshenghardware.net | WhatsApp +8615951276160 | Office +86 0758 8579036 | <https://www.jinshenghardware.net>

Product Catalogue

All 66 models across 8 product families. Every figure in this catalogue is our own published specification. Generated from the same data as <https://www.jinshenghardware.net>.

Cartridge Caulking Guns — 11 models

Skeleton and frame guns for 300 ml cartridge sealant, from a 175 g economy PP frame to a 750 g nine-bearing body

Model	Product	Key figures	Packing
JS-8601	JS-8601 9" inch plastic handle silicone economy plastic frame skeleton gun	Push Force: 50KG Maximum Tolerance: 60KG Drive Ratio: 19:1 Net Weight: 175g	1PC/ poly bag, 50pcs/ CTN
JS-8602	JS-8602 9" iron handle silicone rod frame skeleton gun	Push Force: 120KG Maximum Tolerance: 130 KG Drive Ratio: 17:1 Net Weight: 285g	1PC/ poly bag, 50pcs/ CTN
JS-8603	JS-8603 9 inch iron handle and sheet iron frame skeleton gun	Push Force: 120KG Maximum Tolerance: 130KG Drive Ratio: 17:1 Net Weight: 312g	1PC/ poly bag, 50pcs/ CTN
JS-8604	JS-8604 9 inch cartridge silicone sealant gun caulking gun	Push Force: 120KG Maximum Tolerance: 150KG Drive Ratio: 18:1 Net Weight: 398-400g	1PC/ poly bag, 20pcs/ CTN
JS-8605	JS-8605 Professional 9 inch heavy duty cartridge silicone gun with alluminum alloy handle	Push Force: 160KG Maximum Tolerance: 200KG Drive Ratio: 19:1 Net Weight: 520g	1PC/ poly bag, 20pcs/ CTN
JS-8606	JS-8606 Professional 9 inch heavy duty cartridge silicone gun with alluminum alloy handle	Push Force: 160KG Maximum Tolerance: 220KG Drive Ratio: 19:1 Net Weight: 538g	1PC/ poly bag, 20pcs/ CTN
JS-8622-A	JS-8622-A Heavy duty 3-bearing silicone gun for catridge silicone sealant	Maximum Tolerance: 250KG Drive Ratio: 15:1 Net Weight: 750g	1PC/ poly bag, 20pcs/ CTN
JS8603-EX2	JS8603-EX2 Reinforced Cement Gun with Cutter Frame	Push Force: 110KG Maximum Tolerance: 125KG Net Weight: 350g	1PC/ poly bag, 50pcs/ CTN
JS8604-S	JS8604-S Semicircular 9 Inch Silicone Gun for Catridge Silicone Sealant	Push Force: 80KG Maximum Tolerance: 100 KG Drive Ratio: 22:1 Net Weight: 310 g	1PC/ poly bag, 20pcs/ CTN

Model	Product	Key figures	Packing
JS8611	JS8611 high quality 9 inch silicone sealant gun caulking gun (adjustable handle)	Push Force: 160KG Maximum Tolerance: 200KG Drive Ratio: 18:1 – 28:1 Net Weight: 557g	1PC/ poly bag, 20pcs/ CTN
JS8632-NEW	JS8632-New Model 9 Inch Nine Bearings Caulking Gun	Maximum Tolerance: 350 KG Drive Ratio: 18:1 Net Weight: 700 g	1PC/ inner box, 20pcs/ CTN

Sausage Guns — 11 models

16 inch and 9 inch guns for 400 ml and 600 ml foil sausage packs, with three, seven or nine bearings

Model	Product	Key figures	Packing
JS-8607	JS-8607 16 inch aluminium alloy sausage silicone caulking gun	Push Force: 90KG Maximum Tolerance: 100KG Drive Ratio: 25:1 Net Weight: 510g	2PCS/ inner box, 24pcs/ CTN
JS-8607-9	JS-8607-9" 9 inch aluminum barrel single component applicator sausage pack silicone s	Push Force: Depending on the product Maximum Tolerance: Depending on the product Drive Ratio: Depending on the product Net Weight: 440g	2PCS/ inner box, 24pcs/ CTN
JS-8608-A	JS-8608-A 16 inch heavy duty silicone sealant gun sausage caulking gun	Push Force: 160KG Maximum Tolerance: 200 KG Drive Ratio: 27 :1 Net Weight: 620g	2PCS/ inner box, 20pcs/ CTN
JS8608-B	JS8608-B Heavy duty aluminum alloy caulking gun silicone sausage gun with red trigger	Push Force: 175KG Maximum Tolerance: 200KG Drive Ratio: 25:1 Net Weight: 650 g	1PC/ inner box, 20pcs/ CTN
JS8613	JS8613 high quality 16 inch sausage pack silicone sealant caulking gun (adjustable handle)	Push Force: 150KG Maximum Tolerance: 150KG Drive Ratio: 18:1 Net Weight: 676g	1PC/ inner box, 20pcs/ CTN
JS8622-B	JS8622-B high quality three bearing sausage pack silicone caulking gun	Maximum Tolerance: 220KG Drive Ratio: 25:1 Net Weight: 850 g	1PC/ inner box, 20pcs/ CTN
JS8623-A	JS8623-A 16 inch 600ml heavy duty plastic silicone sealant gun caulking gun	Push Force: 150KG Maximum Tolerance: 150±5KG Drive Ratio: 25:1 Net Weight: 630 g	1PC/ inner box, 20pcs/ CTN
JS8623-B	JS8623-B 16 inch 600ml heavy duty plastic silicone sealant gun caulking gun	Push Force: 180KG Maximum Tolerance: 200KG Drive Ratio: 25:1 Net Weight: 835 g	1PC/ inner box, 20pcs/ CTN
JS8626	JS8626 high quality heavy duty seven bearing sausage pack silicone caulking gun	Maximum Tolerance: 240KG Drive Ratio: 25:1 Net Weight: 880g	1PC/ inner box, 20pcs/ CTN
JS8633	JS8633 New Model Nine-Bearings Silicone Gun	Maximum Tolerance: 350KG Drive Ratio: 25:1 Net Weight: 835 g	1PC/ inner box, 20pcs/ CTN

Model	Product	Key figures	Packing
JS8634	JS8634 high quality heavy duty nine bearing sausage pack silicone caulking gun(with dust c	Maximum Tolerance: 300KG Drive Ratio: 25:1 Net Weight: 800g	1PC/ inner box, 20pcs/ CTN

Patented Self-Locking Guns — 4 models

Self-locking mortise and tenon guns covered by Chinese utility model patents 202321498230.6 and 202321512117.9

Model	Product	Key figures	Packing
JS-8631	JS-8631 Patented Self-Locking Structural Adhesive Gun (Designed for Sausage-Packaged Struc	Push Force: 120KG Maximum Tolerance: 150KG±5KG Drive Ratio: 25:1 Net Weight: 460g	2PC/ poly bag, 32pcs/ CTN
JS8630	JS8630 Patented Self-Locking Glass Adhesive Gun (Designed for Bottle-Packaged Glass Adhesi	Push Force: 120KG Maximum Tolerance: 150KG±5KG Drive Ratio: 20:1 Net Weight: 400g	1PC/ poly bag, 20pcs/ CTN
JS8630-2	JS8630-2 Patented Self-Locking Thickened Plunger Glass Adhesive Gun (Designed for Bottle-P	Push Force: 150KG Maximum Tolerance: 180KG Net Weight: 405g	1PC/ poly bag, 40pcs/ CTN
JS8631-2	JS8631-2 Patented Self-Locking Thickened Plunger Structural Adhesive Gun (Designed for Sau	Push Force: 150KG Maximum Tolerance: 170KG Drive Ratio: 20:1	2PCS/ inner box, 32pcs/ CTN

Pneumatic And Battery Guns — 7 models

Air-driven 9, 15 and 18 inch guns and 16 V and 21 V lithium battery guns up to 6500 N thrust

Model	Product	Key figures	Packing
JS8615-400ML	JS8615-400ML Battery gun (Double tube sewing glue gun set series)	Thrust: 800KG Net Weight: 2.18kg	Plastic box
JS8615-600ML	JS8615-600ML Battery gun (Double tube sewing glue gun)	Thrust: 800KG Net Weight: 2.18kg	Plastic box
JS8625-A	JS8625-A 9-inch pneumatic caulking gun (for 300ml silicone bottles)	Maximum Tolerance: 350KG Net Weight: 500g	1PCS/inner box, 20pcs/ CTN
JS8625-B	JS8625-B 15-inch pneumatic silicone gun	Maximum Tolerance: 350KG Net Weight: 600g	1PCS/inner box, 12pcs/ CTN
JS8625-C	JS8625-C 18-inch pneumatic silicone gun	Maximum Tolerance: 400KG Net Weight: 750g	1PCS/inner box, 12pcs/ CTN
	JS862X-1500mA Battery gun with cruise control and adjustment function (Cartridges & sa	Thrust: 4000N Net Weight: 1400g	5PCS/CTN
	JS862X-3000mA Battery gun with cruise control and adjustment function (Cartridges & sa	Thrust: 6500N Net Weight: 1900g	5PCS/CTN

Two-Component Grout And Anchor Guns — 6 models

Dual-component guns in 1:1, 2:1 and 1:4 ratios, up to 420 KG push force and 45:1 drive ratio

Model	Product	Key figures	Packing
JS8610	JS8610 -1:4 Rebar Injection Adhesive Gun	Push Force: 170KG Maximum Tolerance: 200KG±5KG Drive Ratio: 30:1 Net Weight: 749g	1PC/ poly bag, 20pcs/ CTN
JS8612-A	JS8612-A 1:1 Epoxy Grout Caulking Gun (Plastic Model)	Push Force: 250KG Maximum Tolerance: 300 KG Drive Ratio: 30:1 Net Weight: 1000g	2PCS/inner box, 20pcs/ CTN
JS8612-B	JS8612-B 1:1 Epoxy Grout Caulking Gun (Plastic Model)	Push Force: 100KG Maximum Tolerance: 180 KG Drive Ratio: 5 0:1 Net Weight: 650g	2PCS/inner box, 20pcs/ CTN
JS8615	JS8615 2:1 Epoxy Grout Gun (Iron Structure Version)	Push Force: 200KG Maximum Tolerance: 230KG ±5KG Drive Ratio: 30:1 Net Weight: 970g	1PC/ poly bag, 12pcs/ CTN
JS8615-2	JS8615-2 1:1 Welding Steel-Type Dual-Component Tile Grout Adhesive Gun (With linkage labor	Push Force: 200KG Maximum Tolerance: 230 KG Drive Ratio: 45:1 Net Weight: 800g	12PCS/CTN
JS8615-3	JS8615-3 1:1 Welding Steel-Type Dual-Component Tile Grout Adhesive Gun (With linkage labor	Push Force: 420KG Maximum Tolerance: 500 KG Drive Ratio: 43:1 Net Weight: 1000g	12PCS/CTN

Cement Mortar Pointing Guns — 3 models

Hand-loaded pointing guns for cement and mortar joints, with round, flat and interchangeable nozzles

Model	Product	Key figures	Packing
JS8614-1	JS8614-1 good quality cement mortar joint filling gun (stainless steel)	Net Weight: 751g	1PC/ inner box, 20pcs/ CTN
JS8614-2	JS8614-2 good quality cement mortar joint filling gun (reinforced PP)	Net Weight: 579g	1PC/ poly bag, 30pcs/ CTN
JS8614-3	JS8614-3 Interchangeable 5 Nozzles Cement Gun	Net Weight: 650/g	1PC/ poly bag, 20pcs/ CTN

PU Foam Guns — 10 models

Ten PU foam guns from a 125 g plastic body to a chrome-plated metal gun, with PTFE-coated and standard barrels

Model	Product	Key figures	Packing
JS8621	JS8621 Blue Plastic Foam Gun	Net Weight: 125g	2PCS/ poly bag, 60pcs/ CTN
JS8621-A	JS8621-A Enhanced Orange Foam Gun	Net Weight: 130g	2PCS/ poly bag, 40pcs/ CTN
JS8621-B	JS8621-B alluminum alloy spray PU polyurethane foam gun	Net Weight: 275g	2PCS/inner box, 40pcs/ CTN
JS8621-C	JS8621-C Plastic spray PU polyurethane foam gun	Net Weight: 190g	2PCS/inner box, 40pcs/ CTN

Model	Product	Key figures	Packing
JS8621-D	JS8621-D Teflon Coated Foam Gun	Net Weight: 260g	2PCS/inner box, 40pcs/ CTN
JS8621-E	JS8621-E Black Handle Metal Foam Gun	Net Weight: 210 /g	2PC/ inner box, 40pcs/ CTN
JS8621-F	JS8621-F Foam gun with ON/OFF valve (Plastic Handle)	Net Weight: 290 g	2PCS/inner box, 40pcs/ CTN
JS8621-G	JS8621-G All Black Metal Foam Gun with ON/OFF valve (plastic dipping trigger)	Net Weight: 290 /g	2PC/ inner box, 40pcs/ CTN
JS8621-H	JS8621-H Foam Gun with ON/OFF valve (Yellow and black plastic handle)	Net Weight: 340 /g	2PC/ inner box, 40pcs/ CTN
JS8621-I	JS8621-I All black Foam Gun with ON/OFF Valve	Net Weight: 350 /g	2PC/ inner box, 40pcs/ CTN

Vacuum Glass Suction Cups — 14 models

Single, dual, three and four-claw vacuum lifters rated from 30 KG to 250 KG vertical suction

Model	Product	Key figures	Packing
JS8640	JS8640 Thick Plastic Glass Suction Cup Vacuum Suction Cup	Horizontal Suction: 40KG Vertical Suction: 30KG Net Weight: 320g	1PC/ inner box, 30pcs/ CTN
JS8641	JS8641 Aluminum alloy suction cup single glass vacuum suction cup	Horizontal Suction: 50KG Vertical Suction: 30KG Net Weight: 425g	1PC/ inner box, 30pcs/ CTN
JS8641	JS8641(Silver) – Silver Aluminum Alloy Single Glass Suction Cup	Horizontal Suction: 50KG Vertical Suction: 30KG Net Weight: 425g	1PC/ inner box, 30pcs/ CTN
JS8642	JS8642 (Silver) -Silver Double Suction Cup	Horizontal Suction: 90KG Vertical Suction: 70KG Net Weight: 750g	1PC/ inner box, 20pcs/ CTN
JS8642	JS8642 Dual-Claw Vacuum Glass Suction Cup	Horizontal Suction: 90KG Vertical Suction: 70KG Net Weight: 750g	1PC/ inner box, 20pcs/ CTN
JS8642-1	JS8642-1 Export Version Heavy duty Dual-Claw Vacuum Glass Suction Cup	Horizontal Suction: 100kg Vertical Suction: 120kg Net Weight: /g	1PC/ inner box, 20pcs/ CTN
JS8642-2	JS8642-2 Heavy duty double 2 claw aluminium sucker for glass lifter	Horizontal Suction: 130kg Vertical Suction: 110kg Net Weight: 795g	1PC/ inner box, 20pcs/ CTN
JS8642-2	JS8642-2 Vacuum Dual Claw Suction Cup with Articulator	Horizontal Suction: 120kg Vertical Suction: 140kg Net Weight: /g	1PC/ inner box, 10pcs/ CTN
JS8642-4	JS8642-4 Extra Heavy Vacuum Glass Suction Cup	Horizontal Suction: 140KG Vertical Suction: 120KG Net Weight: 1000g	1PC/ inner box, 10pcs/ CTN
JS8642-5	JS8642-5 Super Heavy Double Claws Vacuum Glass Suction Cup	Horizontal Suction: 180KG Vertical Suction: 150KG Net Weight: 1000g	1PC/ inner box, 20pcs/ CTN
JS8643	JS8643 three-claw vacuum suction cup	Horizontal Suction: 115KG Vertical Suction: 100KG	1PC/ inner box, 10pcs/ CTN

Model	Product	Key figures	Packing
JS8643-1	JS8643-1 Three-Claw Vacuum Suction Cup (Export Model)	Horizontal Suction: 145kg Vertical Suction: 155kg Net Weight: /g	1PC/ inner box, 10pcs/ CTN
JS8643-2	JS8643-2 PowerMax Ultra-Heavy Duty Vacuum Suction Cup	Horizontal Suction: 235kg Vertical Suction: 250kg Net Weight: /g	1PC/ inner box, 10pcs/ CTN
JS8644	JS8644 Four-Claw Articulating Vacuum Suction Cup	Horizontal Suction: 205kg Vertical Suction: 220kg Net Weight: /g	1PC/ inner box, 10pcs/ CTN