

Form Fill Seal Bag-Making Series

Series datasheet

Roll film in, finished sealed bag out. Pillow, four-side seal, box, hanging hole and envelope styles formed on the machine, with bag size set on the touch screen.

HN series automatic bag-making and packing machine

Sugar Salt Powder Bagging/Weighing/Packaging /Filling/ Packing Machine

Parameter	HN320	HN420	HN560	HN730
Packing range	5g-200g	200g-1000g	500g-2500g	1000g-5000g
Packing speed	40-70 bags/min	35-60 bags/min	30-50 bags/min	20-45 bags/min
Packing accuracy	±0.2% (according to material properties, particle size and other parameters)	±0.2% (according to material properties, particle size and other parameters)	±0.2% (according to material properties, particle size and other parameters)	±0.2% (according to material properties, particle size and other parameters)
Bag form	Pillow type bag, back seal bag, punching hole bag, pin type bag, box type bag, four side seal bag, envelope bag.	Pillow type bag, back seal bag, punching hole bag, pin type bag, box type bag, four side seal bag, envelope bag.	Pillow type bag, back seal bag, punching hole bag, pin type bag, box type bag, four side seal bag, envelope bag.	Pillow type bag, back seal bag, punching hole bag, pin type bag, box type bag, four side seal bag, envelope bag.
Max film width	320mm	420mm	520mm	720mm
Bag size	L:40-190mm W:40-150mm	L:80-300mm W:80-200mm	L:100-350mm W:100-265mm	L:100-460mm W:100-350mm
Max roller outside diameter	φ400mm	φ400mm	φ500mm	φ500mm
Wrapping paper core inner diameter	φ30mm	φ75mm	φ75mm	φ75mm
Compressed air	6-8kgf/cm ³ , 0.30m ³ /min	6-8kgf/cm ³ , 0.30m ³ /min	6-8kgf/cm ³ , 0.60m ³ /min	6-8kgf/cm ³ , 0.60m ³ /min
Power requirements	AC380V±10%, 50-60HZ	AC380V±10%, 50-60HZ	AC380V±10%, 50-60HZ	AC380V±10%, 50-60HZ
Overall power	3.0KW	4.5KW	5.5KW	6.5KW
Machine weight	500kg	700kg	800kg	1000kg
Overall dimension	L95xW65xH185cm	L115xW90xH360cm	L135xW120xH390cm	L175xW145xH420cm

Pouch Bag Packing Machine

Automatic tea sachet bag liquid sauce pouch bag packing machine Oil sauce water fruit juice packaging machine for liquid

Parameter	Value
Model	HN-Pouch50
Pouch Size	100-500ml
Speed	30-60 pouches/min
Power	3kW
Sealing Type	Heat seal

Auto VFFS Packing Machine

High speed multihead weigher full automatic vertical weighing and packing machine vffs weighing packaging machine

Specification issued per configuration. Contact us with the product, target pack weight and required output.

Weighing Filling Packing

Factory 1kg Bag Seeds and Nuts Weighing Filling Packing Machine

Specification issued per configuration. Contact us with the product, target pack weight and required output.

HN P320 series powder full-automatic bag-making and packing machine

The unit is composed of automatic feeder (screw elevator), automatic metering machine (screw metering machine, screw scale), rack platform guardrail and escalator, automatic bag filling and packaging machine, packaging product conveyor, hot coding machine and other equipment. The packaging machine is composed of film releasing, film moving, film pulling, feeding and blanking, bag forming, printing, sealing, cutting a

Parameter	HNP320	HNP420	HNP560	HNP730
Packing range	5g-200g	200g-1000g	500g-2500g	1000g-5000g
Packing speed	30-60 bags/min	20-50 bags/min	30-50 bags/min	20-45 bags/min
Packing accuracy	±0.5% (according to material properties, powder proportion, mixing and other parameters)	±0.5% (according to material properties, powder proportion, mixing and other parameters)	±0.5% (according to material properties, powder proportion, mixing and other parameters)	±0.5% (according to material properties, powder proportion, mixing and other parameters)
Bag Form	Pillow bag (back sealing bag), hang hole bag, punching hole bag, pin bag, box bag, four-side sealing bag and envelope bag.	Pillow bag (back sealing bag), hang hole bag, punching hole bag, pin bag, box bag, four-side sealing bag and envelope bag.	Pillow bag (back sealing bag), hang hole bag, punching hole bag, pin bag, box bag, four-side sealing bag and envelope bag.	Pillow bag (back sealing bag), hang hole bag, punching hole bag, pin bag, box bag, four-side sealing bag and envelope bag.
Max film width	320mm	420mm	560mm	730mm
Bag Size	L:40-190mm W:40-150mm	L:80-300mm W:80-200mm	L:100-350mm W:100-265mm	L:100-460mm W:100-350mm
Max roller outside diameter	φ300mm	φ400mm	φ500mm	φ500mm
Wrapping paper core inner diameter	φ30mm	φ75mm	φ75mm	φ75mm

HN-P320 series automatic bag-making and packing machine for liquid and paste

The unit is composed of automatic mixing tank, rotor pump, filling machine, automatic bag making and filling packaging machine, packaging product conveyor, hot coding machine and other equipment. The packaging machine is composed of film releasing, film moving, film pulling, feeding and blanking, bag forming, printing, sealing, cutting and other mechanisms and electrical control parts. It has the functions of automat

Parameter	HNP320	HNP420	HNP560	HNP730
Packing range	5g-200g	200g-1000g	500g-2500g	1000g-5000g
Packing speed	40-80 bags/min	30-60 bags/min	30-50 bags/min	10-40 bags/min
Packing accuracy	±0.1% (according to material properties, particle size and other parameters)	±0.1% (according to material properties, particle size and other parameters)	±0.1% (according to material properties, particle size and other parameters)	±0.1% (according to material properties, particle size and other parameters)
Bag Form	Pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag and four-side sealing bag.	Pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag and four-side sealing bag.	Pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag and four-side sealing bag.	Pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag and four-side sealing bag.
Max film width	320mm	420mm	560mm	730mm
Bag Size	L:40-190mm W:40-150mm	L:80-300mm W:80-200mm	L:100-350mm W:100-265mm	L:100-460mm W:100-350mm
Max roller outside diameter	φ300mm	φ400mm	φ500mm	φ500mm

HN-P320 Series Measuring Cup full-automatic bag-making and packing machine

The unit is composed of automatic mixing, measuring cup type metering machine, automatic bag making and filling packaging machine, packaging finished product conveyor, hot coding machine, etc. The packaging machine is composed of film releasing, film moving, film pulling, feeding and blanking, bag forming, printing, sealing, cutting and other mechanisms and electrical control parts. It has the functions of automatic

Parameter	HNP320	HNP420	HNP560	HNP730
Packing range	5g-200g	200g-1000g	500g-2500g	1000g-5000g

Parameter	HNP320	HNP420	HNP560	HNP730
Packing speed	50-70 bags/min	40-70 bags/min	30-50 bags/min	20-40 bags/min
Packing accuracy	±0.1% (according to the material properties, particle size and other parameters)	±0.1% (according to the material properties, particle size and other parameters)	±0.1% (according to the material properties, particle size and other parameters)	±0.1% (according to the material properties, particle size and other parameters)
Bag Form	It is made into pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag, and four-side sealing bag.	It is made into pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag, and four-side sealing bag.	It is made into pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag, and four-side sealing bag.	It is made into pillow-shaped bag (back-sealed bag), hanging hole bag, portable hole bag, and four-side sealing bag.
Max film width	320mm	420mm	560mm	730mm
Bag Size	L:40~190mm W:40~150mm	L:80~300mm W:80~200mm	L:100~350mm W:100~265mm	L:100~460mm W:100~350mm
Max roller outside diameter	φ300mm	φ400mm	φ500mm	φ500mm

Accuracy figures depend on material properties, particle size and bulk density. Send a material sample and we will confirm the achievable figure before you order.