

Door And Window Hardware

Specification sheet • 16 products

Barrel bolts, surface bolts, safety hasps, T hinges and automatic gate latches for doors, gates, sheds, cabinets and animal pens.

Core Advantages

- 16 models covering bolts, hasps, hinges and latches from one factory
- Concealed-screw hasps and padlockable bolts for real security applications
- Zinc, nickel, brass plated, galvanized and black finishes
- 304 stainless steel version of the automatic gate latch for washdown and coastal use

Problems This Group Solves

- Cast bolts seize once a shed door has dropped on its hinges
- A hasp with exposed screws can be unscrewed while the padlock still hangs on it
- In-line screw holes split a timber gate stile along the grain
- A gate that has to be latched by hand is a gate that gets left open

Product Specifications

316 Gate Latch - Stainless Steel

Sizes: on request

Material: Hot rolled steel case and strike with steel rod bar on the standard version; 304 stainless steel case and strike on the stainless version



PROMETAL
HARDWARE

315 Gate Latch

Sizes: on request

Material: Hot rolled steel case and strike with steel rod bar on the standard version; 304 stainless steel case and strike on the stainless version



PROMETAL
HARDWARE

314 Heavy Duty T Hinge

Sizes (11): 80 x 1.5 mm • 100 x 1.5 mm • 120 x 1.5 mm • 150 x 1.5 mm • 200 x 2.0 mm • 250 x 2.0 mm • 300 x 2.0 mm • 350 x 2.0 mm • 400 x 2.0 mm • 500 x 2.0 mm • 600 x 2.0 mm

Finish: zinc plated and black

Material: Hot rolled steel



PROMETAL
HARDWARE

313 T Hinge

Sizes (11): 80 x 1.5 mm • 100 x 1.5 mm • 120 x 1.5 mm • 150 x 1.5 mm • 200 x 2.0 mm • 250 x 2.0 mm • 300 x 2.0 mm • 350 x 2.0 mm • 400 x 2.0 mm • 500 x 2.0 mm • 600 x 2.0 mm

Finish: zinc plated and black

Material: Hot rolled steel



PROMETAL
HARDWARE

312 Draw Hasp

Sizes (1): 2-3/4"

Material: Hot rolled or cold rolled steel



PROMETAL
HARDWARE

311 Key Locking Hasp

Sizes (3): 2.5" • 3.5" • 4.5"

Material: Hot rolled or cold rolled steel



PROMETAL
HARDWARE

310 Double Hinge Safety Hasp

Sizes (2): 3.5" • 4.5"

Finish: zinc plated, brass plated, galvanized and black

Material: Hot rolled or cold rolled steel



PROMETAL
HARDWARE

309 Swivel Staple Safety Hasp

Sizes (3): 3.25" • 4.5" • 6"

Finish: zinc plated, brass plated, galvanized and black

Material: Hot rolled or cold rolled steel



PROMETAL
HARDWARE

308 Safety Hasp

Sizes (7): 1.5" • 1.75" • 2" • 2.5" • 3.25" • 4.5" • 6"

Finish: zinc plated, brass plated, galvanized and black

Material: Hot rolled or cold rolled steel



PROMETAL
HARDWARE

307 Surface Bolt

Sizes (3): 2.5" • 4.25" • 5"

Finish: nickel plated and brass plated

Material: Steel



PROMETAL
HARDWARE

306 Lock Bolt

Sizes (5): 25 mm • 30 mm • 35 mm • 40 mm • 50 mm

Finish: zinc plated, nickel plated and brass plated

Material: Steel case and strike; Steel bolt rod



305 Heavy Duty Bolt

Sizes (3): 70 mm • 85 mm • 100 mm

Finish: zinc plated and brass plated

Material: Steel case and strike; Steel bolt rod



304 Extra Heavy Barrel Bolt

Sizes (2): 5" • 8"

Finish: zinc plated and black

Material: Steel case and strike; Steel bolt rod



303 Heavy Duty Barrel Bolt

Sizes (2): 4" • 6"

Finish: zinc plated

Material: Steel case and strike; Steel bolt rod




302 Barrel Bolt

Sizes (6): 2" • 2.5" • 3" • 4" • 5" • 6"

Finish: Zinc plated, nickel plated and black

Material: Steel case and strike; Steel bolt rod



301 Barrel Bolt

Sizes (6): 2" • 2.5" • 3" • 4" • 5" • 6"

Finish: Zinc plated and black

Material: Steel case and strike; Steel bolt rod



Trading Terms

Minimum order	Very small minimum order quantity, negotiable by part.
OEM and ODM	We produce to your specification or design to your request, working from a drawing, a sample or both.
Labelling	Private label and our own label are both available.
Samples	Free where the sample value is under US\$20 and you have a DHL, TNT, UPS or FedEx account or cover the freight. Above US\$20 we ask for the sample and freight cost and ship on receipt of payment.

Shipping terms	EX Works, FOB, CIF, DDU or DDP, by sea, rail or courier.
Payment	T/T, D/P, L/C, Western Union and PayPal.

Contact: sales@prometalchina.com | Tel +86-573-83709423 | prometalchina.com