



# Webbing Slings Catalogue

60 catalogued webbing slings supplied from Qingdao China with Material Test Certificates on request.

**Endless Slings**

**Eye and Eye Round Slings**

**Flat Webbing Slings**

**Polyester Webbing Belt**

**Round Slings**

All figures in this document are the specification lines published in the Kailipu catalogue. Where a value is not stated it is available on request. Send a drawing or a bill of materials on WhatsApp +86-18660236941 or to sales@qd-kailipu.com and we will confirm sizes, finish and lead time.

# Webbing Slings

60 catalogued items. Full page: [qd-kailipu.com/categories/webbing-sling.html](http://qd-kailipu.com/categories/webbing-sling.html)

## Endless Slings

| No | Product                                                   | Published Specification Lines                                                                                            |
|----|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| 1  | 1T Endless Webbing Sling/Endless Polyester lifting slings | ◆ Material:100% High tenacity industrial polyester yarn ◆ Working Load Limit: 1000kg ◆ Colour: Violet ◆ Safety Factor av |
| 2  | 2T Endless Webbing Sling/Endless Polyester lifting slings | ◆ Material:100% High tenacity industrial polyester yarn ◆ Working Load Limit: 2000kg ◆ Colour: Green ◆ Safety Factor ava |
| 3  | 3T Endless Webbing Sling/Endless Polyester lifting slings | ◆ Material:100% High tenacity industrial polyester yarn ◆ Working Load Limit: 3000kg ◆ Colour: Yellow ◆ Safety Factor av |
| 4  | 4T Endless Webbing Sling/Endless Polyester lifting slings | ◆ Material:100% High tenacity industrial polyester yarn ◆ Working Load Limit: 4000kg ◆ Colour: Grey ◆ Safety Factor avai |
| 5  | 5T Endless Webbing Sling/Endless Polyester lifting slings | ◆ Material:100% High tenacity industrial polyester yarn ◆ Working Load Limit: 5000kg ◆ Colour: Red ◆ Safety Factor avail |
| 6  | 6T Endless Webbing Sling/Endless Polyester lifting slings | ◆ Material:100% High tenacity industrial polyester yarn ◆ Working Load Limit: 6000kg ◆ Colour: Brown ◆ Safety Factor ava |
| 7  | Single Layer Endless Webbing Sling                        | Material: 100% Polyester / Nylon Safety Factor: 5:1 6:1 7:1 8:1 Ply; one ply to four ply Length/Color: As required Stand |

## Eye and Eye Round Slings

| No | Product                                                           | Published Specification Lines                                                                                             |
|----|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| 1  | Soft Slings Eye And Eye Flexible Round Type 10T-500T              | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 2  | Lifting Webbing Sling Eye And Eye Flexible Round Type 8T, Blue    | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 3  | Web Slings For Lifting Eye And Eye Flexible Round Type 6T, Brown  | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 4  | Webbing Sling Eye And Eye 5T, Flexible Eye Round Sling Red        | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 5  | Eye And Eye Slings 4T, Flexible Round Sling Eye Grey Color        | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 6  | Eye To Eye Slings 3T, Flexible Round Sling Eye & Eye Yellow Color | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 7  | Round Sling Eye & Eye 1T                                          | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |
| 8  | Eye and Eye Round Sling 2T Polyester Green Color                  | Round slings are Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twiste |

## Flat Webbing Slings

| No | Product                                              | Published Specification Lines                                                                                             |
|----|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| 1  | Webbing Sling 1 ton, Polyester Flat Eye, Violet      | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Color:Violet ◆ Working Load:1000 kg ◆ Ply: Double |
| 2  | Flat Woven Webbing Sling 2 ton, Green, Custom length | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Color:Green ◆ Working Load:2000 kg ◆ Ply: Double  |
| 3  | Webbing Sling 3 Ton Flat Woven Polyester Eye & Eye   | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Color:Yellow ◆ Working Load:3000 kg ◆ Ply: Double |

| No | Product                                                | Published Specification Lines                                                                                             |
|----|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| 4  | Webbing Sling 4 Ton Flat Woven Eye & Eye Custom length | Specification ♦ Material:100% High tenacity industrial polyester yarn ♦ Color:Red ♦ Working Load:4000 kg ♦ Ply: Double ♦  |
| 5  | Webbing Sling 5 Ton Flat Woven Polyester Eye & Eye     | Specification ♦ Material:100% High tenacity industrial polyester yarn ♦ Color: Red ♦ Working Load: 5000 kg ♦ Ply: Double  |
| 6  | Webbing Sling 6 Ton                                    | ♦ Material:100% High tenacity industrial polyester yarn ♦ Color: Brown ♦ Working Load:6000 kg ♦ Ply: Double ♦ With reinfo |
| 7  | 8T Webbing Sling                                       | ♦ Material:100% High tenacity industrial polyester yarn ♦ Color: Blue ♦ Working Load: 8000 kg ♦ Ply: Double ♦ With reinfo |
| 8  | 10T Webbing Sling                                      | ♦ Material:100% High tenacity industrial polyester yarn ♦ Color: Orange ♦ Working Load:10000 kg ♦ Ply: Double ♦ With rein |
| 9  | 12T Webbing Sling                                      | ♦ Material:100% High tenacity industrial polyester yarn ♦ Color:Orange ♦ Working Load:12000 kg ♦ Ply: Double ♦ With reinf |

## Polyester Webbing Belt

| No | Product                                                         | Published Specification Lines                                                                                            |
|----|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| 1  | 1T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 1T ♦ Color: Violet ♦ Packing: 100m per roll, 3 rolls per  |
| 2  | 2T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 2T ♦ Color: Green ♦ Packing: 100m per roll, 2 rolls per c |
| 3  | 3T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 3T ♦ Color: Yellow ♦ Packing: 100m per roll, 2 rolls per  |
| 4  | 4T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 4T ♦ Color: Grey ♦ Packing: 100m per roll, 1 roll per car |
| 5  | 5T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 5T ♦ Color: Red ♦ Packing: 100m per roll, 1 roll per cart |
| 6  | 6T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 6T ♦ Color: Brown ♦ Packing: 100m per roll, 1 roll per ca |
| 7  | 8T Polyester Webbing For Web Sling                              | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 8T ♦ Color: Blue ♦ Packing: Bulk in carton ♦ Safety Facto |
| 8  | 10T Polyester Webbing For Web Sling                             | ♦ Material:100% High tenacity industrial polyester yarn ♦ WLL: 10T ♦ Color: Orange ♦ Packing: Bulk in carton ♦ Safety Fa |
| 9  | Webbing For Ratchet Tie Down 25mm/1" B.S.800/1000/1500kg        | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:25mm/1" Color:Yellow/Blue/Orange/Green ♦ Packing: 100m p |
| 10 | Webbing For Ratchet Tie Down 35mm/1.5" B.S.2000Kg               | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:35mm Color:Yellow/Orange ♦ Packing: 100m per roll, 3 rol |
| 11 | Webbing For Ratchet Tie Down 38mm/1.5" B.S.3000Kg               | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:38mm/1.5" Color:Yellow/Orange ♦ Packing: 100m per roll,  |
| 12 | Tie Down Webbing 50mm*6000LBS European Standard Lashing webbing | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:50mm Color:Yellow/Orange/Red/Blue ♦ Packing: 100m per ro |
| 13 | Tie Down Webbing 50mm*7500LBS European Standard Lashing webbing | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:50mm Color:Yellow/Orange/Red/Blue ♦ Packing: 100m per ro |
| 14 | Ratchet Tie Down Webbing For 50mm/2" 10000lbs                   | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:50mm/2" Color: Yellow ♦ Packing: 100m per roll, 2 rolls  |
| 15 | Ratchet Tie Down Webbing For 75mm/3" 16200lbs                   | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:75mm/3" Color: Yellow ♦ Packing: 100m per roll, 2 rolls  |
| 16 | Ratchet Tie Down Webbing For 100mm/4" 16200lbs/22000lbs         | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:100mm/4" Color: Yellow ♦ Packing: 100m per roll, 2 rolls |
| 17 | Lashing Webbing For 102mm/4" 20000lbs Tie Down USA Standard     | ♦ Material:100% High tenacity industrial polyester yarn ♦ Width:102mm/4" ♦ Webbing Breaking Strength: 20000lbs ♦ Color:  |

| No | Product                                                    | Published Specification Lines                                                                                            |
|----|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| 18 | Lashing Webbing For 51mm/2" 12000lbs Tie Down USA Standard | ◆ Material:100% High tenacity industrial polyester yarn ◆ Width:51mm/2" ◆ Webbing Breaking Strength: 12000lbs ◆ Color: Y |
| 19 | USA Standard Tie Down Webbing for 51mm/2" ratchet Lashing  | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Width:51mm/2" ◆ Webbing Breaking Strength: 6000l |
| 20 | Polyester Webbing Used for 50mm/2" Ratchet Tie Down        | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Width : 50mm/2" Color: Yellow ◆ Packing: 100m pe |
| 21 | Cargo Lashing Strap Webbing US Type                        | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Width:100mm/4" Color: Yellow ◆ Packing: 100m per |
| 22 | European Standard Tie Down Webbing/Lashing webbing         | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Width:50mm Color:Yellow/Orange/Red/Blue ◆ Packin |
| 23 | USA Standard Tie Down Webbing/Lashing webbing              | Specification Material:100% High tenacity industrial polyester yarn Width: From 25mm-100mm Color: Yellow Packing: 100yd  |
| 24 | Polyester round sling sleeve/European Single Wall Sleeve   | Specification ◆ Material:100% High tenacity industrial polyester yarn                                                    |
| 25 | Polyester round sling sleeve/European Double Wall Sleeve   | Specification ◆ Material:100% High tenacity industrial polyester yarn                                                    |
| 26 | Lashing Webbing Material                                   | Material: 100% Polyester / Nylon Safety Factor: 6:1 7:1 8:1 As you required Length/Color: As you required Standard: ISO4 |
| 27 | Sling Webbing Material                                     | Material: 100% Polyester / Nylon Safety Factor: 5:1 6:1 7:1 8:1 Length: 3000 meters continuous without disconnection for |

## Round Slings

| No | Product                                                                  | Published Specification Lines                                                                                             |
|----|--------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| 1  | Round Webbing Sling 1T Polyester Round Sling/Soft Flexible Lifting Sling | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 2  | Endless Round Webbing Sling 2T Soft Flexible Lifting Sling               | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 3  | Round Sling Rigging 3T                                                   | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 4  | Endless Roundslings 4T Round Lifting Sling                               | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 5  | Synthetic Round Sling 5T                                                 | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 6  | Polyester Round Sling 6T                                                 | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 7  | 8T Synthetic Round slings                                                | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 8  | Polyester Round Slings 10T                                               | Specification ◆ Material:100% High tenacity industrial polyester yarn ◆ Inner core:made of 60000D twisted polyester yarn  |
| 9  | EN1492 2 Round Lifting Sling, Flexible Round Slings                      | Material:100% High tenacity industrial polyester yarn Working Load: 1T-1000T Safety Factor: 5:1, 6:1, 7:1, 8:1 Outer slee |

## How To Order

- Send the item names or our page links plus the sizes and quantities you need.
- Tell us the finish you want: zinc plated, hot dip galvanised, powder coated, electrophoretic black or self colour.
- Say whether you need a Material Test Certificate to EN 10204 3.1 with the batch.
- Tell us the destination port and whether you want the goods held in our Qingdao warehouse to consolidate with other items.
- For custom parts send a drawing on WhatsApp or by email. CAD files for our standard range are supplied on request rather than published for download.

Qingdao Kailipu Electromechanical Co., Ltd  
No.66 Changcheng Road, Chengyang District, Qingdao, China  
sales@qd-kailipu.com  
WhatsApp +86-18660236941  
qd-kailipu.com