

Medical Consumables Catalogue

Single-use and reusable consumables for diagnosis treatment healthcare and rehabilitation, supplied by the carton with certification documents.

Qingdao Sinoland Medical Co., Ltd.

Comprehensive international trading company with import and export rights.

Located in Qingdao, adjacent to Qingdao Port, the largest container port in North China.

Email: info@sdmedicaldevices.com Tel: +86-15863598436 WhatsApp: +8617658882682

Web: <https://sdmedicaldevices.com>

Every specification in this catalogue is taken from the product documentation.

Where a value is not documented it is left out rather than estimated.

Contents

Medical Consumables (17 products)

- Lightweight Folding Manual Wheelchair
- Disposable Medical Face Mask to EN 14683 Type IIR
- Disposable Medical Masks for Clinical and Industrial Use
- Disposable Medical Gloves Sterile and Non-Sterile
- LED Teeth Whitening Kit for Private Label Wholesale
- USB Electric Ionic Toothbrush With IPX5 Water Resistance
- Rechargeable Handheld Water Flosser With IPX6 Rating
- Titanium Surgical Clips for Laparoscopic Ligation
- MVA Kit With 3mm Micro-Tube for Visual Suction Curettage
- Disposable Infusion Set With 5 Micron Particulate Filter
- Ostomy Bag With Activated Carbon Filter
- Clinical Thermometer Glass and Electronic Types
- Medical Sealing Tape for Sterilisation Packaging
- Hemodialysis Catheters Temporary and Long Term
- Blood Collection Bag Sets With CPD Preservation Solution
- Vacuum Blood Collection Tubes With Colour Coded Additives
- Insulin Syringes and Pen Needles From 4mm to 70mm

Medical Consumables

Single-use and reusable consumables for diagnosis treatment healthcare and rehabilitation, supplied by the carton with certification documents.



Lightweight Folding Manual Wheelchair

A folding manual wheelchair for patients with limited mobility and for carers moving patients between wards, vehicles and home rooms. The frame folds so it fits in a car boot and in ward storage, the seat is 46cm wide at a 50cm seat height, and a united brake locks both rear wheels from a single action. Loading capacity is 100kg

Key specifications

Product Name: Light folding manual wheelchair

Foldable Frame: Yes

Overall Length: 62cm

Overall Height: 89cm

Seat Width: 46cm

Seat Height: 50cm

sdmedicaldevices.com/products/manual-wheelchair.html



Disposable Medical Face Mask to EN 14683 Type IIR

A disposable medical face mask produced to EN 14683:2019 Type IIR and ASTM F2100 Level 2, with a filtration rate of 98%. The mask is built from non-woven and melt-blown layers with an adjustable nose clip, foam nose cushion and elastic ear loops, sized 175 x 95 mm for adult use. It is available sterile or non-sterile with a three

Key specifications

Standard: EN 14683 Type IIR

Safety Standard: EN 14683:2019 Type IIR / ASTM F2100 Level 2

Filtration Rate: 98%

Size: 175 x 95 mm

Target Population: Adult

Sterilization Type: Non-sterile or sterile

sdmedicaldevices.com/products/isolation-face-shield.html



Disposable Medical Masks for Clinical and Industrial Use

A Class I disposable medical mask to EN 14683 with CE marking, used across hospitals, clinics and industrial environments including cleanrooms, food processing, electronics assembly and welding areas. The mask uses elastic ear loops, a full-length nose clip and a pleated body with a 9.5 cm pleat depth. It is supplied sterile or

Key specifications

Medical Device Classification: Class I medical device

Standard: EN 14683

Safety Standard: EN 14683

Quality Certification: CE marking

Filtration: Bacterial filtration efficiency rated

Sterilization Type: Non-sterile or sterile

sdmedicaldevices.com/products/medical-masks.html



Disposable Medical Gloves Sterile and Non-Sterile

Disposable examination and procedure gloves supplied sterile or non-sterile, with full-surface texturing for grip on wet instruments. The range covers natural rubber latex for elasticity and tactile feedback, nitrile for chemical resistance, and PVC for lower-cost general handling, so one supplier can cover a hospital, a laboratory

Key specifications

Model: ZQQ-RJ

Materials: Natural rubber latex, nitrile rubber, PVC

Latex-Free Option: Yes

Sterilization: Sterile or non-sterile

Texture: Textured, full position

Customisable: Yes

sdmedicaldevices.com/products/disposable-medical-gloves.html



LED Teeth Whitening Kit for Private Label Wholesale

A boxed LED teeth whitening kit built for private-label and wholesale programmes. Each kit holds one LED whitening light, three 3ml gel syringes, a silicone mouth tray, a shade guide and a user manual, packed in a luxury gift box. Gel is available in PAP, non-peroxide and peroxide formulations so the same kit can be adapted to

Key specifications

Item Name: Teeth whitening LED kit

Gel Ingredients: PAP, non-peroxide or peroxide

Gel Volume: 3ml x 3 syringes

Flavour: Mint

Kit Contents: 1x LED light, 3x 3ml gel syringe, 1x silicone mouth tray, 1x manual, 1x shade guide

Treatment Duration: 7-14 days

sdmedicaldevices.com/products/luxury-boxed-teeth-whitening-kit-home-use-wholesale-set-with-private-labeling-and-gel-syringes.html



USB Electric Ionic Toothbrush With IPX5 Water Resistance

An ionic electric toothbrush running at 38,001 to 45,000 vibrations per minute with a soft bristle head, rated IPX5 for water resistance. Type-C charging gives a maximum runtime of 15 days per charge, which is long enough that a traveller does not have to pack the charger. The housing is plastic and the brush is produced in China

Key specifications

Type: Ionic toothbrush

Vibration Frequency: 38,001-45,000 vibrations per minute

Water Resistance: IPX5

Bristle Type: Soft

Maximum Runtime: 15 days

Charging Mode: Type-C

sdmedicaldevices.com/products/usb-powered-electric-dental-cleaner-waterproof-fast-charging.html



Rechargeable Handheld Water Flosser With IPX6 Rating

A cordless handheld water flosser with a 200ml built-in tank, rated IPX6 so it can be used in the shower and rinsed directly under a tap. The pump delivers 1600 water pulses per minute at 3.7V rated voltage, and the 360 degree rotating nozzle reaches the back teeth without turning the handle. A 1200mAh battery with Type-C charge

Key specifications

Type: Handheld water flosser
Water Tank Capacity: 200ml, built-in
Waterproof Rating: IPX6
Rated Voltage: 3.7V
Water Pulse Frequency: 1600 pulses per minute
Battery Capacity: 1200mAh

sdmedicaldevices.com/products/rechargeable-handheld-water-flosser-ipx6-waterproof.html



Titanium Surgical Clips for Laparoscopic Ligation

Titanium surgical clips used in laparoscopic surgery to clamp intracavitary tissues, particularly for ligation of the cystic duct and cystic artery. The clips are made from pure titanium wire or titanium alloy wire with a smooth burr-free surface. The V-shaped body carries a transverse groove on the inner side of the clamping se

Key specifications

Product Type: Titanium surgical clips
Sizes: Large, medium flat, medium round, small
Packing: 120 clips per box, packaged in groups of six
Material: Pure titanium wire or titanium alloy wire
Surface: Smooth and burr free
Structure: V-shaped body with transverse and inner grooves

sdmedicaldevices.com/products/titanium-clips.html



MVA Kit With 3mm Micro-Tube for Visual Suction Curettage

A manual vacuum aspiration kit built around a micro-tube only 3mm in diameter, made from a soft, smooth and highly elastic polymer biomaterial. Used with video monitoring, the gestational sac can be seen clearly so suction is directed accurately, and only the sac is suctioned rather than scraping the uterine wall. The technique

Key specifications

Product Type: MVA kit, manual vacuum aspiration
Micro-Tube Diameter: 3mm
Micro-Tube Material: Soft smooth highly elastic polymer biomaterial
Technique: Visual suction curettage under video monitoring
Procedure Time: About 3 minutes
Anaesthesia: Sedation with short-acting analgesics

sdmedicaldevices.com/products/mva-kit.html



Disposable Infusion Set With 5 Micron Particulate Filter

A disposable infusion set that controls medication delivery through six core components: the infusion tubing that forms the fluid pathway and contacts the medication directly, the needle for vascular puncture, the dropper for visual monitoring of the infusion, the particulate filter that intercepts foreign objects larger than 5

Key specifications

Product Type: Disposable infusion device

Core Components: Infusion tubing, needle, dropper, particulate filter, regulating clamp, air inlet

Filter Rating: Intercepts foreign objects larger than 5 microns

Flow Control: Mechanical regulating clamp

Use: Single use

Compatible With: Pump-assisted infusion where precise flow control is required

sdmedicaldevices.com/products/infusion-device.html



Ostomy Bag With Activated Carbon Filter

A stoma bag used to collect urine or faecal output, built from three or more layers of co-extruded PE high-barrier film or EVA and TPE film at a film thickness of 12 mils. The film is soft and produces minimal friction noise while holding odour back. An activated carbon filter releases gas so the bag does not distend, and a mult

Key specifications

Product Type: Ostomy bag, stoma bag

Film Construction: Three or more layers of co-extruded PE high-barrier film or EVA and TPE film

Film Thickness: 12 mils

Filter: Activated carbon filter

Sealing: Multi-layer heat sealing

Styles: Various styles available

sdmedicaldevices.com/products/ostomy-bag.html



Clinical Thermometer Glass and Electronic Types

Clinical thermometers supplied in two types. The glass thermometer uses mercury in a bulb whose volume is much larger than the thin tube above it, so a tiny change in body temperature produces a visible change in the length of the mercury column, and the column holds its position so the reading can be observed at any time. The e

Key specifications

Product Type: Clinical thermometer

Types Available: Glass thermometer and electronic thermometer

Glass Type Principle: Mercury expansion in a bulb with a narrow tube above it

Glass Type Reading: Column holds position for reading at any time

Electronic Type Principle: Relationship between resistance, voltage or current and temperature

sdmedicaldevices.com/products/thermometer.html



Medical Sealing Tape for Sterilisation Packaging

A medical sealing tape made from pure wood pulp natural materials that are non-toxic, non-irritating and highly breathable. It is used for cross-shaped sealing of sterilised cotton cloth packages in hospital sterilisation departments, operating rooms and dental clinics, and it is compatible with pressure steam, ethylene oxide an

Key specifications

Product Type: Medical sealing tape, medical gauze tape

Material: Pure wood pulp natural materials

Properties: Non-toxic, non-irritating, breathable

Application: Cross-shaped sealing of sterilised cotton cloth packages

Sterilisation Compatibility: Pressure steam, ethylene oxide, formaldehyde

Use Areas: Hospital sterilisation departments, operating rooms, dental clinics

sdmedicaldevices.com/products/medical-gauze-tape.html



Hemodialysis Catheters Temporary and Long Term

Hemodialysis catheters are the vascular access devices used to draw blood out of the body for purification and return it. The range covers two types: temporary catheters, usually soft double-lumen designs with separate arterial and venous lumens at the tip, inserted commonly in the internal jugular or femoral vein for acute kidney

Key specifications

Product Type: Hemodialysis catheter

Types: Temporary catheter and long-term tunneled catheter

Temporary Catheter Construction: Double lumen, soft material, separate arterial and venous lumens at the tip

Long-Term Catheter Construction: Tunneled with Dacron cuff

Insertion Sites: Commonly internal jugular vein or femoral vein

Temporary Catheter Indications: Acute kidney injury, poisoning, emergency dialysis, bridging access

sdmedicaldevices.com/products/hemodialysis-catheter.html



Blood Collection Bag Sets With CPD Preservation Solution

Blood collection bag sets are medical plastic containers used to collect, store and process blood and blood components, classified as medical devices and blood collection tools that must meet sterility, non-toxicity and anticoagulant performance standards. A set typically consists of three, four or five bags. In the common three

Key specifications

Product Type: Blood collection bag set

Set Configurations: Three, four or five bags, three-bag most common

Preservation Solution: Citrate, phosphate and glucose

Anticoagulation Mechanism: Chelation of calcium ions

Collection Volume: 350 to 450 ml for a 400 ml bag

Classification: Medical device and blood collection tool

sdmedicaldevices.com/products/blood-bag.html



Vacuum Blood Collection Tubes With Colour Coded Additives

Blood collection tubes used to collect, preserve and transport blood samples, made from glass or plastic with pre-added additives that keep blood components stable. Colour coding identifies the additive and the intended test: purple tubes with EDTA anticoagulant for complete blood count and blood typing, green tubes with heparin

Key specifications

Product Type: Blood collection tube

Materials: Glass or plastic

Additives: Anticoagulants, coagulants, separation gels

Purple Tube: EDTA anticoagulant, complete blood count and blood typing

Green Tube: Heparin anticoagulant, biochemical and immunological tests

Blue Tube: Sodium citrate, coagulation function tests

sdmedicaldevices.com/products/blood-collection-tube.html



Insulin Syringes and Pen Needles From 4mm to 70mm

Insulin delivery devices for subcutaneous injection, supplied across three types: traditional insulin syringes with integrated or separate needles, insulin pen needles used with a pen device, and insulin pump infusion sets. Needle gauges run from 10G to 34G in sizes from 4mm to 70mm, the products are Class II medical devices with

Key specifications

Medical Device Classification: Class II medical device

Product Types: Traditional insulin syringes, insulin pen needles, insulin pump infusion sets

Model Range: 10G to 34G

Size Range: 4mm to 70mm

Function and Use: Medical sanitary materials and dressings

Shelf Life: 5 years

sdmedicaldevices.com/products/insulin-syringe.html