

# OBDII Line Card

119 catalogue parts across 27 families

Every J1962 connector, cased connector, adapter, alloy body, kit and cable assembly Setolink manufactures, with the key specification taken from the production drawing. Housings are moulded, terminals plated and cables crimped in our own factory in Shenzhen, and every order passes incoming, in-process, final and outgoing inspection. Delivery is quoted against order quantity.

|                      |                                        |                  |                |
|----------------------|----------------------------------------|------------------|----------------|
| <b>Manufacturer</b>  | Shenzhen Setolink Electronics Co., Ltd | <b>Founded</b>   | 2006           |
| <b>Product brand</b> | SETOCONT                               | <b>WhatsApp</b>  | +852 5589 0919 |
| <b>Email</b>         | info@setolink.com                      | <b>Telephone</b> | +852-55890919  |

## OBDII Connectors (30 parts)

Every diagnostic tool starts at the connector. This family covers standard J1962 16-pin male and female OBDII connectors in straight and right-angle bodies, with nickel or gold plated brass terminals and housings moulded in ABS, PC or POM.

| Model                     | Product                                             | Key specification                                                                    | Image                                                                                 |
|---------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOM-014B Series</b> | Right Angle OBD Connector Male 16 Pin ST-SOM-014B   | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2 |   |
| <b>ST-SOM-014A Series</b> | Right Angle OBD Connector Male 16 Pin ST-SOM-014A   | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2 |  |
| <b>ST-SOM-011A-X</b>      | Right Angle OBD Connector Male 16 Pin ST-SOM-011A-X | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2 |  |
| <b>ST-SOM-011A-D</b>      | Right Angle OBD Connector Male 16 Pin ST-SOM-011A-D | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2 |  |
| <b>ST-SOM-006A</b>        | OBD Connector Male 16 Pin ST-SOM-006A               | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2 |  |
| <b>ST-SOM-015 Series</b>  | Right Angle OBD Connector Male 16 Pin ST-SOM-015    | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2 |  |

| Model          | Product                                                | Key specification                                                                                | Image                                                                                 |
|----------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ST-SOM-012A    | Right Angle OBD Connector Male 16 Pin ST-SOM-012A      | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2             |    |
| ST-SOM-004     | OBD Connector Male 16 Pin ST-SOM-004                   | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2             |    |
| ST-SOM-021B    | OBD Connector Male 16 Pin ST-SOM-021B                  | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2             |    |
| ST-SOM-011A    | OBD Connector Male 16 Pin ST-SOM-011A                  | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2             |    |
| ST-SOM-007A    | OBD Connector Male 16 Pin ST-SOM-007A                  | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2             |   |
| ST-SOM-013B-D  | Right Angle OBD Connector Male 16 Pin ST-SOM-013B-D    | Color: Black; Pin No.: 16; Pin Material: Golden Plated Brass; Flammability: UL94 V-2             |  |
| ST-SOM-013A-D  | Right Angle OBD Connector Male 16 Pin ST-SOM-013A-D    | Color: Black; Pin No.: 16; Pin Material: Golden Plated Brass; Flammability: UL94 V-2             |  |
| ST-SOF-006X-V3 | Right Angle OBD Connector Female 16 Pin ST-SOF-006X-V3 | Color: Black; Pin No.: 16; Pin Material: Golden Plated Brass; Solder Resistance Temp: Customized |  |
| ST-SOF-006D-V3 | Right Angle OBD Connector Female 16 Pin ST-SOF-006D-V3 | Color: Black; Pin No.: 16; Pin Material: Golden Plated Brass; Solder Resistance Temp: Customized |  |
| ST-SOM-005A    | OBD Connector Male 16 Pin ST-SOM-005A                  | Color: White; Pin No.: 16; Pin Material: Golden Plated Brass; Flammability: UL94 V-2             |  |

| Model         | Product                                                         | Key specification                                                                                 | Image                                                                                 |
|---------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ST-SOM-100    | OBD Connector Core Male No Pin<br>ST-SOM-100                    | Color: Black; Pin No.: 0; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2               |    |
| ST-SOM-003A   | OBD Connector Male 16 Pin<br>ST-SOM-003A                        | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2              |    |
| ST-SOM-002    | OBD Connector Male 16 Pin<br>ST-SOM-002                         | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2              |    |
| ST-SOF-001-V2 | OBD Connector Female 16 Pin<br>ST-SOF-001-V2                    | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized  |    |
| ST-SOM-022B   | OBD Connector Male 16 Pin<br>ST-SOM-022B                        | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2              |  |
| ST-SOF-011    | OBD Connector Female for Volkswagen or Audi or Skoda ST-SOF-011 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Female; Solder Resistance Temp: Customized |  |
| ST-SOF-008    | OBD Connector Female for Toyota or Nissan ST-SOF-008            | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Female; Solder Resistance Temp: Customized |  |
| ST-SOF-001-V1 | OBD Connector Female 16 Pin<br>ST-SOF-001-V1                    | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized  |  |
| ST-SOM-001E   | SMD Right Angle OBD Connector Male 16 Pin ST-SOM-001E           | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: 285■        |  |
| ST-SOM-001C   | OBD Connector Male Golden Plated<br>ST-SOM-001C                 | Color: Black; Pin No.: 16; Pin Material: Golden Plated Brass; Flammability: UL94 V-2              |  |

| Model       | Product                                                 | Key specification                                                                                 | Image                                                                               |
|-------------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| ST-SOM-001D | Right Angle 778 OBD Connector Male 9 Pin ST-SOM-001D    | Color: Black; Pin No.: 9; Pin Material: Nickel Plated Brass; Flammability: UL94 V-2               |  |
| ST-SOF-014  | OBD Connector Female for Kia or Hyundai ST-SOF-014      | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Female; Solder Resistance Temp: Customized |  |
| ST-SOF-032  | OBD Connector Female 16 Pin for Buick or GMC ST-SOF-032 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized  |  |
| ST-SOF-018  | OBD Connector Female for Peugeot or Renault ST-SOF-018  | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Female; Solder Resistance Temp: Customized |  |

## OBDII Cables (39 parts)

Cable assemblies built around our own connectors: extension leads, flat ribbon runs, shielded round cable, DB9 breakouts, cigarette-lighter power feeds and EV diagnostic leads. Crimped, overmoulded and electrically tested before packing.

| Model             | Product                                                        | Key specification                                                                   | Image                                                                                 |
|-------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ST-SOC-251        | Power Supply OBD Cable to Black Red Wires with Fuse ST-SOC-251 | Color: Black and red; Connector: Female OBD connector; Core: 2C 20 AWG; Fuse: 1 AMP |  |
| ST-SOC-901 Series | Power Supply OBD Cable to Cigarette Lighter ST-SOC-901         | Color: Black; Connector: Cigarette Lighter; Core: 2C 22 AWG; Color: Black and red   |  |
| ST-SOC-901B       | Right Angle OBD Cable to Cigarette Lighter ST-SOC-901B         | Color: Black; Connector: Cigarette Lighter; Core: 2C 22 AWG; Color: Black and red   |  |
| ST-SOC-905        | Power Supply OBD Cable to DC5521 ST-SOC-905                    | Color: Black; Connector: DC 5521; Core: 2C 22 AWG; Color: Black and red             |  |
| ST-SOC-610B       | 16 Pin OBD Cable to VGA DB9 Pin Female ST-SOC-610B             | Color: Black; Pin No.: 16 Pin; Core: 20C 26 AWG; Pin Material: Nickel Plated Brass  |  |

| Model              | Product                                                          | Key specification                                                                  | Image                                                                                 |
|--------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOC-608B</b> | 16 Pin OBD Cable to VGA DB9 Pin Female ST-SOC-608B               | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG; Pin Material: Nickel Plated Brass |    |
| <b>ST-SOC-607B</b> | 16 Pin OBD Cable to VGA DB9 Pin Female ST-SOC-607B               | Color: Black; Pin No.: 16 Pin; Core: 14C 26 AWG; Pin Material: Nickel Plated Brass |    |
| <b>ST-SOC-604B</b> | 16 Pin OBD Cable to VGA DB9 Pin Female ST-SOC-604B               | Color: Black; Pin No.: 16 Pin; Core: 8C 26 AWG; Pin Material: Nickel Plated Brass  |    |
| <b>ST-SOC-605B</b> | 16 Pin OBD Cable to VGA DB9 Pin Female ST-SOC-605B               | Color: Black; Pin No.: 16 Pin; Core: 10C 26 AWG; Pin Material: Nickel Plated Brass |    |
| <b>ST-SOC-511B</b> | Low Profile Flat OBD Cable 16P 16C MtF ST-SOC-511B               | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG; Pin Material: Nickel Plated Brass |   |
| <b>ST-SOC-503B</b> | Low Profile Ribbon OBD Cable 16P 8C 2 In 1 ST-SOC-503B           | Color: Black; Pin No.: 16 Pin; Core: 8C 26 AWG; Pin Material: Nickel Plated Brass  |  |
| <b>ST-SOC-504A</b> | Low Profile Flat OBD Cable 16P 8C 2 In 1 With Switch ST-SOC-504A | Color: Black; Pin No.: 16 Pin; Core: 8C 26 AWG; Pin Material: Nickel Plated Brass  |  |
| <b>ST-SOC-503A</b> | Low Profile Flat OBD Cable 16P 8C 2 In 1 ST-SOC-503A             | Color: Black; Pin No.: 16 Pin; Core: 8C 26 AWG; Pin Material: Nickel Plated Brass  |  |
| <b>ST-SOC-501B</b> | Low Profile Flat OBD Cable 16P 8C With Switch ST-SOC-501B        | Color: Black; Pin No.: 16 Pin; Core: 8C 26 AWG; Pin Material: Nickel Plated Brass  |  |
| <b>ST-SOC-511A</b> | Low Profile Flat OBD Cable 16P 16C MtF ST-SOC-511A               | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG; Pin Material: Nickel Plated Brass |  |

| Model              | Product                                                          | Key specification                                                                                        | Image                                                                                 |
|--------------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOC-803</b>  | OBD Cable 26 Pin for EV Tesla Model 3/Y ST-SOC-803               | Color: Black; Pin No.: 16 Pin; Connector: 26 Pin; Pin Material: Nickel Plated Brass                      |    |
| <b>ST-SOC-802</b>  | OBD Cable 20 Pin for EV Tesla Model X/S ST-SOC-802               | Color: Black; Pin No.: 16 Pin; Connector: 20 Pin; Pin Material: Nickel Plated Brass                      |    |
| <b>ST-SOC-801</b>  | OBD Cable 12 Pin for EV Tesla Model S/X ST-SOC-801               | Color: Black; Pin No.: 16 Pin; Connector: 12 Pin; Pin Material: Nickel Plated Brass                      |    |
| <b>ST-MF08-C14</b> | OBD Cable for Toyota 22 Pin ST-MF08-C14                          | Color: Black; Pin No.: 16 Pin; Core: PVC or Customized; Pin Material: Nickel Plated Brass                |    |
| <b>ST-MF08-C13</b> | OBD Cable for Toyota 17 Pin ST-MF08-C13                          | Color: Black; Pin No.: 16 Pin; Core: PVC or Customized; Pin Material: Nickel Plated Brass                |   |
| <b>ST-SOC-552</b>  | K + Can Line Multi Purpose OBD Jumper Cable ST-SOC-552           | Core: 5C 26 AWG; Core Color: Black; Label: Can+, Can-,K line, Power+, Power; Length: 30 cm or Customized |  |
| <b>ST-SOC-405B</b> | OBD Cable Male to Female One to Two for Kia or Honda ST-SOC-405B | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG or Customized; Pin Material: Nickel Plated Brass         |  |
| <b>ST-SOC-203B</b> | OBD Cable Male to Female One to Two ST-SOC-203B                  | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG or Customized; Pin Material: Nickel Plated Brass         |  |
| <b>ST-SOC-104B</b> | OBD Cable Male to Female One to Two ST-SOC-104B                  | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG or Customized; Pin Material: Nickel Plated Brass         |  |
| <b>ST-SOC-201B</b> | OBD Cable Male to Female ST-SOC-201B                             | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG or Customized; Pin Material: Nickel Plated Brass         |  |

| Model                    | Product                                                       | Key specification                                                                                        | Image                                                                                 |
|--------------------------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOC-102B</b>       | OBD Cable Male to Female<br>ST-SOC-102B                       | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG or Customized; Pin Material: Nickel Plated Brass         |    |
| <b>ST-SOC-032-16C</b>    | OBD Cable Female Connector to Open<br>ST-SOC-032-16C          | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG; Pin Material: Nickel Plated Brass                       |    |
| <b>ST-MF10-M01</b>       | OBD Cable Motorcycle for Yamaha<br>3P+4P+Honda 6P ST-MF10-M01 | Color: Black; Pin No.: 16 Pin; Core: 26 AWG; Pin Material: Nickel Plated Brass                           |    |
| <b>ST-SOC-002B</b>       | OBD Cable Male Connector to Open<br>ST-SOC-002B               | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG; Pin Material: Nickel Plated Brass                       |    |
| <b>ST-SOC-602B</b>       | 16 Pin OBD Cable to VGA DB9 Pin<br>Female ST-SOC-602B         | Color: Black; Pin No.: 16 Pin; Connector: DB9 Female; Pin Material: Nickel Plated Brass                  |   |
| <b>ST-SOC-601B</b>       | 16 Pin OBD Cable to VGA DB9 Pin<br>Female ST-SOC-601B         | Color: Black; Pin No.: 16 Pin; Connector: DB9 Female; Pin Material: Nickel Plated Brass                  |  |
| <b>ST-SOC-904S</b>       | 5V to 12V Booster OBD Cable to USB<br>ST-SOC-904S             | Color: Black; Connector: USB to OBD; Core: 2C 22 AWG; Jacket: PVC                                        |  |
| <b>ST-SOC-904</b>        | Power Supply OBD Cable to USB<br>ST-SOC-904                   | Color: Black; Connector: USB; Core: 2C 22 AWG; Jacket: PVC                                               |  |
| <b>ST-SOC-004 Series</b> | Power Supply OBD Cable 2C 22AWG<br>ST-SOC-004                 | Color: Black; Connector: 12V or 24V; Core: 2C 22 AWG; Color: Black and red                               |  |
| <b>ST-SOC-552S</b>       | K and Can Line Multi Purpose Jumper<br>OBD Cable ST-SOC-552S  | Core: 5C 22 AWG; Core Color: Black; Label: Can+, Can-,K line, Power+, Power; Length: 30 cm or Customized |  |

| Model       | Product                                                        | Key specification                                                                  | Image                                                                               |
|-------------|----------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| ST-SOC-606B | 16 Pin OBD Cable to VGA DB9 Pin Female ST-SOC-606B             | Color: Black; Pin No.: 16 Pin; Core: 12C 26 AWG; Pin Material: Nickel Plated Brass |  |
| ST-SOC-902  | Power Supply OBD Cable to Cigarette Lighter Adapter ST-SOC-902 | Color: Black; Fuse: 3A; Core: 2C 22 AWG; LED Light: Available                      |  |
| ST-SOC-051  | OBD Cable Female Connector to Open ST-SOC-051                  | Color: Black; Pin No.: 16 Pin; Core: 16C 26 AWG; Pin Material: Nickel Plated Brass |  |
| ST-SOC-501A | Low Profile Flat OBD Cable 16P 8C MtF ST-SOC-501A              | Color: Black; Pin No.: 16 Pin; Core: 8C 26 AWG; Pin Material: Nickel Plated Brass  |  |

## OBDII Case Connectors (14 parts)

Male and female J1962 connectors delivered with their plastic case, so the terminal block, the cover and the strain relief all come from one tool set. Cover heights from the low-profile 13 mm shell upward.

| Model       | Product                                                     | Key specification                                                                        | Image                                                                                 |
|-------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ST-SOH-006  | 16 Pin Male OBD Connector with Case ST-SOH-006              | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC |  |
| ST-SOH-015  | 16 Pin Male OBD Connector with Cover ST-SOH-015             | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Connector: 12V or 24V      |  |
| ST-SOH-007  | Right Angle 16 Pin Male OBD Connector with Cover ST-SOH-007 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC |  |
| ST-SOH-028A | 16 Pin Male OBD Connector with Cover ST-SOH-028A            | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC |  |
| ST-SOH-019  | 16 Pin Male OBD Connector with Cover ST-SOH-019             | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Connector: 12V or 24V      |  |

| Model       | Product                                                         | Key specification                                                                          | Image                                                                                 |
|-------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ST-SOH-007  | 16 Pin Male OBD Connector with Cover ST-SOH-007                 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC   |    |
| ST-SOH-115  | OBD Connector Female 16 Pin with Cover ST-SOH-115               | Color: Black; Type: Female; Pin No.: 16; Pin Material: Nickel Plated Brass                 |    |
| ST-SOH-135  | OBD Connector Female 16 Pin with Cover ST-SOH-135               | Color: Black; Type: Female; Pin No.: 16; Pin Material: Nickel Plated Brass                 |    |
| ST-SOH-009  | 16 Pin Male OBD Connector with Cover ST-SOH-009                 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC   |    |
| ST-SOH-004  | 16 Pin Male OBD Connector with Cover ST-SOH-004                 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC   |   |
| ST-SOH-002T | 16 Pin Male OBD Connector with Cover ST-SOH-002T                | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC   |  |
| ST-SOH-002  | 16 Pin Male OBD Connector with Cover ST-SOH-002                 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC   |  |
| ST-SOH-001  | 16 Pin Male OBD Connector with Cover ST-SOH-001                 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Plastic Material: ABS + PC   |  |
| ST-SOH-029  | SMD Right Angle OBD Connector Male 16 Pin with Cover ST-SOH-029 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: 285■ |  |

## OBDII Adapters (12 parts)

Ready-made interface parts that sit between the vehicle port and your tool: male-to-female pass-through adapters, Y-splitters for telematics installs, and OBD-to-RJ45 conversions for bench and workshop equipment.

| Model                    | Product                                                      | Key specification                                                                                                    | Image                                                                                 |
|--------------------------|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOA-005 Series</b> | OBD Adapter Male to Female<br>ST-SOA-005                     | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |    |
| <b>ST-SOA-102B</b>       | OBD Adapter for BMW Enet E-SYS<br>ICOM Coding ST-SOA-102B    | Color: Black and White; Pin No.: 16; Pin Material: Nickel or Golden Plated Brass; Solder Resistance Temp: Customized |    |
| <b>ST-SOA-101A</b>       | OBD Adapter for BMW Enet E-SYS<br>ICOM Coding ST-SOA-101A    | Color: Black; Pin No.: 16; Pin Material: Nickel or Golden Plated Brass; Solder Resistance Temp: Customized           |    |
| <b>ST-SOA-004</b>        | OBD Adapter Male to Female 3 In 1<br>ST-SOA-004              | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |    |
| <b>ST-SOA-001B</b>       | Classic OBD Adapter Male to Female<br>ST-SOA-001B            | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |   |
| <b>ST-SOA-002</b>        | Normal Size OBD Adapter Male to Female<br>ST-SOA-002         | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |  |
| <b>ST-SOA-011-B24</b>    | OBD Splitter Adapter Male to Female 2<br>In 1 ST-SOA-011-B24 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |  |
| <b>ST-SOA-011-A24</b>    | OBD Splitter Adapter Male to Female 2<br>In 1 ST-SOA-011-A24 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |  |
| <b>ST-SOA-011-B12</b>    | OBD Splitter Adapter Male to Female 2<br>In 1 ST-SOA-011-B12 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |  |
| <b>ST-SOA-011-A12</b>    | OBD Splitter Adapter Male to Female 2<br>In 1 ST-SOA-011-A12 | Color: Black; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized                     |  |

| Model              | Product                                           | Key specification                                                                                         | Image                                                                               |
|--------------------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>ST-SOA-008B</b> | Small Size OBD Adapter Male to Female ST-SOA-008B | Color: Red and Yellow; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized |  |
| <b>ST-SOA-003B</b> | Mini Size OBD Adapter Male to Female ST-SOA-003B  | Color: Black and Blue; Pin No.: 16; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized |  |

## Alloy OBDII Range (16 parts)

Where a plastic shell is not enough, the alloy range adds a metal body for grip, shielding and abuse tolerance — the connectors and the finished cables that use them.

| Model                | Product                                              | Key specification                                                                                         | Image                                                                                 |
|----------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOM-101C</b>   | Spring Back OBD Connector Male 16 Pin ST-SOM-101C    | Pin No.: 16; Pin Material: Golden Plated Brass; Connector: Black POM; Case: Black Plastic Case            |    |
| <b>ST-101SC-0130</b> | 16 Pin OBD Cable Male to Female ST-101SC-0130        | Color: Black; Pin No.: 16 Pin; Connector: Male to Female; Pin Material: Golden Plated Brass               |  |
| <b>ST-101SC-0813</b> | 16 Pin OBD Cable to 16 Pin ST-101SC-0813             | Color: Black; Pin No.: 16 Pin; Connector: Male to Female; Pin Material: Golden Plated Brass               |  |
| <b>ST-101S-0618</b>  | 16 Pin OBD Cable to 12 Pin ST-101S-0618              | Color: Blue; Pin No.: 16 Pin; Connector: Male to Male; Pin Material: Golden Plated Brass                  |  |
| <b>ST-101H-0730</b>  | 16 Pin OBD Cable to DB15 Pin ST-101H-0730            | Color: Black; Pin No.: 16 Pin; Connector: Male to Male; Pin Material: Golden Plated Brass                 |  |
| <b>ST-102H-0515</b>  | 16 Pin OBD Cable to DB15 Pin for EOL-V3 ST-102H-0515 | Color: Black; Pin No.: 16 Pin; Connector: Male to Female; Pin Material: Golden Plated Brass               |  |
| <b>ST-SOM-101SC</b>  | Alloy Metal OBD Connector Male 16 Pin ST-SOM-101SC   | Pin No.: 16; Pin Material: Golden Plated Brass; Connector: Black Aluminum Alloy; Case: Black Plastic Case |  |

| Model                  | Product                                              | Key specification                                                                                               | Image                                                                                 |
|------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-101H-0210</b>    | 16 Pin OBD Cable to DB15 Pin<br>ST-101H-0210         | Color: Black; Pin No.: 16 Pin; Connector: Male to Female; Pin Material: Golden Plated Brass                     |    |
| <b>ST-101H-0210-S1</b> | 16 Pin OBD Cable to DB15 Pin<br>ST-101H-0210-S1      | Color: Black; Pin No.: 16 Pin; Connector: Male to Female; Pin Material: Golden Plated Brass                     |    |
| <b>ST-101H-0415</b>    | 16 Pin OBD Cable to 20 Pin<br>ST-101H-0415           | Color: Black; Pin No.: 16 Pin; Connector: Male to Male; Pin Material: Golden Plated Brass                       |    |
| <b>ST-101H-0615</b>    | 16 Pin OBD Cable to M16 12 Pin<br>ST-101H-0615       | Color: Black; Pin No.: 16 Pin; Connector: Male to Male; Pin Material: Golden Plated Brass                       |    |
| <b>ST-101H-0612</b>    | 16 Pin OBD Cable to M16 12 Pin<br>ST-101H-0612       | Color: Black; Pin No.: 16 Pin; Connector: Male to Male; Pin Material: Golden Plated Brass                       |   |
| <b>ST-101H-0106</b>    | 16 Pin OBD Cable Male to Female<br>ST-101H-0106      | Color: Black; Pin No.: 16 Pin; Connector: Male to Female; Pin Material: Golden Plated Brass                     |  |
| <b>ST-SOM-102N</b>     | Alloy Metal OBD Connector Male 16 Pin<br>ST-SOM-102N | Pin No.: 16; Pin Material: Golden Plated Brass; Connector: Nickel Plated Aluminum; Case: Nickel Plated Aluminum |  |
| <b>ST-SOM-102H</b>     | Alloy Metal OBD Connector Male 16 Pin<br>ST-SOM-102H | Pin No.: 16; Pin Material: Golden Plated Brass; Connector: Nickel Plated Aluminum; Case: Nickel Plated Aluminum |  |
| <b>ST-SOM-101S</b>     | Alloy Metal OBD Connector Male 16 Pin<br>ST-SOM-101S | Pin No.: 16; Pin Material: Golden Plated Brass; Connector: Golden Plated Aluminum; Case: Nickel Plated Aluminum |  |

## OBDII Kits & Accessories (4 parts)

The small parts that keep an installed port serviceable: protective caps, spare covers and mounting brackets for permanently fitted diagnostic and telematics connections.

| Model             | Product                                     | Key specification                           | Image                                                                               |
|-------------------|---------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------|
| <b>ST-SOY-102</b> | Silicone Protective OBD Cover<br>ST-SOY-102 | Color: Blue; Pin No.: 0; Material: Silicone |  |
| <b>ST-SOY-101</b> | Silicone Protective OBD Cover<br>ST-SOY-101 | Color: Blue; Pin No.: 0; Material: Silicone |  |
| <b>ST-SOY-001</b> | OBD Bracket ST-SOY-001                      | Color: Black; Pin No.: 0; Material: Nylon   |  |
| <b>ST-SOG-002</b> | Dustproof OBD Cover ST-SOG-002              | Color: Black; Pin No.: 0; Material: Nylon   |  |

## New & Custom Designs (1 parts)

Parts that began as a customer sketch and ended as a dedicated tool. This is where new designs land before they earn a category of their own.

| Model                  | Product                                              | Key specification                                                                                | Image                                                                                 |
|------------------------|------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>ST-SOD-C12P-1.0</b> | Right Angle 12 Pin Connector Male<br>ST-SOD-C12P-1.0 | Color: Black; Pin No.: 12; Pin Material: Nickel Plated Brass; Solder Resistance Temp: Customized |  |