
Hampton Inn- Westfield,IN

17400 WHEELER ROAD
WESTFIELD, IN 60136

Full Reno

Contents

LIGHTING	1
LTG-01 - KING TABLE LAMP (3 EXTRA)	2
LTG-02 - QUEEN HEADBOARD SCONE (3 EXTRA)	5
LTG-03 - KING HEADBOARD SCONE (3 EXTRA)	7
LTG-04 - FLOOR LAMP (3 EXTRA)	10
LTG-05 - VANITY LIGHT (3 EXTRA)	12
LTG-06 - ENTRY CEILING FIXTURE (3 EXTRA)	14
LTG-07 - TASK LAMP (3 EXTRA)	16
LTG-08 - PUBLIC CONSOLE TABLE LAMP	18
MIRRORS	20
GR-503 - VANITY MIRROR - 3 EXTRAS	21
PA-508 - VANITY MIRROR @ PUBLIC & BREAKROOM RESTROOMS	23

LIGHTING

LTG-01

KING TABLE LAMP (3
EXTRA)

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AREAS: ADA KING (ADA-K), ADA KING SOFA
(ADA-KS), Casepack/Attic Stock (CP),
KING SOFA (KGS)
QUANTITY: 40 ea

OFCI

OFOI

CFCI

CFOI

Arch

FFE



LTG-01

KING TABLE LAMP (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136



NOTES

DIMENSIONS: OA = 14.5"DIA X 26"H
FINISH: TIGER DRYLAC SMOOTH MATTE BLACK #09/80130 CERAMIC
(MATCH RAL 9005)
SWITCH TYPE: ON/OFF ROCKER SWITCH ON BASE - BLACK
CORD LENGTH: 96"
CORD COLOR: CLEAR SILVER; FLAT PLUG WITH 45° OFFSET
LAMP TYPE: 120V; A19, E26 LED - 2700K
LAMP WATTAGE: 9W
LAMP QUANTITY: 1
UL LISTING: UL DRY LISTED AND LABELED
SHADE/DIFFUSER DRUM SHADE WITH DIFFUSER AT TOP OF SHADE
STYLE:
SHADE/DIFF. MATERIAL: CREAM LINEN SHADE, HARD BACKED WITH ROLLED
EDGES
MATTE FROSTED WHITE ACRYLIC DIFFUSER

SHADE/DIFF. DIMS.: 14.5"DIA X 10"H
SUSPENSION INFO: NA
NOTES: BASE TO INCLUDE BLACK NON SKID FELT BOTTOM AND TO BE WEIGHTED
TO PREVENT TIPPING.
ON/OFF ROCKER SWITCH AT BASE, LOCATION TO BE 180 DEGREES OPPOSITE OF
POWER CORD.
POWER REQUIREMENTS TO BE COORDINATED WITH NIGHTSTANDS.
HARP AND SPIDER FINISH TO MATCH METAL FINIAL.
6.5"DIA. X 1.25"H METAL BASE.

VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE
CHINA

VENDOR CONTACT

MARIO SONG
MARIO@SONGDOMFFE.COM

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA

☒ **FINISH
SAMPLE**

☐ FLAME CERT

☐ PROTOTYPE

☐ SEAMING
DIAGRAM

☒ **SHOP DWGS**

☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE

09/01/2026

LTG-01

KING TABLE LAMP (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

NOTED IN SPECIFICATION.



- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.

LTG-02
QUEEN HEADBOARD
SCONCE (3 EXTRA)

AREAS: ADA QQ (ADA-QQ), Casepack/Attic Stock (CP), DOUBLE QUEEN (QQ)
QUANTITY: 59 ea
LOCATION: Guestroom
FINISH: Tiger Drylac - Smooth Matte Black #09/80130
CORD LENGTH: 96"
CORD FINISH: Clear silver; Flat plug with 45° offset
SWITCH: Rocker Switch (x2) Bottom of Casing - Black

OFCI OFOI CFCI CFOI Arch FFE
☒ ☐ ☐ ☐ ☐ ☒

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136



NOTES

DIMENSIONS:OA = 9 7/8"W X 3 1/2"D X 22"H
LAMP TYPE: 120V AC LED STRIP - 2700K
LAMP WATTAGE: 8W
LAMP QUANTITY:2
UL LISTING:UL DRY LISTED AND LABELED
SHADE/DIFFUSER STYLE:REMOVABLE
SHADE/DIFF. MATERIAL: MATTE FROSTED WHITE ACRYLIC
SHADE/DIFF. DIMS.: 3 7/8"W X 3 1/2"D 11"H

NOTES: FIXTURE TO BE WALL-MOUNTED; REFER TO PROTOTYPE DRAWINGS FOR MOUNTING HEIGHT.
POWER REQUIREMENTS TO BE COORDINATED WITH NIGHTSTANDS.
INCLUDES 5/8" X 5/8" X 20"L METAL WIRE MOLD, POWDERCOATED TO MATCH FIXTURE. MUST BE FIELD ADJUSTABLE/TRIMMABLE.
VISIBLE SCREWS SHALL BE COUNTERSUNK AND FINISHED TO MATCH METAL BACK PLATE.
IN RENOVATION CONDITIONS WHERE FIXTURE IS TO BE MOUNTED AT EXISTING FYI NIGHTSTAND PANELS, CORD TO EXIT THROUGH BACK OF LIGHT FIXTURE AND RUN THROUGH CUTOUT IN CASEGOOD - CORD COVER IS NOT REQUIRED FOR THIS USE.

VENDOR	VENDOR CONTACT
SONGDOM FF&E SOLUTIONS CO., LIMITED	MARIO SONG
ADD: NO. 6, FENJIANG SOUTH ROAD	MARIO@SONGDOMFFE.COM
CHANCHENG DISTRICT, FOSHAN CITY, GUANGDONG PROVINCE	
CHINA	

LTG-02

**QUEEN HEADBOARD
SCONCE (3 EXTRA)**

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA ☒ **FINISH
SAMPLE** ☐ FLAME CERT ☐ PROTOTYPE ☐ SEAMING
DIAGRAM ☒ **SHOP DWGS** ☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.

09/01/2026

LTG-03

KING HEADBOARD
SCNCE (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AREAS: ADA KING (ADA-K), ADA KING SOFA (ADA-KS), Casepack/Attic Stock (CP), KING SOFA (KGS)

QUANTITY: 42 ea

LOCATION: Guestroom

FINISH: Tiger Drylac Smooth Matte Black #09/80130

SHADE DIMENSIONS: 3.25"W x 3.5"D x 17"H

CORD LENGTH: 96":

CORD FINISH: Clear silver; Flat plug with 45° offset

SWITCH: On/Off Rocker Switch - Black

WATTAGE: 8W


DIMENSIONS: 4.5"WW x 20 3/4"HH x 3.5"DD

- OFCI
- OFOI
- CFCI
- CFOI
- Arch
- FFE



LTG-03
KING HEADBOARD
SCONCE (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136



NOTES

DIMENSIONS: 4.5"W X 3.5"D X 20 3/4"H
FINISH: TIGER DRYLAC SMOOTH MATTE BLACK #09/80130
SWITCH TYPE: ON/OFF ROCKER SWITCH - BLACK
LAMP TYPE: 120V AC LED STRIP - 2700K
LAMP WATTAGE: 8W
LAMP QUANTITY: 1
UL LISTING: UL DRY LISTED AND LABELED
SHADE/DIFFUSER STYLE: REMOVABLE
SHADE/DIFF. MATERIAL: MATTE FROSTED WHITE ACRYLIC
SHADE/DIFF. DIMS.: 3.25"W X 3.5"D X 17"H

NOTES: FIXTURE TO BE WALL-MOUNTED; REFER TO PROTOTYPE DRAWINGS FOR MOUNTING HEIGHT.
POWER REQUIREMENTS TO BE COORDINATED WITH NIGHTSTANDS.
INCLUDES 5/8" X 5/8" X 20"L METAL WIRE MOLD, POWDER COATED TO MATCH FIXTURE. MUST BE FIELD ADJUSTABLE/TRIMMABLE.
VISIBLE SCREWS SHALL BE COUNTERSUNK AND FINISHED TO MATCH METAL BACK PLATE.
IN RENOVATION CONDITIONS WHERE FIXTURE IS TO BE MOUNTED AT EXISTING FYI NIGHTSTAND PANELS, CORD TO EXIT THROUGH BACK OF LIGHT FIXTURE AND RUN THROUGH CUTOUT IN CASEGOOD - CORD COVER IS NOT REQUIRED FOR THIS USE.

VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE
CHINA

VENDOR CONTACT

MARIO SONG
MARIO@HIGH-QUALITY-LIGHTED-

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA ☒ **FINISH SAMPLE** ☐ FLAME CERT ☐ PROTOTYPE ☐ SEAMING DIAGRAM ☒ **SHOP DWGS** ☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.

09/01/2026

LTG-03

**KING HEADBOARD
SCONCE (3 EXTRA)**

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.

LTG-04
FLOOR LAMP (3
EXTRA)

AREAS: ADA KING (ADA-K), ADA KING SOFA (ADA-KS), ADA QQ (ADA-QQ), Casepack/Attic Stock (CP), DOUBLE QUEEN (QQ), KING SOFA (KGS)

QUANTITY: 96 ea

LOCATION: Guestroom

OFCI	OFOI	CFCI	CFOI	Arch	FFE
☒	☐	☐	☐	☐	☒

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136



NOTES

DIMENSIONS: OA = 17 3/4"W X 12"D X 68"H, DISC BASE DIMS - 12" DIA X 1 1/2" H

METAL FINISH: TIGER DRYLAC - SMOOTH MATTE BLACK #09/80130

SWITCH TYPE: ON/OFF ROCKER SWITCH @ VERTICAL POST; COLOR: BLACK

CORD LENGTH: 96"

CORD COLOR: CLEAR SILVER; FLAT PLUG WITH 45° OFFSET

LAMP TYPE: E26 A19 LED - 2700K

LAMP WATTAGE: 9W

LAMP QUANTITY: 3

UL LISTING:UL DRY LISTED AND LABELED

SHADE/DIFFUSER STYLE:CYLINDRICAL ACRYLIC SHADE WITH ROUNDED BACK

SHADE/DIFF. MATERIAL: MATTE FROSTED WHITE ACRYLIC

SHADE/DIFF. DIMS.: 4"DIA X 5"

NOTES:

BASE TO BE WEIGHTED TO PREVENT TIPPING. BLACK NON SKID FELT AT THE BOTTOM

ON/OFF ROCKER SWITCH TO BE LOCATED ON THE BODY OF THE LAMP 48" A.F.F MAX. IN ACCESSIBLE ROOMS THE

INTERIOR DESIGNER/ARCHITECT TO ENSURE LAMP SWITCH IS WITHIN REACH AND COMPLIES WITH ADA REQUIREMENTS.

LAMP HEADS TO HAVE 180 DEGREE SIDE-TO-SIDE PIVOT.

VENDOR	VENDOR CONTACT
SONGDOM FF&E SOLUTIONS CO., LIMITED	MARIO SONG
ADD: NO. 6, FENJIANG SOUTH ROAD	MARIO@SONGDOMFFE.COM
CHANCHENG DISTRICT, FOSHAN CITY, GUANGDONG PROVINCE, CHINA	

LTG-04

**FLOOR LAMP (3
EXTRA)**

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA ☒ **FINISH
SAMPLE** ☐ FLAME CERT ☐ PROTOTYPE ☐ SEAMING
DIAGRAM ☒ **SHOP DWGS** ☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.



09/01/2026

LTG-05
VANITY LIGHT (3
EXTRA)

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AREAS: ADA KING (ADA-K), ADA KING SOFA (ADA-KS), ADA QQ (ADA-QQ), Casepack/Attic Stock (CP), DOUBLE QUEEN (QQ), KING SOFA (KGS)
QUANTITY: 96 ea
LOCATION: Guestroom

OFCI OFOI CFCI CFOI Arch FFE



NOTES

DIMENSIONS:OA = 36"W X 3"D X 5"H, 12"W X 1.25"D X 5" RECTANGULAR BACKPLATE
FINISH: TIGER DRYLAC - SMOOTH MATTE BLACK #09/80130
SWITCH TYPE: HARDWIRED 120V

LAMP TYPE:120V LED STRIP - 3000K
LAMP WATTAGE: 20W
LAMP QUANTITY: 1
UL LISTING: UL DAMP LISTED AND LABELED
SHADE/DIFFUSER STYLE: ACRYLIC REMOVABLE COVER
SHADE/DIFF. MATTE FROSTED WHITE ACRYLIC
MATERIAL: SHADE/DIFF. DIMS. 34.75"W X 1.75"H X 1.75"D

NOTES: FIXTURE TO BE WALL-MOUNTED; REFER TO PROTOTYPE DRAWINGS FOR MOUNTING HEIGHT.
VISIBLE SCREWS SHALL BE COUNTERSUNK AND FINISHED TO MATCH METAL BACK PLATE & END CAPS.

VENDOR HIGH QUALITY LIGHTED MIRROR
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE, PRC
CHINA

VENDOR CONTACT MARIO SONG
MARIO@HIGH-QUALITY-LIGHTED-MIRROR.COM

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA ☒ FINISH SAMPLE ☐ FLAME CERT ☐ PROTOTYPE ☐ SEAMING DIAGRAM ☒ SHOP DWGS ☐ STRIKE OFF

INSTRUCTIONS:

LTG-05

VANITY LIGHT (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.

09/01/2026

LTG-06

ENTRY CEILING FIXTURE (3 EXTRA)

AREAS: ADA KING (ADA-K), ADA KING SOFA (ADA-KS), ADA QQ (ADA-QQ), Casepack/Attic Stock (CP), DOUBLE QUEEN (QQ), KING SOFA (KGS)

QUANTITY: 96 ea

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

OFCI OFOI CFCI CFOI Arch FFE



NOTES

DESCRIPTION:HARDWIRED CEILING FIXTURE @ ENTRY
DIMENSIONS:OA: 15" DIA. X 5"H
CANOPY: 14" DIA. X 1"H
FINISH:TIGER DRYLAC - SMOOTH MATTE BLACK #09/80130
SWITCH TYPE:HARDWIRED 120V
DIMMER:NO
LAMP TYPE:A19, E26 LED - 2700K
LAMP WATTAGE:9W
LAMP QUANTITY: 2
UL LISTING:UL DAMP LISTED AND LABELED
SHADE/DIFFUSER STYLE:ROUND REMOVABLE SHADE WITH ROUNDED TOP/BOTTOM EDGES
SHADE/DIFF. MATERIAL:MATTE WHITE FROSTED ACRYLIC

DIMENSIONS: 15" DIA X 4"H
SUSPENSION INFO: FLUSH MOUNT

NOTES:FIXTURE TO BE FLUSH-MOUNTED AT CEILING, AT EXISTING J-BOX.
VISABLE SCREWS SHALL BE COUNTERSUNK AND FINISHED TO MATCH METAL CANOPY.
FIXTURE MUST ALLOW EASY ACCESS TO BULBS FOR MAINTENANCE.

VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE,
CHINA

VENDOR CONTACT

MARIO SONG
MARIO@SONGDOMFFE.COM

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA ☒ FINISH SAMPLE ☐ FLAME CERT ☐ PROTOTYPE ☐ SEAMING DIAGRAM ☒ SHOP DWGS ☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.

09/01/2026

LTG-06

ENTRY CEILING FIXTURE (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.



LTG-07

TASK LAMP (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AREAS: ADA KING (ADA-K), ADA KING SOFA (ADA-KS), Casepack/Attic Stock (CP), KING SOFA (KGS)
QUANTITY: 40 ea

OFCI OFOI CFCI CFOI Arch FFE



NOTES

DIMENSIONS:OA: 10"W X 4"D X 8"H
FINISH:TIGER DRYLAC - SMOOTH MATTE BLACK #09/80130
SWITCH TYPE:ON/OFF ROCKER ON BASE; COLOR: BLACK
CORD LENGTH:60"
CORD COLOR:CLEAR SILVER; FLAT PLUG W/ 45 DEGREE OFFSET
LAMP TYPE:LED STRIP - 2700K
LAMP WATTAGE:7W
LAMP QUANTITY: 1
UL LISTING:UL DRY LISTED AND LABELED
SHADE/DIFFUSER STYLE:RECTANGULAR METAL BOX W/ REMOVABLE ACRYLIC DIFFUSER
SHADE/DIFF. MATERIAL:MATTE FROSTED WHITE ACRYLIC
SHADE/DIFF. DIMS.:7"W X 3"D X 1"H
NOTES:VISIBLE SCREWS SHALL BE COUNTERSUNK AND FINISHED TO MATCH METAL.
WEIGHTED BASE WITH BLACK FELT PADDING AT BOTTOM.
METAL SHADE TO HAVE MINIMUM OF 105 DEGREE PIVOT ATTACHMENT TO METAL POST.
Δ3 INCLUDE (2) A/C PLUGS, (1) USB-A OUTLET, AND (1) USB-C OUTLET AT BASE OF FIXTURE.

VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE, PRC
CHINA

VENDOR CONTACT

MARIO SONG
MARIO@SONGDOMFFE.COM

LTG-07

TASK LAMP (3 EXTRA)

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA

☒ **FINISH
SAMPLE**

☐ FLAME CERT

☐ PROTOTYPE

☐ SEAMING
DIAGRAM

☒ **SHOP DWGS**

☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.

09/01/2026

LTG-08
PUBLIC CONSOLE
TABLE LAMP

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AREAS: Main Lobby (LOB)
QUANTITY: 2 ea

OFCI OFOI CFCI CFOI Arch FFE
☒ ☐ ☐ ☐ ☐ ☒



NOTES

ITEM:CONSOLE TABLE LAMP- 7246T
DIMS: OA: 17" W X 17" D X 31" H
SHADE: OVERALL (SHADE & CANOPY) = CREAM LINEN
FINISH: SW7623 CASCADE FINISH
CORD: 9FT SILVER CORD
TYPE: HARDWIRED
BULB: 100 LUMENS LED - 2700K
WATTS: 5W
5
UL DRY LISTED & LABELED
MATTE FROSTED WHITE ACRYLIC DIFFUSERS AT BOTTOM
RESIN AND STEEL

VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE,
CHINA

VENDOR CONTACT

MARIO SONG
MARIO@SONGDOMFFE.COM

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

☐ CFA ☒ **FINISH SAMPLE** ☐ FLAME CERT ☐ PROTOTYPE ☐ SEAMING DIAGRAM ☒ **SHOP DWGS** ☐ STRIKE OFF

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- IMAGE IS FOR DESIGN INTENT ONLY
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.

09/01/2026

LTG-08

PUBLIC CONSOLE TABLE LAMP

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- EXPOSED HARDWARE FINISH TO MATCH DESIGNER'S SPECIFICATION. SUPPLIER OR FABRICATOR SHALL SUPPLY ALL HARDWARE AND MATERIALS REQUIRED FOR PROPER INSTALLATION OF FURNITURE.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.
- CUSTOM DECORATIVE LIGHT FIXTURES FOR THOSE NOT PRODUCED AS STANDARD ITEMS SHALL BE PROCEEDED BY THE SUBMISSION OF SHOP DRAWINGS AND PROTOTYPES.
- CUSTOM WALL AND CEILING MOUNTED LIGHT FIXTURES SHALL BE PRECEDED BY THE SUBMISSION OF SHOP DRAWINGS INDICATING THE LOCATION OF THE JUNCTION BOX.
- DECORATIVE LIGHTING MUST BE UL (UNDERWRITERS LABORATORY) LISTED / APPROVED. UL LABELS AND CERTIFICATION SHALL BE OBTAINED BY THE PURCHASING AGENT FROM THE FABRICATOR OR SUPPLIER.
- ELECTRICAL ENGINEER TO PROVIDE ALL CIRCUIT DIAGRAMS IN COORDINATION WITH LIGHTING DESIGNER AND INTERIOR DESIGNER.
- EXPOSED BULBS IN FIXTURES TO BE ENCLOSED BY DIFFUSERS IF SPECIFIED BY DESIGNER.
- MANUFACTURER MUST PROVIDE CONTRACTOR AND DESIGNER WITH ALL WIRING REQUIREMENTS.
- MANUFACTURER TO PROVIDE INSTALLER WITH TOTAL WEIGHT OF WALL MOUNTED AND CEILING MOUNTED LAMPS. CONTRACTOR MUST PROVIDE ANY ADDITIONAL BLOCKING THAT MAY BE REQUIRED TO ENSURE PROPER ANCHORING FOR MOUNTING.
- PROPERTY OWNER IS RESPONSIBLE FOR PURCHASING AND SUPPLYING ALL LAMPS / BULBS REQUIRED FOR ALL SPECIFIED FIXTURES. LAMPING REQUIREMENTS MUST FIT WITHIN THE MAXIMUM WATTAGE FOR EACH FIXTURE AS SPECIFIED BY THE LIGHTING DESIGNER.


MIRRORS

GR-503
VANITY MIRROR - 3
EXTRAS

HAMPTON INN- WESTFIELD,IN #2605
17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AREAS: ADA KING (ADA-K), ADA KING SOFA (ADA-KS), ADA QQ (ADA-QQ), Casepack/Attic Stock (CP), DOUBLE QUEEN (QQ), KING SOFA (KGS)
QUANTITY: 96 ea

OFCI OFOI CFCI CFOI Arch FFE
☒ ☐ ☐ ☐ ☐ ☒



VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED
ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE,
CHINA

VENDOR CONTACT
MARIO SONG
MARIO@SONGDOMFFE.COM

NOTES

FRAMED DIMENSIONS:48"W X 36"H
FRAME:1.5"W X 1.25" THICK FRAME PROFILE - FLAT W/ MITERED EDGE
FINISH TO MATCH WILSONART SAP WALNUT 8221-12
INSTALLATION HEIGHT:REFER TO ID DRAWINGS
GLASS TYPE:3/16" THICK POLISHED PLATE GLASS AND VINYL SAFETY
BACKING
HARDWARE:T-SCREW SECURITY HARDWARE & METAL CLEAT OR 4 POINT
SECURITY HARDWARE

NOTES:CONSTRUCTION MUST BE SUITABLE FOR HUMID ENVIRONMENT.
MIRROR TO BE SECURED TO WALL WITH FASTENERS APPROPRIATE FOR WALL
CONSTRUCTION TYPE.
SEE ARCHITECTURAL/INTERIOR DESIGN DRAWINGS FOR MOUNTING LOCATION.

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

SHOP DWGS

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE FROM HUMIDITY.
- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING

GR-503

VANITY MIRROR - 3 EXTRAS

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

AGENT.

- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- THE SUPPLIER OR FABRICATOR SHALL PROVIDE CLEATS OR Z-CLIPS AND ALL SECURITY MOUNTING HARDWARE TO ENSURE A SECURE INSTALLATION. INSTALLATION OF WALL HUNG ITEMS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.

PA-508

VANITY MIRROR @
PUBLIC &
BREAKROOM
RESTROOMS

AREAS: Restrooms (RR)
QUANTITY: 3 ea

OFCI OFOI CFCI CFOI Arch FFE



VENDOR

SONGDOM FF&E SOLUTIONS CO., LIMITED

ADD: NO. 6, FENJIANG SOUTH ROAD
CHANCHENG DISTRICT, FOSHAN CITY,
GUANGDONG PROVINCE,
CHINA

VENDOR CONTACT
MARIO SONG
MARIO@SONGDOMFFE.COM

NOTES

FRAMED DIMENSIONS:24" W X 36" H
FRAME:1.5"W X 1.25" THICK FRAME PROFILE - FLAT W/ MITERED EDGE
FINISH TO MATCH WILSONART SAP WALNUT 8221-12

GLASS TYPE:3/16" THICK POLISHED PLATE GLASS AND VINYL SAFETY
BACKING.
NO BEVEL

HARDWARE:4 POINT SECURITY HARDWARE
NOTES:CONSTRUCTION MUST BE SUITABLE FOR HUMID ENVIRONMENT.
MIRROR TO BE SECURED TO WALL WITH FASTENERS APPROPRIATE FOR WALL
CONSTRUCTION TYPE.
SEE ARCHITECTURAL/INTERIOR DESIGN DRAWINGS FOR MOUNTING LOCATION.

REQUIRED ITEMS FOR DESIGNER APPROVAL PRIOR TO FABRICATION

SHOP DWGS

INSTRUCTIONS:

- ALL ITEMS MUST BE OF CONTRACT QUALITY AND SUITABLE FOR COMMERCIAL USE.
- CLIENT IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES, YARDAGES AND SQUARE FOOTAGE. QUANTITIES, DIMENSIONS, YARDAGES AND SQUARE FOOTAGE REFERENCED BY DESIGNER'S SPECIFICATIONS ARE GENERAL ESTIMATES ONLY.
- MATERIAL CANNOT BE SUBJECT TO RUSTING, CORROSION, MILDEW, ROT, DELAMINATION AND CRACKING, WARPING OR SPLITTING. ALL MATERIALS MUST BE IMPERVIOUS TO DAMAGE

09/01/2026

PA-508

**VANITY MIRROR @
PUBLIC &
BREAKROOM
RESTROOMS**

HAMPTON INN- WESTFIELD,IN #2605

17400 WHEELER ROAD, WESTFIELD, IN, USA, 60136

FROM HUMIDITY.

- NOTIFY DESIGNER OF ANY SUBSTITUTIONS AND/OR CHANGES TO SPECIFICATION, MANUFACTURER, ETC. ALL SUBSTITUTIONS AND/OR CHANGES MUST BE APPROVED BY DESIGNER IN WRITING PRIOR TO PURCHASE.
- SHIPPING, CRATING, HANDLING, AND ENVIRONMENTAL CONTROLS SHALL BE THE RESPONSIBILITY OF AND COORDINATED BY THE MANUFACTURER/FABRICATOR TO THE PURCHASING AGENT.
- THE MANUFACTURER/FABRICATOR MUST PROVIDE PACKAGING OF GOODS. MANUFACTURER/FABRICATOR TO SIDEMARK OUTSIDE OF SHIPPING BOX WITH PROPERTY, ITEM AND AREA SPECIFIED.
- ALL CUSTOM GOODS MUST BE REVIEWED BY THE OWNER & DESIGNER AND PURCHASING AGENT MUST OBTAIN WRITTEN APPROVAL BY DESIGNER PRIOR TO PURCHASING, MANUFACTURING, AND INSTALLATION OF TOTAL QUANTITY.
- MANUFACTURER SHALL PROVIDE ALL HARDWARE FOR INSTALLATION, INCLUDING BUT NOT LIMITED TO SCREWS, PLUGS, SILICONE, OR SECURITY MOUNTING HARDWARE FOR COMPLETE AND FINISHED INSTALLATION.
- MANUFACTURER MUST SUBMIT SHOP DRAWINGS AND FINISH SAMPLES TO DESIGNER'S WRITTEN APPROVAL BEFORE PURCHASING, MANUFACTURING, AND INSTALLATION OF ITEMS.
- METAL FINISHES TO HAVE CLEAR RUST INHIBITOR PRIMER, POWDER COAT OR OTHER TREATMENT TO PROTECT AGAINST RUST, CORROSION AND HUMIDITY UNLESS OTHERWISE NOTED IN SPECIFICATION.
- METAL FINISHES MUST HAVE CLEAR ENAMEL MATTE COATING
- THE SUPPLIER OR FABRICATOR SHALL PROVIDE CLEATS OR Z-CLIPS AND ALL SECURITY MOUNTING HARDWARE TO ENSURE A SECURE INSTALLATION. INSTALLATION OF WALL HUNG ITEMS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- ALL DECORATIVE LIGHT FIXTURES MEET ALL LOCAL, STATE, AND FEDERAL CODES FOR APPLICABLE CONDITIONS, INCLUDING ADA REQUIREMENTS.

09/01/2026