

Chandeliers and Pendant Lights Specification Sheet

Ring, linear and multi-ring LED pendants from 400 mm to 1270 mm, 18 W to 75 W.

This is the largest part of our catalogue and the part most of our project work comes from. It covers single rings, intersecting rings, stepped multi-ring fixtures for double-height voids, straight and wave linear pendants, and the SD2126 up and down pendant with gesture dimming built into the fixture.




CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2343-M

1270 mm linear wave pendant, 50 mm wide, 18 W, sand black and grey

Material	Aluminum +Iron+ PC
Product Size	L 1270*W50*H1500mm
Available Colours	sand black +grey
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 Eaglerise driver 18W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2342-2RM

600 mm double ring pendant, 45 W, sand black, 1500 mm drop

Material	Aluminum +Iron+ silicone
Product Size	Φ600*H1500mm
Available Colours	sand black
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 YSD driver 45W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Ceiling Light SX2342-2RS

400 mm surface ring ceiling light, 220 mm deep, 30 W, sand black

Material	Aluminum +Iron+ silicone
Product Size	Φ400*H220mm
Available Colours	sand black
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 YSD driver 30W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2341-2RM

800 mm and 600 mm stepped double ring pendant, 75 W, grey and gold

Material	Aluminum +Iron+ silicone
Product Size	Φ800+Φ600*H1500mm
Available Colours	grey + gold painting
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 YSD driver 75W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2341-1RM

600 mm single ring pendant, 30 W, grey and gold, 1500 mm drop

Material	Aluminum +Iron+ silicone
Product Size	Φ600*H1500mm
Available Colours	grey + gold painting
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 YSD driver 30W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2169-A

1200 mm straight linear pendant, 120 mm wide, 34 W, sand black

Material	Aluminum +Iron+ PC
Product Size	L1200*W120* H1500mm
Available Colours	Sand black
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 Eaglerise driver 34W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2237-RM

600 mm matt gold ring pendant with acrylic diffuser, 36 W, drop 110 to 1500 mm

Material	Aluminum +Iron+Acrylic
Product Size	Φ600mm*H110-1500mm
Available Colours	Matt gold
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 Eaglerise driver 36W
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

High Purity Alu Pendant Light SD2126-CL

1200 mm ring and bar pendant, matt white, 40 W, 2 kg

Material	Aluminum +Iron+Acrylic
Product Size	L1200xH1500mm
Available Colours	Matt white
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 Eaglerise driver 40W
Product Weight	2 KG
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

SD2313-4C Aluminium Acrylic Pendant Light

900 x 900 mm crossed-bar pendant, 40 W, matt white, drop 200 to 1500 mm

Material	Aluminum +Iron+Acrylic
Product Size	L900*W900*H200-1500mm
Available Colours	Matt white
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 Eaglerise driver 40W
Product Weight	2.5 KG
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen



CHANDELIERS AND PENDANT LIGHTS

Up and Down Pendant Light With Gesture Dimming
SD2126-RS RM RL

Up and down pendant in three sizes with gesture dimming, 25 W to 55 W

Material	Aluminium + high quality silicone diffuser
Product Size	SD2126-RS L360*W280*H1500mm / SD2126-RM L480*W400*H1500mm / SD2126-RL L700*W600*H1500mm
Available Colours	Matt black/ Matt white / Rose Gold
LED Colour Temperature	3000K/4000K/6000K
LED and Driver	Epistar SMD2835 + Eaglerise driver 25W/38W/55W
Product Weight	1 KG/1.5KG/ 2KG
Packaging	Single packaging per piece
Production Time	20 days or less
Delivery Time	Based on the mode of shipping chosen

Notes

- Drop ranges from 110 mm to 1500 mm, so one model covers several ceiling heights
- Gold and rose gold sprayed in house, so pieces ordered together match
- Gesture dimming available without any dimming wiring on the circuit
- Single suspension point on multi-ring fixtures, so only one ceiling fixing is needed

Colour temperature is built to order per line item and cannot be changed after delivery. Production time is 20 days or less. Delivery time depends on the shipping mode chosen. Every piece is packed singly and our packing is verified by drop test.