



# Full Product Catalogue

80 models across computer cases, power supplies and cooling

Every model Ulike Technology currently publishes, with the complete factory specification table, clearance figures and carton data for each one. Carton dimensions and gross and net weight are included so a container load plan can be calculated directly from this document.

|                     |                                                                                     |
|---------------------|-------------------------------------------------------------------------------------|
| Manufacturing since | 2012                                                                                |
| Export markets      | 50+ countries                                                                       |
| Plants              | 2 joint venture, 600,000 m2                                                         |
| Certification       | ISO 9001:2000, ISO 14001:2004, CE                                                   |
| Address             | Rm 503, Bldg 3, No.31 Xiangyuan Road, Nancheng District, Dongguan, Guangdong, China |
| WhatsApp            | +86 135 3707 1804                                                                   |
| Email               | sales01@ulike-tech.com, sales02@ulike-tech.com, susantan@ulike-tech.com             |

All figures in this document are the factory specification for each model. Where the factory does not publish a figure it is omitted rather than estimated. Minimum order quantity and lead time depend on colour, packing and tooling and are confirmed per order.

## Gaming Cases

Tempered glass and mesh ATX towers with RGB lighting, front USB 3.0 and long graphics card clearance.

### Model 8510 Tempered Glass Micro ATX Gaming Case

Model 8510 | Gaming Cases | [ulike-tech.com/products/gaming-case-model-no-8510.html](http://ulike-tech.com/products/gaming-case-model-no-8510.html)

Model 8510 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L365\*W210\*H422mm (with feet), each unit ships in a L485\*W285\*H442mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 330mm, CPU coolers up to 160mm and power supplies up to 140mm.



|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                                      |
| PSU Form Factor           | Standard ATX                                                                |
| Structure Size            | L335*W210*H407mm                                                            |
| Case Size                 | L365*W210*H422mm (with feet)                                                |
| Carton Size               | L485*W285*H442mm                                                            |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                               |
| Front Panel Material      | ABS                                                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                                    |
| Side Panel Material       | tempered glass panel & metal panel                                          |
| Packing                   | A=A & Foam                                                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                                 |
| Expansion Slots           | 7pcs                                                                        |
| 5.25 inch Bays            | 0                                                                           |
| 3.5 inch Bays             | 2                                                                           |
| 2.5 inch Bays             | 1                                                                           |
| Fan Support               | Front: 3*12cm or 2*14mm, Rear:1*12cm, Top: 3*12cm or 2*14mm , bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                            |
| Max CPU Cooler Height     | 160mm                                                                       |
| Max PSU Length            | 140mm                                                                       |
| Max GPU Length            | 330mm                                                                       |

## Model U02 Tempered Glass ATX Gaming Case

Model U02 | Gaming Cases | [ulike-tech.com/products/model-no-u02.html](http://ulike-tech.com/products/model-no-u02.html)

Model U02 Tempered Glass ATX Gaming Case is a gaming tower case built on a steel chassis and tempered glass side panel & front panel 5.25inch 0 3.5inch 3 2.5inch 3. The assembled case measures L434\*W245\*H473mm (with panel &feet;), each unit ships in a L540\*W310\*H505mm I/O Interface Type C\*1+1\*3.0USB, HD Audio Fan System Top: 3\*12cm/3\*14cm(support 360/280/240 cooler) Side:3\*12cm(support 360 cooler) Rear:1\*12cm/14cm, bottom:1\*12cm/14cm carton. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 430mm G.W / N.W 8.3kg / 7.1kg Q'ty in 40HQ 800Pcs and CPU coolers up to 180mm.



|                       |                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Motherboard Support   | ATX, M-ATX, ITX                                                                                                                                                                           |
| PSU Form Factor       | Standard ATX                                                                                                                                                                              |
| Structure Size        | L431*W245*H445mm                                                                                                                                                                          |
| Case Size             | L434*W245*H473mm (with panel &feet;)                                                                                                                                                      |
| Carton Size           | L540*W310*H505mm I/O Interface Type C*1+1*3.0USB, HD Audio Fan System Top: 3*12cm/3*14cm(support 360/280/240 cooler) Side:3*12cm(support 360 cooler) Rear:1*12cm/14cm, bottom:1*12cm/14cm |
| Side Panel Material   | tempered glass side panel & front panel 5.25inch 0 3.5inch 3 2.5inch 3                                                                                                                    |
| Expansion Slots       | 7                                                                                                                                                                                         |
| Max CPU Cooler Height | 180mm                                                                                                                                                                                     |
| Max GPU Length        | 430mm G.W / N.W 8.3kg / 7.1kg Q'ty in 40HQ 800Pcs                                                                                                                                         |

## Model 8508 Tempered Glass Micro ATX Gaming Case

Model 8508 | Gaming Cases | [ulike-tech.com/products/model-no-8508.html](https://ulike-tech.com/products/model-no-8508.html)

Model 8508 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L365\*W210\*H422mm (with feet), each unit ships in a L485\*W285\*H442mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 330mm, CPU coolers up to 160mm and power supplies up to 140mm.



|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                                      |
| PSU Form Factor           | Standard ATX                                                                |
| Structure Size            | L335*W210*H407mm                                                            |
| Case Size                 | L365*W210*H422mm (with feet)                                                |
| Carton Size               | L485*W285*H442mm                                                            |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                               |
| Front Panel Material      | ABS                                                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                                    |
| Side Panel Material       | tempered glass panel & metal panel                                          |
| Packing                   | A=A & Foam                                                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                                 |
| Expansion Slots           | 7pcs                                                                        |
| 5.25 inch Bays            | 0                                                                           |
| 3.5 inch Bays             | 2                                                                           |
| 2.5 inch Bays             | 1                                                                           |
| Fan Support               | Front: 3*12cm or 2*14mm, Rear:1*12cm, Top: 3*12cm or 2*14mm , bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                            |
| Max CPU Cooler Height     | 160mm                                                                       |
| Max PSU Length            | 140mm                                                                       |
| Max GPU Length            | 330mm                                                                       |

## Model 8507 Tempered Glass Micro ATX Gaming Case

Model 8507 | Gaming Cases | [ulike-tech.com/products/model-no-8507.html](https://ulike-tech.com/products/model-no-8507.html)

Model 8507 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L365\*W210\*H422mm (with feet), each unit ships in a L485\*W285\*H442mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 330mm, CPU coolers up to 160mm and power supplies up to 140mm.



|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                                      |
| PSU Form Factor           | Standard ATX                                                                |
| Structure Size            | L335*W210*H407mm                                                            |
| Case Size                 | L365*W210*H422mm (with feet)                                                |
| Carton Size               | L485*W285*H442mm                                                            |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                               |
| Front Panel Material      | ABS                                                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                                    |
| Side Panel Material       | tempered glass panel & metal panel                                          |
| Packing                   | A=A & Foam                                                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                                 |
| Expansion Slots           | 7pcs                                                                        |
| 5.25 inch Bays            | 0                                                                           |
| 3.5 inch Bays             | 2                                                                           |
| 2.5 inch Bays             | 1                                                                           |
| Fan Support               | Front: 3*12cm or 2*14mm, Rear:1*12cm, Top: 3*12cm or 2*14mm , bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                            |
| Max CPU Cooler Height     | 160mm                                                                       |
| Max PSU Length            | 140mm                                                                       |
| Max GPU Length            | 330mm                                                                       |

## Model 8506 Tempered Glass Micro ATX Gaming Case

Model 8506 | Gaming Cases | [ulike-tech.com/products/model-no-8506.html](https://ulike-tech.com/products/model-no-8506.html)

Model 8506 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L365\*W210\*H422mm (with feet), each unit ships in a L485\*W285\*H442mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 330mm, CPU coolers up to 160mm and power supplies up to 140mm.



|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                                      |
| PSU Form Factor           | Standard ATX                                                                |
| Structure Size            | L335*W210*H407mm                                                            |
| Case Size                 | L365*W210*H422mm (with feet)                                                |
| Carton Size               | L485*W285*H442mm                                                            |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                               |
| Front Panel Material      | ABS                                                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                                    |
| Side Panel Material       | tempered glass panel & metal panel                                          |
| Packing                   | A=A & Foam                                                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                                 |
| Expansion Slots           | 7pcs                                                                        |
| 5.25 inch Bays            | 0                                                                           |
| 3.5 inch Bays             | 2                                                                           |
| 2.5 inch Bays             | 1                                                                           |
| Fan Support               | Front: 3*12cm or 2*14mm, Rear:1*12cm, Top: 3*12cm or 2*14mm , bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                            |
| Max CPU Cooler Height     | 160mm                                                                       |
| Max PSU Length            | 140mm                                                                       |
| Max GPU Length            | 330mm                                                                       |

## Model 8505 Tempered Glass Micro ATX Gaming Case

Model 8505 | Gaming Cases | [ulike-tech.com/products/model-no-8505.html](https://ulike-tech.com/products/model-no-8505.html)

Model 8505 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L365\*W210\*H422mm (with feet), each unit ships in a L485\*W285\*H442mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 330mm, CPU coolers up to 160mm and power supplies up to 140mm.



|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                                      |
| PSU Form Factor           | Standard ATX                                                                |
| Structure Size            | L335*W210*H407mm                                                            |
| Case Size                 | L365*W210*H422mm (with feet)                                                |
| Carton Size               | L485*W285*H442mm                                                            |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                               |
| Front Panel Material      | ABS                                                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                                    |
| Side Panel Material       | tempered glass panel & metal panel                                          |
| Packing                   | A=A & Foam                                                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                                 |
| Expansion Slots           | 7pcs                                                                        |
| 5.25 inch Bays            | 0                                                                           |
| 3.5 inch Bays             | 2                                                                           |
| 2.5 inch Bays             | 1                                                                           |
| Fan Support               | Front: 3*12cm or 2*14mm, Rear:1*12cm, Top: 3*12cm or 2*14mm , bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                            |
| Max CPU Cooler Height     | 160mm                                                                       |
| Max PSU Length            | 140mm                                                                       |
| Max GPU Length            | 330mm                                                                       |

## Model 8501 Tempered Glass Micro ATX Gaming Case

Model 8501 | Gaming Cases | [ulike-tech.com/products/model-no-8501-2.html](https://ulike-tech.com/products/model-no-8501-2.html)

Model 8501 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L365\*W210\*H422mm (with feet), each unit ships in a L485\*W285\*H442mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 330mm, CPU coolers up to 160mm and power supplies up to 140mm.



|                           |                                                                             |
|---------------------------|-----------------------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                                      |
| PSU Form Factor           | Standard ATX                                                                |
| Structure Size            | L335*W210*H407mm                                                            |
| Case Size                 | L365*W210*H422mm (with feet)                                                |
| Carton Size               | L485*W285*H442mm                                                            |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                               |
| Front Panel Material      | ABS                                                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                                    |
| Side Panel Material       | tempered glass panel & metal panel                                          |
| Packing                   | A=A & Foam                                                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                                 |
| Expansion Slots           | 7pcs                                                                        |
| 5.25 inch Bays            | 0                                                                           |
| 3.5 inch Bays             | 2                                                                           |
| 2.5 inch Bays             | 1                                                                           |
| Fan Support               | Front: 3*12cm or 2*14mm, Rear:1*12cm, Top: 3*12cm or 2*14mm , bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                            |
| Max CPU Cooler Height     | 160mm                                                                       |
| Max PSU Length            | 140mm                                                                       |
| Max GPU Length            | 330mm                                                                       |

## Model 8609 Tempered Glass Micro ATX Gaming Case

Model 8609 | Gaming Cases | [ulike-tech.com/products/model-no-8609.html](https://ulike-tech.com/products/model-no-8609.html)

Model 8609 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W210\*H480mm (with feet), each unit ships in a L530\*W265\*H425mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 320mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                                 |
|---------------------------|-----------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                          |
| PSU Form Factor           | Standard ATX                                                    |
| Structure Size            | L335*W210*H468mm                                                |
| Case Size                 | L378*W210*H480mm (with feet)                                    |
| Carton Size               | L530*W265*H425mm                                                |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                   |
| Front Panel Material      | ABS                                                             |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                        |
| Side Panel Material       | tempered glass panel & metal panel                              |
| Packing                   | A=A & Foam                                                      |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                     |
| Expansion Slots           | 7pcs                                                            |
| 5.25 inch Bays            | 0                                                               |
| 3.5 inch Bays             | 2                                                               |
| 2.5 inch Bays             | 3                                                               |
| Fan Support               | Front: 3*12cm/14cm, Rear:1*12cm, top:2*12cm/14cm, bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                |
| Max CPU Cooler Height     | 165mm                                                           |
| Max PSU Length            | 140mm                                                           |
| Max GPU Length            | 320mm                                                           |

## Model 8605 Tempered Glass Micro ATX Gaming Case

Model 8605 | Gaming Cases | [ulike-tech.com/products/model-no-8605.html](https://ulike-tech.com/products/model-no-8605.html)

Model 8605 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W210\*H480mm (with feet), each unit ships in a L530\*W265\*H425mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 320mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                                 |
|---------------------------|-----------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                          |
| PSU Form Factor           | Standard ATX                                                    |
| Structure Size            | L335*W210*H468mm                                                |
| Case Size                 | L378*W210*H480mm (with feet)                                    |
| Carton Size               | L530*W265*H425mm                                                |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                   |
| Front Panel Material      | ABS                                                             |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                        |
| Side Panel Material       | tempered glass panel & metal panel                              |
| Packing                   | A=A & Foam                                                      |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                     |
| Expansion Slots           | 7pcs                                                            |
| 5.25 inch Bays            | 0                                                               |
| 3.5 inch Bays             | 2                                                               |
| 2.5 inch Bays             | 3                                                               |
| Fan Support               | Front: 3*12cm/14cm, Rear:1*12cm, top:2*12cm/14cm, bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                |
| Max CPU Cooler Height     | 165mm                                                           |
| Max PSU Length            | 140mm                                                           |
| Max GPU Length            | 320mm                                                           |

## Model 8603 Tempered Glass Micro ATX Gaming Case

Model 8603 | Gaming Cases | [ulike-tech.com/products/model-no-8603.html](https://ulike-tech.com/products/model-no-8603.html)

Model 8603 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W210\*H480mm (with feet), each unit ships in a L530\*W265\*H425mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 320mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                                 |
|---------------------------|-----------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                          |
| PSU Form Factor           | Standard ATX                                                    |
| Structure Size            | L335*W210*H468mm                                                |
| Case Size                 | L378*W210*H480mm (with feet)                                    |
| Carton Size               | L530*W265*H425mm                                                |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                   |
| Front Panel Material      | ABS                                                             |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                        |
| Side Panel Material       | tempered glass panel & metal panel                              |
| Packing                   | A=A & Foam                                                      |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                     |
| Expansion Slots           | 7pcs                                                            |
| 5.25 inch Bays            | 0                                                               |
| 3.5 inch Bays             | 2                                                               |
| 2.5 inch Bays             | 3                                                               |
| Fan Support               | Front: 3*12cm/14cm, Rear:1*12cm, top:2*12cm/14cm, bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                |
| Max CPU Cooler Height     | 165mm                                                           |
| Max PSU Length            | 140mm                                                           |
| Max GPU Length            | 320mm                                                           |

## Model 8602 Tempered Glass Micro ATX Gaming Case

Model 8602 | Gaming Cases | [ulike-tech.com/products/model-no-8602.html](https://ulike-tech.com/products/model-no-8602.html)

Model 8602 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W210\*H480mm (with feet), each unit ships in a L530\*W265\*H425mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 320mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                                 |
|---------------------------|-----------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                          |
| PSU Form Factor           | Standard ATX                                                    |
| Structure Size            | L335*W210*H468mm                                                |
| Case Size                 | L378*W210*H480mm (with feet)                                    |
| Carton Size               | L530*W265*H425mm                                                |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                   |
| Front Panel Material      | ABS                                                             |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                        |
| Side Panel Material       | tempered glass panel & metal panel                              |
| Packing                   | A=A & Foam                                                      |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                     |
| Expansion Slots           | 7pcs                                                            |
| 5.25 inch Bays            | 0                                                               |
| 3.5 inch Bays             | 2                                                               |
| 2.5 inch Bays             | 3                                                               |
| Fan Support               | Front: 3*12cm/14cm, Rear:1*12cm, top:2*12cm/14cm, bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                |
| Max CPU Cooler Height     | 165mm                                                           |
| Max PSU Length            | 140mm                                                           |
| Max GPU Length            | 320mm                                                           |

## Model 8601 Tempered Glass Micro ATX Gaming Case

Model 8601 | Gaming Cases | [ulike-tech.com/products/model-no-8601.html](https://ulike-tech.com/products/model-no-8601.html)

Model 8601 Tempered Glass Micro ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W210\*H480mm (with feet), each unit ships in a L530\*W265\*H425mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in E-ATX, ATX, M-ATX, ITX format, graphics cards up to 320mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                                 |
|---------------------------|-----------------------------------------------------------------|
| Motherboard Support       | E-ATX, ATX, M-ATX, ITX                                          |
| PSU Form Factor           | Standard ATX                                                    |
| Structure Size            | L335*W210*H468mm                                                |
| Case Size                 | L378*W210*H480mm (with feet)                                    |
| Carton Size               | L530*W265*H425mm                                                |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                                   |
| Front Panel Material      | ABS                                                             |
| Steel Thickness and Grade | 0.5mm SPCC black coating                                        |
| Side Panel Material       | tempered glass panel & metal panel                              |
| Packing                   | A=A & Foam                                                      |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                                     |
| Expansion Slots           | 7pcs                                                            |
| 5.25 inch Bays            | 0                                                               |
| 3.5 inch Bays             | 2                                                               |
| 2.5 inch Bays             | 3                                                               |
| Fan Support               | Front: 3*12cm/14cm, Rear:1*12cm, top:2*12cm/14cm, bottom:2*12cm |
| Airflow Design            | Air channels(front , side, rear)                                |
| Max CPU Cooler Height     | 165mm                                                           |
| Max PSU Length            | 140mm                                                           |
| Max GPU Length            | 320mm                                                           |

## Model 8025 Tempered Glass ATX Gaming Case

Model 8025 | Gaming Cases | [ulike-tech.com/products/model-no-8025.html](https://ulike-tech.com/products/model-no-8025.html)

Model 8025 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8023 Tempered Glass ATX Gaming Case

Model 8023 | Gaming Cases | [ulike-tech.com/products/model-no-8023.html](https://ulike-tech.com/products/model-no-8023.html)

Model 8023 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8022 Tempered Glass ATX Gaming Case

Model 8022 | Gaming Cases | [ulike-tech.com/products/model-no-8022.html](https://ulike-tech.com/products/model-no-8022.html)

Model 8022 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8021 Tempered Glass ATX Gaming Case

Model 8021 | Gaming Cases | [ulike-tech.com/products/model-no-8021.html](https://ulike-tech.com/products/model-no-8021.html)

Model 8021 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8019 Tempered Glass ATX Gaming Case

Model 8019 | Gaming Cases | [ulike-tech.com/products/model-no-8019.html](https://ulike-tech.com/products/model-no-8019.html)

Model 8019 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8018 Tempered Glass ATX Gaming Case

Model 8018 | Gaming Cases | [ulike-tech.com/products/model-no-8018.html](https://ulike-tech.com/products/model-no-8018.html)

Model 8018 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8017 Tempered Glass ATX Gaming Case

Model 8017 | Gaming Cases | [ulike-tech.com/products/model-no-8017.html](https://ulike-tech.com/products/model-no-8017.html)

Model 8017 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8011 Tempered Glass ATX Gaming Case

Model 8011 | Gaming Cases | [ulike-tech.com/products/model-no-8011.html](https://ulike-tech.com/products/model-no-8011.html)

Model 8011 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8010 Tempered Glass ATX Gaming Case

Model 8010 | Gaming Cases | [ulike-tech.com/products/model-no-8010.html](https://ulike-tech.com/products/model-no-8010.html)

Model 8010 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 8012 Tempered Glass ATX Gaming Case

Model 8012 | Gaming Cases | [ulike-tech.com/products/model-no-8012.html](https://ulike-tech.com/products/model-no-8012.html)

Model 8012 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass side window. The assembled case measures 80A: L420\*W200\*H450mm, 80B:L375\*W200\*H450mm, each unit ships in a 80A:L485\*W252\*H475mm, 80B:L485\*W252\*H430mm carton, at 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                             |
|---------------------------|---------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                             |
| PSU Form Factor           | Standard ATX                                |
| Structure Size            | 80A:L380*W200*H435mm, 80B:L335*W200*H435mm  |
| Case Size                 | 80A: L420*W200*H450mm, 80B:L375*W200*H450mm |
| Carton Size               | 80A:L485*W252*H475mm, 80B:L485*W252*H430mm  |
| Gross / Net Weight        | 80A:5.3Kg & 4.6Kg, 80B:4.6Kg & 3.9Kg        |
| Front Panel Material      | ABS                                         |
| Steel Thickness and Grade | 0.5mm SPCC black coating                    |
| Side Panel Material       | tempered glass panel                        |
| Packing                   | A=A & Foam                                  |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                 |
| Expansion Slots           | 6pcs                                        |
| 5.25 inch Bays            | 0                                           |
| 3.5 inch Bays             | 2                                           |
| 2.5 inch Bays             | 80A:4 or 5, 80B:1                           |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm      |
| Airflow Design            | Air channels(front, side, rear)             |
| Max CPU Cooler Height     | 165mm                                       |
| Max PSU Length            | 140mm                                       |

## Model 1915 Tempered Glass ATX Gaming Case

Model 1915 | Gaming Cases | [ulike-tech.com/products/model-no-1915.html](https://ulike-tech.com/products/model-no-1915.html)

Model 1915 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1913 Tempered Glass ATX Gaming Case

Model 1913 | Gaming Cases | [ulike-tech.com/products/model-no-1913.html](http://ulike-tech.com/products/model-no-1913.html)

Model 1913 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1912 Tempered Glass ATX Gaming Case

Model 1912 | Gaming Cases | [ulike-tech.com/products/model-no-1912.html](https://ulike-tech.com/products/model-no-1912.html)

Model 1912 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1911 Tempered Glass ATX Gaming Case

Model 1911 | Gaming Cases | [ulike-tech.com/products/model-no-1911.html](https://ulike-tech.com/products/model-no-1911.html)

Model 1911 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1909 Tempered Glass ATX Gaming Case

Model 1909 | Gaming Cases | [ulike-tech.com/products/model-no-1909.html](https://ulike-tech.com/products/model-no-1909.html)

Model 1909 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1910 Tempered Glass ATX Gaming Case

Model 1910 | Gaming Cases | [ulike-tech.com/products/model-no-1910.html](https://ulike-tech.com/products/model-no-1910.html)

Model 1910 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1905 Tempered Glass ATX Gaming Case

Model 1905 | Gaming Cases | [ulike-tech.com/products/model-no-1905.html](https://ulike-tech.com/products/model-no-1905.html)

Model 1905 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1903 Tempered Glass ATX Gaming Case

Model 1903 | Gaming Cases | [ulike-tech.com/products/model-no-1903.html](https://ulike-tech.com/products/model-no-1903.html)

Model 1903 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1902 Tempered Glass ATX Gaming Case

Model 1902 | Gaming Cases | [ulike-tech.com/products/model-no-1902.html](https://ulike-tech.com/products/model-no-1902.html)

Model 1902 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1901 Tempered Glass ATX Gaming Case

Model 1901 | Gaming Cases | [ulike-tech.com/products/model-no-1901.html](https://ulike-tech.com/products/model-no-1901.html)

Model 1901 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Model 1908 Tempered Glass ATX Gaming Case

Model 1908 | Gaming Cases | [ulike-tech.com/products/model-no-1908.html](https://ulike-tech.com/products/model-no-1908.html)

Model 1908 Tempered Glass ATX Gaming Case is a gaming tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L378\*W190\*H447mm (with feet), each unit ships in a L500\*W245\*H445mm carton, at 5.0Kg & 4.2Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 305mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L335*W190*H435mm                                      |
| Case Size                 | L378*W190*H447mm (with feet)                          |
| Carton Size               | L500*W245*H445mm                                      |
| Gross / Net Weight        | 5.0Kg & 4.2Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.5mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 0                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 305mm                                                 |

## Special Shaped Cases

Non-rectangular gaming chassis with angled tempered glass panels for retail shelves that need a shape people stop and look at.

### Model 1617 Micro ATX Special Shaped Gaming Case

Model 1617 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-gaming-case-1617.html](https://ulike-tech.com/products/special-shaped-gaming-case-1617.html)

Model 1617 Micro ATX Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L450\*W315\*H350mm, each unit ships in a L520\*W420\*H330mm carton, at 6.9Kg & 5.5Kg gross and net. The chassis takes boards in M-ATX format, graphics cards up to 325mm, CPU coolers up to 165mm PSU and power supplies up to 150mm.



|                           |                                       |
|---------------------------|---------------------------------------|
| Motherboard Support       | M-ATX                                 |
| PSU Form Factor           | Standard ATX                          |
| Case Size                 | L450*W315*H350mm                      |
| Carton Size               | L520*W420*H330mm                      |
| Gross / Net Weight        | 6.9Kg & 5.5Kg                         |
| Front Panel Material      | ABS                                   |
| Steel Thickness and Grade | 1.2mm SPCC full black coating         |
| Side Panel Material       | Both metal panel                      |
| Packing                   | A=A & Foam                            |
| Front I/O Ports           | 1*USB3.0, HD Audio                    |
| Expansion Slots           | 3                                     |
| 3.5 inch Bays             | 2                                     |
| 2.5 inch Bays             | 2                                     |
| Fan Support               | Top:2*12cm, Front:1*20cm, Rear:1*12cm |
| Airflow Design            | Air channels(front, side, rear)       |
| Max CPU Cooler Height     | 165mm PSU                             |
| Max PSU Length            | 150mm                                 |
| Max GPU Length            | 325mm                                 |

## Model 1613 ATX Special Shaped Gaming Case

Model 1613 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-gaming-case-1613.html](https://ulike-tech.com/products/special-shaped-gaming-case-1613.html)

Model 1613 ATX Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L520\*W225\*H495mm, each unit ships in a L625\*W585\*H310mm carton, at 10.2Kg & 8.1Kg gross and net. The chassis takes boards in ATX, M-ATX format, graphics cards up to 320mm, CPU coolers up to 165mm PSU and power supplies up to 150mm.



|                           |                                                                   |
|---------------------------|-------------------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX                                                        |
| PSU Form Factor           | Standard ATX                                                      |
| Case Size                 | L520*W225*H495mm                                                  |
| Carton Size               | L625*W585*H310mm                                                  |
| Gross / Net Weight        | 10.2Kg & 8.1Kg                                                    |
| Front Panel Material      | ABS                                                               |
| Steel Thickness and Grade | 1.2mm SPCC full black coating                                     |
| Side Panel Material       | Both metal panel                                                  |
| Packing                   | A=A & Foam                                                        |
| Front I/O Ports           | 1*USB3.0, HD Audio                                                |
| Expansion Slots           | 8                                                                 |
| 3.5 inch Bays             | 1                                                                 |
| 2.5 inch Bays             | 1                                                                 |
| Fan Support               | Top:1*12cm, Bottom:1*12cm, Front:4*12cm, Rear:1*12cm, left:1*12cm |
| Airflow Design            | Air channels(front, side, rear)                                   |
| Max CPU Cooler Height     | 165mm PSU                                                         |
| Max PSU Length            | 150mm                                                             |
| Max GPU Length            | 320mm                                                             |

## Model 1612 Micro ATX Special Shaped Gaming Case

Model 1612 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-gaming-case-1612.html](http://ulike-tech.com/products/special-shaped-gaming-case-1612.html)

Model 1612 Micro ATX Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L580\*W225\*H450mm, each unit ships in a L640\*W540\*H310mm carton, at 10.2Kg & 8.1Kg gross and net. The chassis takes boards in M-ATX format, graphics cards up to 310mm, CPU coolers up to 165mm PSU and power supplies up to 150mm.



|                           |                                        |
|---------------------------|----------------------------------------|
| Motherboard Support       | M-ATX                                  |
| PSU Form Factor           | Standard ATX                           |
| Case Size                 | L580*W225*H450mm                       |
| Carton Size               | L640*W540*H310mm                       |
| Gross / Net Weight        | 10.2Kg & 8.1Kg                         |
| Front Panel Material      | ABS                                    |
| Steel Thickness and Grade | 1.2mm SPCC full black coating          |
| Side Panel Material       | Both metal panel                       |
| Packing                   | A=A & Foam                             |
| Front I/O Ports           | 1*USB3.0, HD Audio                     |
| Expansion Slots           | 4                                      |
| 3.5 inch Bays             | 1                                      |
| 2.5 inch Bays             | 1                                      |
| Fan Support               | Top: 2*12cm, Front:2*12cm, Rear:1*12cm |
| Airflow Design            | Air channels(front, side, rear)        |
| Max CPU Cooler Height     | 165mm PSU                              |
| Max PSU Length            | 150mm                                  |
| Max GPU Length            | 310mm                                  |

## Model 1608 Special Shaped Gaming Case

Model 1608 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-1608.html](http://ulike-tech.com/products/special-shaped-1608.html)

Model 1608 Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L585\*W405\*H450mm, each unit ships in a L635\*W515\*H145mm carton, at 13.8Kg & 10.8Kg gross and net. The chassis takes graphics cards up to 320mm and CPU coolers up to 165mm.




|                           |                                 |
|---------------------------|---------------------------------|
| PSU Form Factor           | Standard ATX                    |
| Case Size                 | L585*W405*H450mm                |
| Carton Size               | L635*W515*H145mm                |
| Gross / Net Weight        | 13.8Kg & 10.8Kg                 |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 1.2mm SPCC full black coating   |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=A & Foam                      |
| Front I/O Ports           | 1*USB3.0 or 2*USB2.0, HD Audio  |
| Expansion Slots           | 7                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 2                               |
| Fan Support               | Side:8*12cm                     |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max GPU Length            | 320mm                           |

## Model 1606 Micro ATX Special Shaped Gaming Case

Model 1606 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-1606.html](http://ulike-tech.com/products/special-shaped-1606.html)

Model 1606 Micro ATX Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L680\*W300\*H450mm, each unit ships in a L795\*W665\*H400mm carton, at 13.8Kg & 10.8Kg gross and net. The chassis takes boards in M-ATX, ATX format, graphics cards up to 310mm, CPU coolers up to 165mm PSU and power supplies up to 150mm.



|                           |                                        |
|---------------------------|----------------------------------------|
| Motherboard Support       | M-ATX, ATX                             |
| PSU Form Factor           | Standard ATX                           |
| Case Size                 | L680*W300*H450mm                       |
| Carton Size               | L795*W665*H400mm                       |
| Gross / Net Weight        | 13.8Kg & 10.8Kg                        |
| Front Panel Material      | ABS                                    |
| Steel Thickness and Grade | 1.2mm SPCC full black coating          |
| Side Panel Material       | Both metal panel                       |
| Packing                   | A=A & Foam                             |
| Front I/O Ports           | 1*USB3.0, 2*USB2.0, HD Audio           |
| Expansion Slots           | 7                                      |
| 3.5 inch Bays             | 1                                      |
| 2.5 inch Bays             | 1                                      |
| Fan Support               | Top: 2*12cm, Front:3*12cm, Rear:1*12cm |
| Airflow Design            | Air channels(front, side, rear)        |
| Max CPU Cooler Height     | 165mm PSU                              |
| Max PSU Length            | 150mm                                  |
| Max GPU Length            | 310mm                                  |

## Model 1605 Micro ATX Special Shaped Gaming Case

Model 1605 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-1605.html](http://ulike-tech.com/products/special-shaped-1605.html)

Model 1605 Micro ATX Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L550\*W230\*H525mm, each unit ships in a L715\*W615\*H325mm carton, at 10Kg & 9Kg gross and net. The chassis takes boards in M-ATX, ATX format, graphics cards up to 310mm, CPU coolers up to 165mm PSU and power supplies up to 150mm.



|                           |                                        |
|---------------------------|----------------------------------------|
| Motherboard Support       | M-ATX, ATX                             |
| PSU Form Factor           | Standard ATX                           |
| Case Size                 | L550*W230*H525mm                       |
| Carton Size               | L715*W615*H325mm                       |
| Gross / Net Weight        | 10Kg & 9Kg                             |
| Front Panel Material      | ABS                                    |
| Steel Thickness and Grade | 1.2mm SPCC full black coating          |
| Side Panel Material       | Both metal panel                       |
| Packing                   | A=A & Foam                             |
| Front I/O Ports           | 1*USB3.0 or 2*USB2.0, HD Audio         |
| Expansion Slots           | 7                                      |
| 3.5 inch Bays             | 1                                      |
| 2.5 inch Bays             | 1                                      |
| Fan Support               | Top: 2*12cm, Front:3*12cm, Rear:1*12cm |
| Airflow Design            | Air channels(front, side, rear)        |
| Max CPU Cooler Height     | 165mm PSU                              |
| Max PSU Length            | 150mm                                  |
| Max GPU Length            | 310mm                                  |

## Model 1601 Special Shaped Gaming Case

Model 1601 | Special Shaped Cases | [ulike-tech.com/products/special-shaped-case-1601.html](https://ulike-tech.com/products/special-shaped-case-1601.html)

Model 1601 Special Shaped Gaming Case is a special shaped gaming case built on a 1.2mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L400\*W218\*H420mm, each unit ships in a L515\*W570\*H515mm carton, at 10Kg & 9Kg gross and net. The chassis takes graphics cards up to 27mm, CPU coolers up to 165mm PSU and power supplies up to 150mm.



|                           |                                        |
|---------------------------|----------------------------------------|
| PSU Form Factor           | Standard ATX                           |
| Case Size                 | L400*W218*H420mm                       |
| Carton Size               | L515*W570*H515mm                       |
| Gross / Net Weight        | 10Kg & 9Kg                             |
| Front Panel Material      | ABS                                    |
| Steel Thickness and Grade | 1.2mm SPCC full black coating          |
| Side Panel Material       | Both metal panel                       |
| Packing                   | A=A & Foam                             |
| Front I/O Ports           | 1*USB3.0, HD Audio                     |
| Expansion Slots           | 4pcs                                   |
| 3.5 inch Bays             | 1                                      |
| 2.5 inch Bays             | 1                                      |
| Fan Support               | Top: 2*12cm, Front:2*12cm, Rear:1*12cm |
| Airflow Design            | Air channels(front, side, rear)        |
| Max CPU Cooler Height     | 165mm PSU                              |
| Max PSU Length            | 150mm                                  |
| Max GPU Length            | 27mm                                   |

# Entry Level ATX Cases

Cost-driven full-size ATX towers for office, education and government desktop volume.

## Model 1800 Tempered Glass Entry Level ATX Case

Model 1800 | Entry Level ATX Cases | [ulike-tech.com/products/office-case-1800.html](http://ulike-tech.com/products/office-case-1800.html)

Model 1800 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.5mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L410\*W180\*H420mm (with feet), each unit ships in a L465\*W225\*H467mm carton, at 4.0Kg & 3.0Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                         |
|---------------------------|-----------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                         |
| PSU Form Factor           | Standard ATX                            |
| Structure Size            | L380*W180*H410mm                        |
| Case Size                 | L410*W180*H420mm (with feet)            |
| Carton Size               | L465*W225*H467mm                        |
| Gross / Net Weight        | 4.0Kg & 3.0Kg                           |
| Front Panel Material      | ABS                                     |
| Steel Thickness and Grade | 0.5mm SPCC black coating                |
| Side Panel Material       | tempered glass panel & metal panel      |
| Packing                   | A=A & Foam                              |
| Front I/O Ports           | 1*USB2.0+1*3.0USB, HD Audio             |
| Expansion Slots           | 7pcs                                    |
| 5.25 inch Bays            | 1                                       |
| 3.5 inch Bays             | 2                                       |
| 2.5 inch Bays             | 2                                       |
| Fan Support               | Front: 2*12cm, Rear:1*12cm, side:2*12cm |
| Airflow Design            | Air channels(front, side, rear)         |
| Max CPU Cooler Height     | 165mm                                   |
| Max PSU Length            | 140mm                                   |
| Max GPU Length            | 310mm                                   |

## Model 3128 Tempered Glass Entry Level ATX Case

Model 3128 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3128.html](https://ulike-tech.com/products/atx-case-3128.html)

Model 3128 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3143 Tempered Glass Entry Level ATX Case

Model 3143 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3143.html](https://ulike-tech.com/products/atx-case-3143.html)

Model 3143 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3145 Tempered Glass Entry Level ATX Case

Model 3145 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3145.html](https://ulike-tech.com/products/atx-case-3145.html)

Model 3145 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3147 Tempered Glass Entry Level ATX Case

Model 3147 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3147.html](http://ulike-tech.com/products/atx-case-3147.html)

Model 3147 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3148 Tempered Glass Entry Level ATX Case

Model 3148 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3148.html](https://ulike-tech.com/products/atx-case-3148.html)

Model 3148 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3150 Tempered Glass Entry Level ATX Case

Model 3150 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3150.html](https://ulike-tech.com/products/atx-case-3150.html)

Model 3150 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3151 Tempered Glass Entry Level ATX Case

Model 3151 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3151.html](https://ulike-tech.com/products/atx-case-3151.html)

Model 3151 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3153 Tempered Glass Entry Level ATX Case

Model 3153 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3153.html](http://ulike-tech.com/products/atx-case-3153.html)

Model 3153 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3155 Tempered Glass Entry Level ATX Case

Model 3155 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3155.html](https://ulike-tech.com/products/atx-case-3155.html)

Model 3155 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3156 Tempered Glass Entry Level ATX Case

Model 3156 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3156.html](http://ulike-tech.com/products/atx-case-3156.html)

Model 3156 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3157 Tempered Glass Entry Level ATX Case

Model 3157 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3157.html](https://ulike-tech.com/products/atx-case-3157.html)

Model 3157 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3158 Tempered Glass Entry Level ATX Case

Model 3158 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3158.html](https://ulike-tech.com/products/atx-case-3158.html)

Model 3158 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Model 3159 Tempered Glass Entry Level ATX Case

Model 3159 | Entry Level ATX Cases | [ulike-tech.com/products/atx-case-3159.html](https://ulike-tech.com/products/atx-case-3159.html)

Model 3159 Tempered Glass Entry Level ATX Case is a full size ATX tower case built on a 0.4mm SPCC black coating chassis with an ABS front panel and a tempered glass window on one side and a steel panel opposite. The assembled case measures L375\*W175\*H408mm (with feet), each unit ships in a L400\*W210\*H405mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in ATX, M-ATX, ITX format, graphics cards up to 310mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Motherboard Support       | ATX, M-ATX, ITX                                       |
| PSU Form Factor           | Standard ATX                                          |
| Structure Size            | L325*W175*H408mm                                      |
| Case Size                 | L375*W175*H408mm (with feet)                          |
| Carton Size               | L400*W210*H405mm                                      |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                                         |
| Front Panel Material      | ABS                                                   |
| Steel Thickness and Grade | 0.4mm SPCC black coating                              |
| Side Panel Material       | tempered glass panel & metal panel                    |
| Packing                   | A=A & Foam                                            |
| Front I/O Ports           | 2*USB2.0+1*3.0USB, HD Audio                           |
| Expansion Slots           | 7pcs                                                  |
| 5.25 inch Bays            | 2                                                     |
| 3.5 inch Bays             | 2                                                     |
| 2.5 inch Bays             | 1                                                     |
| Fan Support               | Front: 3*12cm, Rear:1*12cm, top:2*12cm, bottom:2*12cm |
| Airflow Design            | Air channels(front, side, rear)                       |
| Max CPU Cooler Height     | 165mm                                                 |
| Max PSU Length            | 140mm                                                 |
| Max GPU Length            | 310mm                                                 |

## Micro ATX Cases

Compact M-ATX and ITX towers for small-footprint office, retail POS and thin-client desktops.

### Model 359 All Metal Micro ATX Case

Model 359 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-359.html](http://ulike-tech.com/products/micro-atx-case-359.html)

Model 359 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L355\*W175\*H365mm, each unit ships in a L400\*W210\*H4055mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 185mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX                    |
| Structure Size            | L325*W175*H365mm                |
| Case Size                 | L355*W175*H365mm                |
| Carton Size               | L400*W210*H4055mm               |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 3                               |
| 3.5 inch Bays             | 4                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Rear:1*8cm                      |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 185mm                           |

## Model 358 All Metal Micro ATX Case

Model 358 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-358.html](http://ulike-tech.com/products/micro-atx-358.html)

Model 358 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L355\*W175\*H365mm, each unit ships in a L400\*W210\*H4055mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 185mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX                    |
| Structure Size            | L325*W175*H365mm                |
| Case Size                 | L355*W175*H365mm                |
| Carton Size               | L400*W210*H4055mm               |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 3                               |
| 3.5 inch Bays             | 4                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Rear:1*8cm                      |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 185mm                           |

## Model 357 All Metal Micro ATX Case

Model 357 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-357.html](https://ulike-tech.com/products/micro-atx-case-357.html)

Model 357 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L355\*W175\*H365mm, each unit ships in a L400\*W210\*H4055mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 185mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX                    |
| Structure Size            | L325*W175*H365mm                |
| Case Size                 | L355*W175*H365mm                |
| Carton Size               | L400*W210*H4055mm               |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 3                               |
| 3.5 inch Bays             | 4                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Rear:1*8cm                      |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 185mm                           |

## Model 355 All Metal Micro ATX Case

Model 355 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-355.html](http://ulike-tech.com/products/micro-atx-case-355.html)

Model 355 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L355\*W175\*H365mm, each unit ships in a L400\*W210\*H4055mm carton, at 3.5Kg & 2.5Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 185mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX                    |
| Structure Size            | L325*W175*H365mm                |
| Case Size                 | L355*W175*H365mm                |
| Carton Size               | L400*W210*H4055mm               |
| Gross / Net Weight        | 3.5Kg & 2.5Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 3                               |
| 3.5 inch Bays             | 4                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Rear:1*8cm                      |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 185mm                           |

## Model 541 All Metal Micro ATX Case

Model 541 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-541.html](http://ulike-tech.com/products/micro-atx-case-541.html)

Model 541 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 519 All Metal Micro ATX Case

Model 519 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-519.html](http://ulike-tech.com/products/micro-atx-case-519.html)

Model 519 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 518 All Metal Micro ATX Case

Model 518 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-518.html](http://ulike-tech.com/products/micro-atx-case-518.html)

Model 518 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 517 All Metal Micro ATX Case

Model 517 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-517.html](http://ulike-tech.com/products/micro-atx-case-517.html)

Model 517 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 515 All Metal Micro ATX Case

Model 515 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-515.html](http://ulike-tech.com/products/micro-atx-case-515.html)

Model 515 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 513 All Metal Micro ATX Case

Model 513 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-513.html](http://ulike-tech.com/products/micro-atx-case-513.html)

Model 513 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 512 All Metal Micro ATX Case

Model 512 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-512.html](http://ulike-tech.com/products/micro-atx-case-512.html)

Model 512 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 511 All Metal Micro ATX Case

Model 511 | Micro ATX Cases | [ulike-tech.com/products/micro-atx-case-511.html](http://ulike-tech.com/products/micro-atx-case-511.html)

Model 511 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Model 510 All Metal Micro ATX Case

Model 510 | Micro ATX Cases | [ulike-tech.com/products/micro-case-510.html](http://ulike-tech.com/products/micro-case-510.html)

Model 510 All Metal Micro ATX Case is a Micro ATX tower case built on a 0.35mm SGCC chassis with an ABS front panel and steel panels on both sides. The assembled case measures L305\*W170\*H340mm (with feet), each unit ships in a L380\*W205\*H345mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes boards in M-ATX, ITX format, graphics cards up to 260mm, CPU coolers up to 165mm and power supplies up to 140mm.



|                           |                                 |
|---------------------------|---------------------------------|
| Motherboard Support       | M-ATX, ITX                      |
| PSU Form Factor           | Standard ATX or PS3             |
| Structure Size            | L275*W170*H340mm                |
| Case Size                 | L305*W170*H340mm (with feet)    |
| Carton Size               | L380*W205*H345mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.35mm SGCC                     |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 2                               |
| 2.5 inch Bays             | 3                               |
| Fan Support               | Front: 1*12cm, Rear:1*8cm       |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 165mm                           |
| Max PSU Length            | 140mm                           |
| Max GPU Length            | 260mm                           |

## Slim Cases

Horizontal and slim-profile desktop shells around 103 to 105 mm wide for low-profile builds.

### Model U03D All Metal Slim Desktop Case

Model U03D | Slim Cases | [ulike-tech.com/products/slim-case-u03d.html](http://ulike-tech.com/products/slim-case-u03d.html)

Model U03D All Metal Slim Desktop Case is a slim desktop case built on a 0.4mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L420\*W105\*H340mm (with feet), each unit ships in a L465\*W173\*H362mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes graphics cards up to 260mm, CPU coolers up to 90mm and power supplies up to 100mm.



|                           |                                 |
|---------------------------|---------------------------------|
| PSU Form Factor           | Micro ATX                       |
| Structure Size            | L380*W103*H305mm                |
| Case Size                 | L420*W105*H340mm (with feet)    |
| Carton Size               | L465*W173*H362mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.4mm SPCC full black coating   |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 1                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Top: 1*8cm, Bottom:1*8cm        |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 90mm                            |
| Max PSU Length            | 100mm                           |
| Max GPU Length            | 260mm                           |

## Model U03E All Metal Slim Desktop Case

Model U03E | Slim Cases | [ulike-tech.com/products/slim-case-u03e.html](https://ulike-tech.com/products/slim-case-u03e.html)

Model U03E All Metal Slim Desktop Case is a slim desktop case built on a 0.4mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L420\*W105\*H340mm (with feet), each unit ships in a L465\*W173\*H362mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes graphics cards up to 260mm, CPU coolers up to 90mm and power supplies up to 100mm.



|                           |                                 |
|---------------------------|---------------------------------|
| PSU Form Factor           | Micro ATX                       |
| Structure Size            | L380*W103*H305mm                |
| Case Size                 | L420*W105*H340mm (with feet)    |
| Carton Size               | L465*W173*H362mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.4mm SPCC full black coating   |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 1                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Top: 1*8cm, Bottom:1*8cm        |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 90mm                            |
| Max PSU Length            | 100mm                           |
| Max GPU Length            | 260mm                           |

## Model U03B All Metal Slim Desktop Case

Model U03B | Slim Cases | [ulike-tech.com/products/slim-case-u03b.html](http://ulike-tech.com/products/slim-case-u03b.html)

Model U03B All Metal Slim Desktop Case is a slim desktop case built on a 0.4mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L420\*W105\*H340mm (with feet), each unit ships in a L465\*W173\*H362mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes graphics cards up to 260mm, CPU coolers up to 90mm and power supplies up to 100mm.



|                           |                                 |
|---------------------------|---------------------------------|
| PSU Form Factor           | Micro ATX                       |
| Structure Size            | L380*W103*H305mm                |
| Case Size                 | L420*W105*H340mm (with feet)    |
| Carton Size               | L465*W173*H362mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.4mm SPCC full black coating   |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 1                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Top: 1*8cm, Bottom:1*8cm        |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 90mm                            |
| Max PSU Length            | 100mm                           |
| Max GPU Length            | 260mm                           |

## Model U03A All Metal Slim Desktop Case

Model U03A | Slim Cases | [ulike-tech.com/products/slim-case-u03a.html](http://ulike-tech.com/products/slim-case-u03a.html)

Model U03A All Metal Slim Desktop Case is a slim desktop case built on a 0.4mm SPCC full black coating chassis with an ABS front panel and steel panels on both sides. The assembled case measures L420\*W105\*H340mm (with feet), each unit ships in a L465\*W173\*H362mm carton, at 2.5Kg & 2.2Kg gross and net. The chassis takes graphics cards up to 260mm, CPU coolers up to 90mm and power supplies up to 100mm.



|                           |                                 |
|---------------------------|---------------------------------|
| PSU Form Factor           | Micro ATX                       |
| Structure Size            | L380*W103*H305mm                |
| Case Size                 | L420*W105*H340mm (with feet)    |
| Carton Size               | L465*W173*H362mm                |
| Gross / Net Weight        | 2.5Kg & 2.2Kg                   |
| Front Panel Material      | ABS                             |
| Steel Thickness and Grade | 0.4mm SPCC full black coating   |
| Side Panel Material       | Both metal panel                |
| Packing                   | A=B & Foam                      |
| Front I/O Ports           | 2*USB1.0, HD Audio              |
| Expansion Slots           | 4pcs                            |
| 5.25 inch Bays            | 1                               |
| 3.5 inch Bays             | 1                               |
| 2.5 inch Bays             | 1                               |
| Fan Support               | Top: 1*8cm, Bottom:1*8cm        |
| Airflow Design            | Air channels(front, side, rear) |
| Max CPU Cooler Height     | 90mm                            |
| Max PSU Length            | 100mm                           |
| Max GPU Length            | 260mm                           |

## ATX Power Supplies

Standard ATX and Micro ATX switching supplies from 200W to 600W for desktop and office builds.

### Micro ATX 200W 230W 250W Computer Power Supply

Model Micro ATX 200W 230W 250W | ATX Power Supplies | [ulike-tech.com/products/micro-atx-200w-230w-250w.html](http://ulike-tech.com/products/micro-atx-200w-230w-250w.html)

Micro ATX 200W 230W 250W Computer Power Supply is a switching power supply rated at 250W with a peak output of 350W. It carries the +12V +5V +3.3V -12V +5VSB rail set and accepts 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan) 230VAC(180-264VAC)(12cm fan) input. Mechanically it is 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL), 12cm Fan. Power factor correction is without.



|                    |                                                                                |
|--------------------|--------------------------------------------------------------------------------|
| Input Voltage      | 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan)<br>230VAC(180-264VAC)(12cm fan) |
| Rated Power        | 250W                                                                           |
| Peak Power         | 350W                                                                           |
| Output Rails       | +12V +5V +3.3V -12V +5VSB                                                      |
| Max Load           | 19.0A 15.0A 21.0A 0.5A 2.5A                                                    |
| Min Load           | 0.6A 0.2A 0.1A 0.0A 0.0A                                                       |
| Voltage Regulation | ±5% ±5% ±5% ±10% ±5%                                                           |
| Ripple and Noise   | 120mV 50mV 50mV 120mV 50mV                                                     |
| Dimensions         | 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL),<br>12cm Fan                |
| PFC Type           | without                                                                        |

### ATX 200W 230W 250W Computer Power Supply

Model ATX 200W 230W 250W | ATX Power Supplies | [ulike-tech.com/products/atx-power-supply-200w-230w-250w.html](http://ulike-tech.com/products/atx-power-supply-200w-230w-250w.html)

ATX 200W 230W 250W Computer Power Supply is a switching power supply rated at 250W with a peak output of 350W. It carries the +12V +5V +3.3V -12V +5VSB rail set and accepts 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan) 230VAC(180-264VAC)(12cm fan) input. Mechanically it is 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL), 12cm Fan. Power factor correction is without.



|                    |                                                                                |
|--------------------|--------------------------------------------------------------------------------|
| Input Voltage      | 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan)<br>230VAC(180-264VAC)(12cm fan) |
| Rated Power        | 250W                                                                           |
| Peak Power         | 350W                                                                           |
| Output Rails       | +12V +5V +3.3V -12V +5VSB                                                      |
| Max Load           | 19.0A 15.0A 21.0A 0.5A 2.5A                                                    |
| Min Load           | 0.6A 0.2A 0.1A 0.0A 0.0A                                                       |
| Voltage Regulation | ±5% ±5% ±5% ±10% ±5%                                                           |
| Ripple and Noise   | 120mV 50mV 50mV 120mV 50mV                                                     |
| Dimensions         | 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL),<br>12cm Fan                |
| PFC Type           | without                                                                        |

## 80 PLUS Power Supplies

Higher efficiency ATX supplies in the 300W to 1000W range, including modular units.

### ATX 300W 350W 400W 80 PLUS Computer Power Supply

Model ATX 300W 350W 400W | 80 PLUS Power Supplies | [ulike-tech.com/products/atx-power-supply-300w.html](http://ulike-tech.com/products/atx-power-supply-300w.html)

ATX 300W 350W 400W 80 PLUS Computer Power Supply is a switching power supply rated at 300W with a peak output of 400W. It carries the +3.3V +5V +12V1 +12V2 -12V +5VSB rail set and accepts 230VAC (180-264VAC) input. Mechanically it is 150x86x140mm (WxHxL), 12cm Fan. Power factor correction is PPFC.



|                    |                                   |
|--------------------|-----------------------------------|
| Input Voltage      | 230VAC (180-264VAC)               |
| Rated Power        | 300W                              |
| Peak Power         | 400W                              |
| Output Rails       | +3.3V +5V +12V1 +12V2 -12V +5VSB  |
| Max Load           | 21.0A 15.0A 13.0A 13.0A 0.3A 2.5A |
| Min Load           | 0.5A 0.3A 1.0A 1.0A 0.0A 0.0A     |
| Voltage Regulation | ±5% ±5% ±5% ±5% ±10% ±5%          |
| Ripple and Noise   | 50mV 50mV 120mV 120mV 120mV 50mV  |
| Dimensions         | 150x86x140mm (WxHxL), 12cm Fan    |
| PFC Type           | PPFC                              |

### ATX 450W 500W 550W 600W 80 PLUS Computer Power Supply

Model ATX 450W 500W 550W 600W | 80 PLUS Power Supplies | [ulike-tech.com/products/atx-power-supply-atx-450w-500w-550w-600w.html](http://ulike-tech.com/products/atx-power-supply-atx-450w-500w-550w-600w.html)

ATX 450W 500W 550W 600W 80 PLUS Computer Power Supply is a switching power supply rated at 450W with a peak output of 550W. It carries the +3.3V +5V +12V1 +12V2 -12V +5VSB rail set and accepts 230VAC (180-264VAC)/ 115VAC (90-132VAC) input. Mechanically it is 150x86x160mm (WxHxL), 14cm Fan. Power factor correction is without PFC.



|                    |                                         |
|--------------------|-----------------------------------------|
| Input Voltage      | 230VAC (180-264VAC)/ 115VAC (90-132VAC) |
| Rated Power        | 450W                                    |
| Peak Power         | 550W                                    |
| Output Rails       | +3.3V +5V +12V1 +12V2 -12V +5VSB        |
| Max Load           | 25.0A 20.0A 18.0A 18.0A 0.3A 2.5A       |
| Min Load           | 0.3A 0.5A 1.0A 1.0A 0.0A 0.0A           |
| Voltage Regulation | ±5% ±5% ±5% ±5% ±10% ±5%                |
| Ripple and Noise   | 50mV 50mV 120mV 120mV 120mV 50mV        |
| Dimensions         | 150x86x160mm (WxHxL), 14cm Fan          |
| PFC Type           | without PFC                             |

# ATX 700W 800W 900W 1000W 80 PLUS Modular Computer Power Supply

Model ATX1000W 900W 800W 700W | 80 PLUS Power Supplies | [ulike-tech.com/products/atx-power-supply-1000w-900w-800w-700w.html](http://ulike-tech.com/products/atx-power-supply-1000w-900w-800w-700w.html)

ATX 700W 800W 900W 1000W 80 PLUS Modular Computer Power Supply is a switching power supply rated at TBC. It carries the 100-240VAC Output 700W Voltage +3.3V +5V +12V1 +12V2 +12V3 +12V4 +12V5 -12V +5VSB rail set. Mechanically it is 150 x 86 x 160mm (W x H x L), 14cm fan. Power factor correction is APFC.



|                    |                                                                                   |
|--------------------|-----------------------------------------------------------------------------------|
| Output Rails       | 100-240VAC Output 700W Voltage +3.3V +5V +12V1 +12V2 +12V3 +12V4 +12V5 -12V +5VSB |
| Max Load           | 24.0A 32.0A 16.0A 16.0A 16.0A 18.0A 18.0A 0.5A 3.0A                               |
| Min Load           | 0.8A 0.5A 0.0A 0.0A 0.9A 0.1A 0.0A 0.0A 0.1A                                      |
| Voltage Regulation | ±5% ±5% ±3% ±3% ±3% ±3% ±3% ±10% ±3%                                              |
| Ripple and Noise   | 50mV 50mV 120mV 120mV 120mV 120mV 120mV 120mV 50mV                                |
| Dimensions         | 150 x 86 x 160mm (W x H x L), 14cm fan                                            |
| PFC Type           | APFC                                                                              |

## 1U 2U Flex Power Supplies

Flex ATX and TFX form factor supplies from 200W to 250W for 1U, 2U and slim chassis.

### TFX 200W 230W 250W Power Supply for 1U and 2U Chassis

Model TFX 1U 2U 200W 230W 250W | 1U 2U Flex Power Supplies | [ulike-tech.com/products/tfx-1u-2u-200w-230w-250w.html](http://ulike-tech.com/products/tfx-1u-2u-200w-230w-250w.html)

TFX 200W 230W 250W Power Supply for 1U and 2U Chassis is a switching power supply rated at 250W with a peak output of 350W. It carries the +12V +5V +3.3V -12V +5VSB rail set and accepts 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan) 230VAC(180-264VAC)(12cm fan) input. Mechanically it is 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL), 12cm Fan. Power factor correction is without.



|                    |                                                                                |
|--------------------|--------------------------------------------------------------------------------|
| Input Voltage      | 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan)<br>230VAC(180-264VAC)(12cm fan) |
| Rated Power        | 250W                                                                           |
| Peak Power         | 350W                                                                           |
| Output Rails       | +12V +5V +3.3V -12V +5VSB                                                      |
| Max Load           | 19.0A 15.0A 21.0A 0.5A 2.5A                                                    |
| Min Load           | 0.6A 0.2A 0.1A 0.0A 0.0A                                                       |
| Voltage Regulation | ±5% ±5% ±5% ±10% ±5%                                                           |
| Ripple and Noise   | 120mV 50mV 50mV 120mV 50mV                                                     |
| Dimensions         | 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL),<br>12cm Fan                |
| PFC Type           | without                                                                        |

### Flex ATX 200W 230W 250W Power Supply for 1U and 2U Chassis

Model FLex 1U 2U 200W 230W 250W | 1U 2U Flex Power Supplies | [ulike-tech.com/products/flex-tfx-1u-2u-200w-230w-250w.html](http://ulike-tech.com/products/flex-tfx-1u-2u-200w-230w-250w.html)

Flex ATX 200W 230W 250W Power Supply for 1U and 2U Chassis is a switching power supply rated at 250W with a peak output of 350W. It carries the +12V +5V +3.3V -12V +5VSB rail set and accepts 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan) 230VAC(180-264VAC)(12cm fan) input. Mechanically it is 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL), 12cm Fan. Power factor correction is without.



|                    |                                                                                |
|--------------------|--------------------------------------------------------------------------------|
| Input Voltage      | 230VAC (180-264VAC)/115VAC(90-132VAC)(8cm fan)<br>230VAC(180-264VAC)(12cm fan) |
| Rated Power        | 250W                                                                           |
| Peak Power         | 350W                                                                           |
| Output Rails       | +12V +5V +3.3V -12V +5VSB                                                      |
| Max Load           | 19.0A 15.0A 21.0A 0.5A 2.5A                                                    |
| Min Load           | 0.6A 0.2A 0.1A 0.0A 0.0A                                                       |
| Voltage Regulation | ±5% ±5% ±5% ±10% ±5%                                                           |
| Ripple and Noise   | 120mV 50mV 50mV 120mV 50mV                                                     |
| Dimensions         | 150x86x140mm (WxHxL), 8cm Fan 150x86x140mm (WxHxL),<br>12cm Fan                |
| PFC Type           | without                                                                        |

## RGB Fans

120 mm hydraulic bearing RGB case fans with published airflow, noise and voltage figures.

### Model F2 120mm RGB Case Fan

Model F2 | RGB Fans | [ulike-tech.com/products/rgb-fan-f2.html](http://ulike-tech.com/products/rgb-fan-f2.html)

Model F2 120mm RGB Case Fan is a 120\*120\*25mm case fan on a hydraulic bearing, rated DC 12V and turning at 1100±10%RPM. It moves 35.85CFM(ft/min) at 1.26mm-HO static pressure with an average noise level of AVG ≤23.5dB(A). The – Big 4P L=430mm lead connects to a standard header.



|                       |                           |
|-----------------------|---------------------------|
| Model No              | RGB F2                    |
| Model Name            | RGB single strip RGB fan  |
| Dimension             | 120*120*25mm              |
| Bearing Type          | Hydraulic                 |
| Rated Voltage         | DC 12V                    |
| Operating Voltage     | DC 5V-13.8V               |
| Start-up Voltage      | DC 5V                     |
| Input Current         | 0.18±20%A                 |
| Input Power           | 2.4W                      |
| Speed                 | 1100±10%RPM               |
| Max Air Flow          | 35.85CFM(ft/min)          |
| Max Air Pressure      | 1.26mm-HO                 |
| Acoustic Noise        | AVG ≤23.5dB(A)            |
| Lead Wire             | – Big 4P L=430mm          |
| Operating Temperature | 10°C~70°C/66%(RH)         |
| Colour Box Size       | 122*26*140mm              |
| Outer Carton Size     | (for 96pcs) 460*295*385mm |

## Model F1 120mm RGB Case Fan

Model F1 | RGB Fans | [ulike-tech.com/products/rgb-fan.html](http://ulike-tech.com/products/rgb-fan.html)

Model F1 120mm RGB Case Fan is a 120\*120\*25mm case fan on a hydraulic bearing, rated DC 12V and turning at 1100±10%RPM. It moves 35.85CFM(ft/min) at 1.26mm-HO static pressure with an average noise level of AVG <=23.5dB(A). The – Big 4P L=430mm lead connects to a standard header.



|                       |                           |
|-----------------------|---------------------------|
| Model No              | RGB F1                    |
| Model Name            | RGB single strip RGB fan  |
| Dimension             | 120*120*25mm              |
| Bearing Type          | Hydraulic                 |
| Rated Voltage         | DC 12V                    |
| Operating Voltage     | DC 5V-13.8V               |
| Start-up Voltage      | DC 5V                     |
| Input Current         | 0.18±20%A                 |
| Input Power           | 2.4W                      |
| Speed                 | 1100±10%RPM               |
| Max Air Flow          | 35.85CFM(ft/min)          |
| Max Air Pressure      | 1.26mm-HO                 |
| Acoustic Noise        | AVG <=23.5dB(A)           |
| Lead Wire             | – Big 4P L=430mm          |
| Operating Temperature | 10°C~70°C/66%(RH)         |
| Colour Box Size       | 122*26*140mm              |
| Outer Carton Size     | (for 96pcs) 460*295*385mm |