

Stenter Machine Spare Parts Catalogue

77 parts for Monforts, Bruckner, Artos, LK, IL SUNG, Stentex, Krantz, EHWHA, ALKAN, Unitech and ACC stenters

Manufacturer	Shaoxing Yehang Import & Export Co., Ltd
Address	Zhangjiafeng Village, Lanting Sub-district, Keqiao District, Shaoxing City, Zhejiang Province, China
Contact	Lyn lyn@sxyehang.com WhatsApp +86 150 6854 6681
Product Brand	YH
Origin	Zhejiang, China
Standard Delivery	Within 7 days of order confirmation
Categories	12
Parts in this catalogue	77

Every dimension, material and delivery figure in this document describes a part we manufacture. Where a dimension is not printed it is because that part is matched against a customer sample rather than made to a published size.

Contents

Category	Parts	What It Covers
Stenter Pin Plates and Pin Holders	19	Copper pin plates with carbon or stainless steel pins, plus holders and loose pins, for Monforts, Bruckner, Artos, LK, IL SUNG, Krantz and PI film stenters.
Stenter Chains and Chain Parts	19	Complete stenter chains and every part inside them, for Monforts, Bruckner, Artos and LK frames and for Ferraro and Lafer compact machines.
Stenter Clips	14	Clips for Monforts, Bruckner, Artos and Stentex clip stenters, plus a clip and pin double use clip that lets one rail run both ways.
Stenter Brush Wheels	15	Brush wheels in eleven machine sizes with six bristle types, from PBT for high temperature through to soft goat and horse hair.
PEEK Nuts Sliders and Bushes	9	Self-lubricating PEEK wear parts for stenter chains and width adjustment, replacing copper mesh linings and greased metal nuts.
Cloth Cutting Blades	3	Steel cutting blades for stenter cutting machines, 200 x 40 mm in 2.3 mm and 2.5 mm thickness.
Stenter Entry Section Equipment	2	Erhardt and Leimer web guiders and pneumatic selvage spreaders for the stenter entry, supplied alongside the wear parts we manufacture.
Monforts Stenter Machine Spare Parts	28	Chains, pin plates, clips, brush wheels, PEEK parts and guide rail wear parts for Monforts stenter frames, made in Shaoxing and shipped in 7 days.
Bruckner Stenter Machine Spare Parts	16	Four chain patterns, two pin plate patterns, four clip references, brush wheels in two sizes and a lubricated chain version for Bruckner stenter frames.
Artos Stenter Machine Spare Parts	13	Chains with copper or PEEK sliders, PEEK bushes, pin plates, clips, pin holders and brush wheels for Artos stenter frames.
LK Stenter Machine Spare Parts	10	Chain, chain parts, guide rail, 76 mm pin plate holders, pin plates, brush wheels and BESLUX chain oil for LK stenter frames.
IL SUNG Stenter Machine Parts	3	Pin plates, PEEK width adjustment nuts and related chain parts for IL SUNG stenter frames from Korea.

Stenter Pin Plates and Pin Holders

Copper pin plates with carbon or stainless steel pins, plus holders and loose pins, for Monforts, Bruckner, Artos, LK, IL SUNG, Krantz and PI film stenters.



E+L KF 2020 Pneumatic Web Guide and Selvage Holder

The Erhardt+Leimer KF 2020 is a pneumatic web guide and selvage holder fitted at the entry of a stenter, ahead of the pinning or clipping point. It holds the fabric edge in position so the selvage arrives at the pins straight rather than wandering across the rail. We supply it as a complete device alongside the wear parts tha...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



E+L ELSPREADER LPA 03 Pneumatic Selvage Uncurler

The ELSPREADER LPA 03 is a pneumatic selvage spreading device from Erhardt+Leimer of Germany, a maker of web guiding and textile processing control systems. It flattens, uncurls and smooths curled, folded or frayed selvages immediately before pinning on stenter frames, sanforizing lines and finishing ranges. Because it is air ...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



EHWHA Pin Plate Holder

Pin plate holder for EHWHA stenter rails. The holder is the part that carries the pin plate and rides on the chain, so it takes the fabric tension the pins collect. When a holder wears or cracks, the plate above it stops sitting square and the selvage grip goes uneven long before the pins are worn out.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Chain Type 4 With Pin Plate Mounting

Bruckner stenter chain in our fourth pattern, shown with the pin plate mounting. This is the chain section that carries the pin plates along the rail, so the link plates, pins and rollers all take fabric tension and chamber heat at the same time. Black finish, metal construction, 0.65 kg reference weight.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Pin Plate and Chain Assembly

A Bruckner pin plate shown mounted on its chain section, the way the parts actually run in the machine. Mills that are replacing a worn rail usually need the plate, the holder and the chain link treated as one assembly, because a new plate on a stretched chain will not hold the fabric any better than the old one did.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Stenter Pin Plate 642 Small Size 4 x 130 x 12 mm

Pin plate 642 is the small-size plate in our Monforts range, 4 x 130 x 12 mm with two 4 mm fixing holes on 76 mm centres. Mills order it when the rail carries short plates and a full-length plate would foul the chain at the width adjustment. Copper plate body, carbon steel or stainless steel pins.

Application	Monforts stenter
Size	4*130*12, hole to hole 76mm, 2 holes, hole 4mm
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Artos Stenter Pin Plate 4 x 130 x 12 mm

Pin plate for Artos stenter rails, 4 x 130 x 12 mm with two 4 mm fixing holes on 76 mm centres. Artos machines are German-built and still run in finishing mills across Asia and Europe, where the pin rails wear long before the machine does. Copper plate body, carbon steel or stainless steel pins.


Application	Monforts stenter
Size	4*130*12, hole to hole 76mm, 2 holes, hole 4mm
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Stenter Pin Plate for Krantz 4 x 12 x 77 mm

Pin plate for Krantz stenter rails, 4 x 12 x 77 mm with hole to hole 57 mm and 3 mm screws. Krantz rails use a shorter plate and a tighter hole pattern than Monforts, so a Monforts plate will not seat. This is the plate that drops straight into a Krantz holder.


Application	stenter
Size	4*12*77, hole to hole 57mm, screw 3mm
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	YH
Origin	Zhejiang, China



Stenter Pin Plate 707 and 708

Pin plates in the 707 and 708 pattern, built on the same copper plate with carbon steel or stainless steel pins as the rest of our stenter range. Mills order these by pattern number when the rail was originally fitted with 707 or 708 plates and the pin rows have worn flat.


Application	stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	YH
Origin	Zhejiang, China



IL SUNG Stenter Pin Plate

Pin plate for IL SUNG stenter rails, built on the same copper plate and steel pin construction as the rest of our range but to the IL SUNG hole pattern. IL SUNG machines are common in Korean-built finishing lines, and the plates are usually the first wear part a mill has trouble sourcing locally.

Application	IL SUNG stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	YH
Origin	Zhejiang, China



Stainless Steel Pin Plate for Polyimide Film Stenters

This pin plate is made for polyimide film stenters, not for fabric. The plate is high-strength stainless steel, heat resistant up to 800 degrees and corrosion resistant, because a PI film line runs far hotter than a textile heat setting range. Polyimide film is used in electronics and aerospace for insulation, heat insulation an...

Application	film stenter
Material	stainless steel
Colour	silver
Brand	YH
Origin	Zhejiang, China



Replacement Stenter Pins for Pin Plates

Loose stenter pins in carbon steel or stainless steel, supplied for mills that re-pin their own plates rather than replacing the whole plate. The pin is thicker at the root and tapers to the point, which is what keeps the fabric off the hot base plate while still gripping the selvedge.

Application	Monforts stenter
Material	pin: corban steel or stainless steel
Colour	silver
Brand	YH
Origin	Zhejiang, China



Stenter Pin Plate for Monforts Pin Rails

This is our standard copper-body stenter pin plate for Monforts pin rails. The plate carries two rows of steel pins at 3 to 4 pins per cm, drops into the existing pin plate holder and takes over fabric gripping from the press wheel forward. It is the plate most of our mills reorder in full sets when a pin rail has run its life.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Bruckner Stenter Pin Plate Type 1

Pin plate for Bruckner stenter rails. Bruckner is one of the two big German stenter brands and the machines run long lives in dyeing and finishing mills, so the pin rails are a regular reorder. Copper plate body with two rows of carbon steel or stainless steel pins, matched to the Bruckner holder.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



LK Stenter Pin Plate

Pin plate for LK stenter rails. LK machines are built in Taiwan and are common across Asian finishing mills, often running mixed with German machines on the same floor. The plate is the same copper and steel construction as our Monforts and Bruckner plates, with the LK hole pattern.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Bruckner Stenter Pin Plate Type 2

The second Bruckner plate pattern we hold. Same copper plate and carbon or stainless steel pin build, a different hole layout. Bruckner rails changed over the years, so the safe way to order is to measure the plate you are removing rather than to order on the machine name alone.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Artos Stenter Pin Plate Second Pattern

The second Artos plate pattern in our range. Same copper plate and steel pin construction, a different hole layout for Artos rails that do not take the 130 mm plate. Mills usually discover which one they need by measuring the plate they are pulling out, so send us the hole centres and we will confirm before you pay.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Monforts Stenter Pin Plate Type 1

Pin plate for Monforts stenter rails in our first plate pattern. Copper plate body with two rows of carbon steel or stainless steel pins, sized to seat in the Monforts pin plate holder. Monforts is the machine brand we carry the deepest stock for, and this is the plate most often reordered against a Montex rail.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China



Monforts Stenter Pin Plate Type 2

The second Monforts plate pattern we carry. Same copper plate and steel pin construction as type 1, different plate length and hole spacing. Mills running more than one generation of Monforts machine usually need both patterns on the shelf, which is why we list them separately instead of as one part.

Application	Monforts stenter
Material	plate:copper / pin: corban steel or stainless steel
Colour	silver and yellow
Brand	XTY
Origin	Zhejiang, China

Stenter Chains and Chain Parts

Complete stenter chains and every part inside them, for Monforts, Bruckner, Artos and LK frames and for Ferraro and Lafer compact machines.



Chain for Ferraro Compact Machines

Chain for Ferraro compact machines from Italy. Compact finishing machines shrink and relax knitted fabric rather than heat setting it under width tension, so the chain sees a different duty from a stenter rail, but the same wear applies. Metal construction, black finish, 0.65 kg reference weight, supplied with grease or without ...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Chain for Lafer Compact Machines

Chain for Lafer compact machines from Italy. Lafer compacting lines relax knitted fabric back to its natural dimensions, and the chain runs under a different tension profile from a stenter rail. Metal construction, black finish, 0.65 kg reference weight, with grease or without grease.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



LK Pin Plate Holder for Stenter Chains

Pin plate holder for LK stenters. The holder is the link between the chain and the pin plate, so it carries the whole fabric tension load and has to keep the plate square to the rail. Silver finish metal, 0.6 kg reference weight, built for machines with the oil-free guide.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Chain Type 3

Bruckner stenter chain in our third pattern, for machines with the oil-free guide. Black finish, metal construction, 0.65 kg reference weight. Bruckner rails differ across machine generations, so we hold four patterns and match against a sample link before production.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Chain Type 2

Bruckner stenter chain in our second pattern, for machines with the oil-free guide. Black finish, metal construction, 0.65 kg reference weight, available with grease or without grease. This is one of four Bruckner patterns we hold, and the right one is identified by pitch rather than by machine model.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Chain Type 1

The first Bruckner chain pattern in our range, for machines with the oil-free guide. Metal construction with a black finish, 0.65 kg reference weight, available with grease or without grease. Bruckner is one of the two German brands we carry deepest, and this is the pattern most mills confirm first when they send us a sample lin...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Bush for Artos Stenter Chain

A PEEK bushing is a bearing made from polyether ether ketone, a high-performance plastic chosen for its strength, chemical resistance and ability to work at high temperature. In an Artos stenter chain the bush sits between the pin and the link, and fitting PEEK improves the service life of the whole chain. Just as important, the...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Artos Stenter Chain With Copper Slider

Chain for Artos stenters with the oil-free guide, built with a copper slider. The copper slider is the traditional wear surface against the rail and takes high load well. The assembly is made up of connectors, U-shaped connectors, pins, PEEK bush, PEEK dust cover, screws and wear sleeves, and all of those small parts are availab...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Artos Stenter Chain Copper Slider Second Pattern

The second Artos copper-slider chain pattern in our range. Same oil-free guide construction and the same connectors, U-shaped connectors, pins, PEEK bush, PEEK dust cover, screws and wear sleeves assembly, a different pitch and mounting. Artos rails changed over the machine's production life, so match the chain against a sample ...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Artos Stenter Chain With PEEK Slider

Chain for Artos stenters with the oil-free guide, built with a PEEK slider instead of copper. PEEK runs lighter against the rail and does not need the same grease film, which suits lighter goods at higher line speeds. Assembly of connectors, U-shaped connectors, pins, PEEK bush, PEEK dust cover, screws and wear sleeves.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



LK Stenter Chain Parts

Chain parts for LK stenters, supplied on their own rather than as a complete chain. When the link plates and pins on an LK rail are still sound, replacing the wear parts restores the chain for far less than a full rail. Metal steel construction, made in Zhejiang, and we customise to your requirement.

Application	LK stenter
Material	metal steel
Colour	silver
Brand	YH
Origin	Zhejiang, China



LK Stenter Chain

Chain for LK stenters, built in metal steel to the LK rail pitch. We hold several types and quality grades for LK machines and we also make chain to a customer's own requirement, because LK rails vary across machine generations and the safest match is against a sample link rather than a model number.

Application	LK stenter
Material	metal steel
Colour	silver
Brand	YH
Origin	Zhejiang, China



Monforts Stenter Chain Complete With Chain Parts

Complete chain for Monforts stenters with the oil-free guide. The assembly is made up of connectors, U-shaped connectors, pins, PEEK bush, PEEK dust cover, screws and wear sleeves, and we sell each of those small parts separately as well, so a mill can rebuild a section without buying a full rail. High quality bearings, built fo...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Monforts Stenter Chain With PEEK Bush and Dust Cover

Monforts chain built with a PEEK bush and a PEEK dust cover. The dust cover is what keeps fibre lint and finishing chemistry out of the bush, which is where most chains fail first. Assembly of connectors, U-shaped connectors, pins, PEEK bush, PEEK dust cover, screws and wear sleeves, for Monforts machines with the oil-free guide...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Monforts Stenter Chain Lightweight PEEK Build

The lightweight Monforts chain in our range, using PEEK bush and PEEK dust cover in place of heavier parts so the chain runs more smoothly along the track. Reference weight 0.63 kg. The assembly is the usual connectors, U-shaped connectors, pins, PEEK bush, PEEK dust cover, screws and wear sleeves, and every part in it is availa...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.63kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Monforts Stenter Chain Lightweight Standard Bush

Monforts chain built from lighter and stronger materials so it runs more smoothly along the track, with a standard bush rather than the PEEK version. Reference weight 0.6 kg, silver finish. Assembly of connectors, U-shaped connectors, pins, bush, screws and wear sleeves, with every part available on its own.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days

Stenter Clips

Clips for Monforts, Bruckner, Artos and Stentex clip stenters, plus a clip and pin double use clip that lets one rail run both ways.



Bruckner Stenter Clip Type 3

Clip for Bruckner stenters. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confined to woven fabrics. The clip starts open. W...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Clip Type 2

Clip for Bruckner stenters. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confined to woven fabrics. The clip starts open. W...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Clip Type 1

Clip for Bruckner stenters. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confined to woven fabrics. The clip starts open. W...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Bruckner Stenter Clip Type 4

Clip for Bruckner stenters. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confined to woven fabrics. The clip starts open. W...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Artos Stenter Clip

Clip for Artos stenters. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confined to woven fabrics. The clip starts open. When...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Stentex Stenter Clip

Clip for Stentex stenters. Stentex is a German stenter builder, and the clips are a regular wear item on its rails. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, pr...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Pin Holder for Artos Stenter Chain

Pin holder for Artos stenter chains. The holder is what carries the pin plate on the chain, so it takes the full fabric tension the pins collect and has to keep the plate square to the rail. Black finish metal, 0.65 kg reference weight, built for Artos machines with the oil-free guide.

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Monforts Stenter Clip Type 3

Clip for Monforts clip stenters. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confined to woven fabrics. The clip starts op...

Application	clip stenter
Material	metal
Colour	silver
Brand	XTY
Origin	Zhejiang, China



Monforts Clip and Pin Double Use Clip

A double use clip for Monforts stenters, built to work as both a clip and a pin holder on the same rail. A tenter or stenter carries fabric continuously in open width with precise width control, and the two ways of holding the fabric are pins and clips. A clip stenter needs a definite edge, preferably a selvedge, and is usually ...

Application	Monforts stenter
Material	metal
Type	clip and pin double use
Colour	silver
Weight	0.76kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Monforts Stenter Clip Type 1

The first Monforts clip reference in our range, in silver-finish metal. Stenter machines split into clip stenters and pin stenters. The advantage of a clip is that the edges of the cloth stay relatively flat, which suits thicker fabrics. A clip stenter needs a definite edge to grip, preferably a selvedge, so it is usually confin...

Application	clip stenter
Material	metal
Colour	silver
Brand	YH
Origin	Zhejiang, China

Stenter Brush Wheels

Brush wheels in eleven machine sizes with six bristle types, from PBT for high temperature through to soft goat and horse hair.



Monforts Brush Wheel 220 x 167 mm Second Reference

A second 220 x 167 mm Monforts brush wheel reference. Same size and the same six bristle options, held as a separate line because mills order to different bristle and body colour combinations and want them kept apart on the parts list. A stenter brush wheel presses the fabric selvage down onto the pins as the cloth enters the r...

Machine Type	monforts big
Size	220*167
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



EHWHA Brush Wheel 240 x 180 mm

Brush wheel for EHWHA stenters at 240 x 180 mm, the largest wheel we make. The wide 180 mm body gives a long bristle contact along the pin row, which suits machines running heavier goods. A stenter brush wheel presses the fabric selvage down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the w...

Machine Type	ehwha
Size	240*180
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



Unitech Brush Wheel 265 x 90 mm

Brush wheel for Unitech stenters at 265 x 90 mm. Unitech is an Italian textile machinery builder, and the wheel diameter is larger than anything in the German or Taiwanese ranges. A stenter brush wheel presses the fabric selvage down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong gra...

Machine Type	unitech
Size	265*90
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



ACC Brush Wheel Big 220 x 158 mm

The large ACC brush wheel at 220 x 158 mm. A stenter brush wheel presses the fabric selvage down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvage is not pushed fully onto the pins and the edge lets go inside the chamber. We hold ACC wheels in two size...

Machine Type	ACC big
Size	220*158
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



F2 Brush Wheel 205 x 157 mm

Brush wheel in the F2 size at 205 x 157 mm. A stenter brush wheel presses the fabric selvage down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvage is not pushed fully onto the pins and the edge lets go inside the chamber. It shares its 205 mm diameter...

Machine Type	F2
Size	205*157
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



ACC Brush Wheel Small 180 x 70 mm

The small ACC brush wheel at 180 x 70 mm, for the narrower brush position on an ACC rail. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go ins...

Machine Type	ACC SMALL
Size	180*70
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



Bruckner Brush Wheel Big 220 x 158 mm

The large Bruckner brush wheel at 220 x 158 mm. It is close in diameter to the big Monforts wheel but 9 mm narrower in the body, which is why the two cannot be swapped. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go ...

Machine Type	bruckner big
Size	220*158
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



Bruckner Brush Wheel Small 155 x 85 mm

The small Bruckner brush wheel at 155 x 85 mm, for the narrower brush positions on a Bruckner rail. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go...

Machine Type	bruckner small
Size	155*85
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



ALKAN Brush Wheel 225 x 90 mm

Brush wheel for ALKAN stenters at 225 x 90 mm, the largest diameter in our brush wheel range. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go...

Machine Type	alkan
Size	225*90
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



Monforts Brush Wheel Small 180 x 22 mm

The narrow Monforts brush wheel at 180 x 22 mm. The narrow body suits the tighter brush positions on a Monforts rail where the big 220 mm wheel will not fit. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the...

Machine Type	monforts small
Size	180*22
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



LK Brush Wheel 207 x 80 mm

Brush wheel for LK stenters at 207 x 80 mm. LK machines are Taiwanese built and common across Asian finishing mills, often running mixed with German machines, so the wheel size has to be kept separate on the parts list. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go inside the chamber. Artos rails use their own...

Machine Type	LK
Size	207*80
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



Artos Brush Wheel 205 x 145 mm

Brush wheel for Artos stenters at 205 x 145 mm. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go inside the chamber. Artos rails use their own...

Machine Type	artos
Size	205*145
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair



Monforts Brush Wheel Big 220 x 167 mm

The large Monforts brush wheel at 220 x 167 mm. A stenter brush wheel presses the fabric selvedge down onto the pins as the cloth enters the rail. If the bristles are worn, too soft or the wrong grade for the fabric, the selvedge is not pushed fully onto the pins and the edge lets go inside the chamber. This is the size most Mon...

Machine Type	monforts big
Size	220*167
Bristle Options	PBT for high temperature / brown pig hair / black pig hair / with glue / goat hair / horse hair

PEEK Nuts Sliders and Bushes

Self-lubricating PEEK wear parts for stenter chains and width adjustment, replacing copper mesh linings and greased metal nuts.



PEEK Buffer Block for Monforts Stenters

PEEK buffer block for Monforts stenter machines. PEEK, polyether ether ketone, is a high-performance thermoplastic. It combines high temperature resistance, wear resistance, self-lubrication, low noise, corrosion resistance and high strength, which is why it has spread so widely through textile machinery. A buffer block absorbs ...

Application	Monforts stenter
Material	peek
Type	44*7 / 44*6 / 45*6 / 45*6.35
Colour	black and yellow
Weight	0.238kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Slider for Artos Stenter Chain

PEEK slider for Artos stenter chains. PEEK, polyether ether ketone, is a high-performance thermoplastic. It combines high temperature resistance, wear resistance, self-lubrication, low noise, corrosion resistance and high strength, which is why it has spread so widely through textile machinery. On a chain the slider is the part ...

Application	Monforts stenter
Material	peek
Type	44*7 / 44*6 / 45*6 / 45*6.35
Colour	black and yellow
Weight	0.238kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Nut for IL SUNG Stenters

A PEEK nut is, strictly speaking, the adjustable nut on the stenter's lead rod, the part that lets the guide rail be widened. Because PEEK is self-lubricating it needs no molybdenum disulfide. It is not easy to break, it resists high temperature and corrosion, it wears slowly, and it lasts longer than the part it replaces. PEEK,...

Application	Monforts stenter
Material	peek
Type	44*7 / 44*6 / 45*6 / 45*6.35
Colour	black and yellow
Weight	0.238kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Bush for Monforts Stenter Chain

A PEEK bush is the wear-resistant lining between the pin and the chain. It replaces the original copper mesh lining. PEEK, polyether ether ketone, is a high-performance thermoplastic. It combines high temperature resistance, wear resistance, self-lubrication, low noise, corrosion resistance and high strength, which is why it has...

Application	Monforts stenter
Material	peek
Type	black,white,yellow
Colour	black,white,brown
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Nut for Monforts Stenters Black

A PEEK nut is, strictly speaking, the adjustable nut on the stenter's lead rod, the part that lets the guide rail be widened. Because PEEK is self-lubricating it needs no molybdenum disulfide. It is not easy to break, it resists high temperature and corrosion, it wears slowly, and it lasts longer than the part it replaces. PEEK,...

Application	Monforts stenter
Material	peek
Type	44*7 / 44*6 / 45*6 / 45*6.35
Colour	black and yellow
Weight	0.238kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days




PEEK Nut for Monforts Stenters Brown

A PEEK nut is, strictly speaking, the adjustable nut on the stenter's lead rod, the part that lets the guide rail be widened. Because PEEK is self-lubricating it needs no molybdenum disulfide. It is not easy to break, it resists high temperature and corrosion, it wears slowly, and it lasts longer than the part it replaces. PEEK,...

Application	Monforts stenter
Material	peek
Type	44*7 / 44*6 / 45*6 / 45*6.35
Colour	black and yellow
Weight	0.238kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days

Cloth Cutting Blades

Steel cutting blades for stenter cutting machines, 200 x 40 mm in 2.3 mm and 2.5 mm thickness.



Cloth Cutting Blade 200 x 40 mm for Stenter Cutting Machines

Steel cloth cutting blade for the cutting unit on a Monforts stenter, 200 x 40 mm in two thicknesses, 2.3 mm and 2.5 mm. The blade trims the fabric edge, usually the pinned selvage, as the cloth leaves the machine. A dull blade tears rather than cuts, which shows up as a ragged edge on the finished roll.

Application	Monforts stenter cutting machine
Material	steel
Type	200*40*2.3 / 200*40*2.5
Colour	silver
Weight	0.44kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days

Monforts Stenter Machine Spare Parts

Chains, pin plates, clips, brush wheels, PEEK parts and guide rail wear parts for Monforts stenter frames, made in Shaoxing and shipped in 7 days.



Flat Nylon Selvage Uncurler

A flat nylon selvage uncurler is a guide fitted in stenter machines, Monforts, Bruckner or Santex among them, to stop fabric edges curling or rolling during processing. It is made from high-wear nylon or polymer, so it handles fabric smoothly, it is non-abrasive and reduces friction and edge damage, and it resists the heat and ...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Three Finger Selvage Uncurler for Monforts Stenters

A finger selvage uncurler is an infeed accessory for Monforts stenters that keeps the fabric edges smooth and flat through stretching and drying. It stops rolled or curled selvages, which otherwise cause uneven stretching, defects and handling problems, and it keeps the fabric width consistent and correctly aligned into the ch...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Flat Nylon Selvage Uncurler and Pinning Device Assembly

A flat nylon selvage uncurler is a guide fitted in stenter machines, Monforts, Bruckner or Santex among them, to stop fabric edges curling or rolling during processing. It is made from high-wear nylon or polymer, so it handles fabric smoothly, it is non-abrasive and reduces friction and edge damage, and it resists the heat and ...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Flat Nylon Selvage Uncurler Second Profile

A flat nylon selvage uncurler is a guide fitted in stenter machines, Monforts, Bruckner or Santex among them, to stop fabric edges curling or rolling during processing. It is made from high-wear nylon or polymer, so it handles fabric smoothly, it is non-abrasive and reduces friction and edge damage, and it resists the heat and ...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Four Finger Selvedge Uncurler for Monforts Stenters

A finger selvedge uncurler is an infeed accessory for Monforts stenters that keeps the fabric edges smooth and flat through stretching and drying. It stops rolled or curled selvedges, which otherwise cause uneven stretching, defects and handling problems, and it keeps the fabric width consistent and correctly aligned into the ch...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	silver
Weight	0.6kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Roller for Selvedge Uncurlers Second Size

A selvedge uncurler opens and flattens the edges of fabric during dyeing, finishing or printing. Uncurlers work either mechanically, by physical contact, or pneumatically, which is contactless and suits delicate fabrics such as denim. Roller types come in two, three and four finger designs. They are used on stenters, pre-shrinki...

Application	Monforts stenter
Material	peek
Type	black,white,yellow
Colour	black,white,brown
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



PEEK Roller for Selvedge Uncurlers

A selvedge uncurler opens and flattens the edges of fabric during dyeing, finishing or printing. Uncurlers work either mechanically, by physical contact, or pneumatically, which is contactless and suits delicate fabrics such as denim. Roller types come in two, three and four finger designs. They are used on stenters, pre-shrinki...

Application	Monforts stenter
Material	peek
Type	black,white,yellow
Colour	black,white,brown
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days



Carbon Graphite Strip for Monforts Stenter Guide Rails

Carbon graphite strip for Monforts stenter guide rails. The strip is the sacrificial wear surface between the chain and the rail. Graphite is self-lubricating in its own right, so the strip carries the chain without an oil film, which is exactly what an oil-free guide needs and what keeps lubricant away from the fabric.

Application	Monforts stenter
Material	peek
Type	black,white,yellow
Colour	black,white,brown
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days

Bruckner Stenter Machine Spare Parts

Four chain patterns, two pin plate patterns, four clip references, brush wheels in two sizes and a lubricated chain version for Bruckner stenter frames.



Bruckner Stenter Chain Lubrication Version

The lubricated version of our Bruckner stenter chain, for machines whose guide runs with grease rather than oil free. The chain is built to take a lubricant film at the bearing surfaces, which is a different specification from the dry oil-free build. Black finish metal, 0.65 kg reference weight, supplied with grease or without g...

Application	Monforts stenter (Oil-free guide)
Material	metal
Type	with grease and without grease
Colour	black
Weight	0.65kg
Brand	YH
Origin	Zhejiang, China
Delivery Time	Within 7 days

LK Stenter Machine Spare Parts

Chain, chain parts, guide rail, 76 mm pin plate holders, pin plates, brush wheels and BESLUX chain oil for LK stenter frames.



Guide Rail for LK Stenter Machines

Guide rail for LK stenters. Guide rails are made from high-quality steel or alloy so they stand up to heat and wear, and the material has to resist corrosion and heat distortion because a stenter runs hot. Proper alignment matters as much as the rail itself: it is what prevents fabric distortion and keeps tension even. LK guide ...

Application	LK stenter
Material	metal steel
Colour	silver
Brand	YH
Origin	Zhejiang, China



BESLUX High Temperature Chain Oil From Spain

BESLUX chain lubrication oil, made in Spain, for stenter chains. A stenter chain runs hot and fast, and the wrong oil either slings off the chain or breaks down in the chamber. The qualities that matter are viscosity and adhesion, high temperature stability, anti-wear and anti-corrosion additives, and low friction.

Application	LK stenter chain
Material	high quality oil
Brand	beslux
Origin	Zhejiang, China



LK Pin Plate Holder 76 mm

Pin plate holder for LK stenters with a 76 mm hold size. The holder is made from specialised alloys so it can handle the high temperatures inside a stenter frame, and the shape is matched to the LK machine. It is the part that carries the pin plate on the chain and keeps it square to the rail.

Application	LK stenter
Material	alloy
Colour	silver
Brand	YH
Origin	Zhejiang, China