

Wood-Based Panels and Flooring Catalogue

Exporting since 2012. Annual panel sales above 80,000 square metres.

Free samples. Quality inspection before loading. Third-party inspection accepted.

Typical delivery 15 days after deposit or L/C at sight. Minimum order 1 x 20GP.

Address: Kaifaqu Dangdai Hexin, Building 10, Room 718, Liaocheng, Shandong, China

Plywood Board (49 items)

Cross-laminated plywood panels for furniture, construction and interior work, supplied by container from Shandong.

- Commercial Plywood Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Sapelli Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Natural E0 Grade Teak Fancy Plywood | Teak Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM
- Birch Marine and Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Concrete formwork Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China
- Birch Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar
- Basswood Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core pop
- Marine Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar
- Construction Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core
- Rated Plywood For Furniture Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request
- Corrosion Resistant Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9
- Melamine Faced Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,1
- Poplar Core Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm
- Birch Bend Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm
- Pine Bend Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,
- NAF Formaldehyde Grade Okoume Surface Eucalyptu Core Marine Plywood | Okoume | 1220*2440,1220*2500,610MMx24
- Unfaced Birch Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- 2.7mm,5mm,9mm,12mm ,15mm ,18mm ,21mm Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Pine Wood Veneer Faced Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Okoume Faced Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Bintangor Faced Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- 0.5mm-25mm waterproof plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm
- Marine-Grade Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,2
- Boiling Water Resistant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,1
- Moisture Resistant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,1
- Boiling Waterproof Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,1
- 4mm-25mmVeneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm
- Birch Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,1
- decorative veneer plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18
- Wood grain single-sided plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,1
- Warm white Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,1
- 18mm melamine board warm white | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15
- Melamine Faced Plywoods | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm
- Double-sided melamine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15m
- Warm white melamine plywood
- Okoume melamine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm
- AB class phenolic plywood for ships | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12m
- BB/CC marine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,2
- Pine Marine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,21
- Birch Marine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,2
- Water Resistant Plywood - Water Resistant Plywood Type 1 | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon
- Meranti marine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm
- Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm
- Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar,hardw
- Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Commercial Plywood - 1220*2440MM | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,2
- Melamine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,21mm
- Marine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,21mm ,2

Commercial Plywood (6 items)

General-purpose plywood for furniture carcasses, packaging and interior joinery where cost per sheet decides the order.

- Unfaced Birch Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- 2.7mm,5mm,9mm,12mm ,15mm ,18mm ,21mm Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Pine Wood Veneer Faced Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Okoume Faced Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Bintangor Faced Commercial Plywood | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Commercial Plywood - 1220*2440MM | 1220*2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request

Fancy Plywood (6 items)

Decorative face plywood in natural and reconstituted veneers for visible furniture and interior surfaces.

- Commercial Plywood Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Sapelli Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- Natural E0 Grade Teak Fancy Plywood | Teak Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM
- Birch Marine and Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request
- NAF Formaldehyde Grade Okoume Surface Eucalyptu Core Marine Plywood | Okoume | 1220*2440,1220*2500,610MMx2440MM
- Fancy Plywood | 1220*2440,1220*2500,610MMx2440MM | 9mm,12mm ,15mm ,18mm ,21mm or as request

Film Faced Plywood (6 items)

Phenolic film-coated formwork plywood engineered for repeated concrete pours.

- Concrete formwork Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China
- Birch Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar
- Basswood Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar
- Marine Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar
- Construction Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar
- Film Faced Plywood | wbp-phenolic,wbp-melamine,MR Place of Product Shandong Province, China core poplar,hardwood

Fire Retardant Plywood (7 items)

Pressure-treated plywood that chars instead of feeding a flame, for interiors with a fire specification.

- Rated Plywood For Furniture Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9
- Corrosion Resistant Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9
- Melamine Faced Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Poplar Core Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Birch Bend Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Pine Bend Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Fire Retardant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm

Marine Plywood (6 items)

Boiling-water-resistant hardwood plywood for boatbuilding, wet areas and exterior joinery.

- AB class phenolic plywood for ships | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- BB/CC marine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Pine Marine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Birch Marine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Meranti marine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Marine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm

Melamine Plywood (6 items)

Plywood pre-faced with melamine impregnated paper, finished and ready to cut on arrival.

- 18mm melamine board warm white | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Melamine Faced Plywoods | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Double-sided melamine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Warm white melamine plywood
- Okoume melamine plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Melamine Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm

Veneer Faced Plywood (6 items)

Plywood faced with natural wood veneer for furniture and interior surfaces that will be finished on site.

- 4mm-25mm Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- Birch Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm
- decorative veneer plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm ,18mm ,21mm

- Wood grain single-sided plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,1
- Warm white Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,1
- Veneer Faced Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,2

Water Resistant Plywood (6 items)

WBP-bonded plywood for humid interiors, wet trades and exterior-adjacent work.

- 0.5mm-25mm waterproof plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm
- Marine-Grade Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,18mm ,2
- Boiling Water Resistant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,1
- Moisture Resistant Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,1
- Boiling Waterproof Plywood | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon request | 9mm ,12mm ,15mm,1
- Water Resistant Plywood - Water Resistant Plywood Type 1 | 1220*2440mm(4*8'),900*2100mm ,1250*2500mm or upon

Density Board (48 items)

The full fibreboard range, from standard MDF through moisture resistant, fire rated and pre-finished panels.

- Home high gloss laminated density board | 1220*2440mm | 1-25mm
- Laminated density board for furniture | 1220*2440mm | 1-25mm
- Laminated high-density fiberboard | 1220*2440mm | 1-25mm
- 12mm 18mm 20mm Laminated MDF | 1220*2440mm | 1-25mm
- E0 E1 Laminated MDF | 1220*2440mm | 1-25mm
- Laminated MDF | 1220*2440mm | 1-25mm
- Fiberboard HDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine faced high density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm
- Hard fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- E1 HDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- High-density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- HDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 1220mm x 2440mm Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm
- Green Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thicknes
- Melamine faced flame retardant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (th
- Flame retardant density board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickne
- Fireproof melamine veneer medium density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm),
- Wall decoration fireproof density board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5m
- Eco Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥
- Pink fireproof medium density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5
- Fire Rated MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Furniture Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 18
- Natural Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1830
- Waterproof Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1
- High Gloss Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1
- Customizable Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm /
- 3mm 6mm 12mm 18mm Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5
- E2 Glue MDF Board | MDF Board Size(mm) 1220*2440mm,1250*2500m, or upon request | Tolerance +/-0.2mm (thickn
- Red MDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1830x2440 mm
- Natural Waterproofing Mirror Melamine Faced MDF | 1220*2440mm | 1-25mm
- Mirror Melamine Faced MDF | 1220*2440mm | 1-25mm
- Outdoor Decoration MDF | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- White Two Sides Melamine Faced MDF | 1220*2440mm | 1-25mm
- Indoor decorative density board | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Walnut medium density fiberboard | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 3mm 6mm 9mm 12mm 18mm Melamine Faced MDF | 1220*2440mm | 1-25mm
- Moisture proof fancy MDF | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Red oak veneer medium density fiberboard | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickn
- White Melamine Faced MDF | 1220*2440mm | 1-25mm
- Melamine Faced MDF | 1220*2440mm | 1-25mm
- Fireproof MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Fancy MDF | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Waterproof Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thi

- E1 MDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 2mm MDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- MDF Board - Tolerance +/-0.2mm (thickness<6mm)... | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +

MDF Board (6 items)

Standard medium density fibreboard for painted furniture, routed doors and interior joinery.

- E2 Glue MDF Board | MDF Board Size(mm) 1220*2440mm,1250*2500m, or upon request | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Red MDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Fireproof MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- E1 MDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 2mm MDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- MDF Board - Tolerance +/-0.2mm (thickness<6mm)... | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +

HDF Board (6 items)

High density fibreboard for thin, rigid components and laminate flooring cores.

- Fiberboard HDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine faced high density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Hard fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- E1 HDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- High-density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- HDF Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Moisture Resistant MDF (6 items)

Green-core MDF with moisture resistant resin for kitchens, bathrooms and humid climates.

- 1220mm x 2440mm Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Green Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Eco Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 3mm 6mm 12mm 18mm Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Waterproof Moisture Resistant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Fire Rated MDF (6 items)

Flame-retardant MDF for interior linings and furniture that must meet a fire specification.

- Melamine faced flame retardant MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Flame retardant density board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Fireproof melamine veneer medium density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Wall decoration fireproof density board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Pink fireproof medium density fiberboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Fire Rated MDF | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Melamine Faced MDF (6 items)

MDF pressed with melamine impregnated paper for a finished, wipe-clean surface straight off the pallet.

- Natural Waterproofing Mirror Melamine Faced MDF | 1220*2440mm | 1-25mm
- Mirror Melamine Faced MDF | 1220*2440mm | 1-25mm
- White Two Sides Melamine Faced MDF | 1220*2440mm | 1-25mm
- 3mm 6mm 9mm 12mm 18mm Melamine Faced MDF | 1220*2440mm | 1-25mm
- White Melamine Faced MDF | 1220*2440mm | 1-25mm
- Melamine Faced MDF | 1220*2440mm | 1-25mm

Laminated MDF (6 items)

MDF supplied with a bonded decorative laminate face, ready to cut and assemble.

- Home high gloss laminated density board | 1220*2440mm | 1-25mm
- Laminated density board for furniture | 1220*2440mm | 1-25mm
- Laminated high-density fiberboard | 1220*2440mm | 1-25mm
- 12mm 18mm 20mm Laminated MDF | 1220*2440mm | 1-25mm
- E0 E1 Laminated MDF | 1220*2440mm | 1-25mm
- Laminated MDF | 1220*2440mm | 1-25mm

Veneer MDF (6 items)

MDF faced with natural wood veneer for furniture and interiors finished in your own spray line.

- Furniture Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 18
- Natural Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1830
- Waterproof Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1
- High Gloss Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1
- Customizable Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm /
- Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1830x2440 mm

Fancy MDF (6 items)

Decorative-faced MDF for visible furniture surfaces where the panel is the finish.

- Outdoor Decoration MDF | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Indoor decorative density board | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Walnut medium density fiberboard | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Moisture proof fancy MDF | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Red oak veneer medium density fiberboard | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Fancy MDF | E2,E1 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Particle Board (27 items)

Resin-bonded wood particle panels for high-volume furniture and carcass work.

- OSB1 OSB2 OSB3 Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Multi Colors OSB Panel | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- High Gloss Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1
- Customizable Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm /
- Structural Panel OSB Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Veneer MDF | Excellent Slab Structure Wooden fibers Stock dimensions 1220x2440mm / 1220x3050mm / 1830x2440 mm
- Waterproof OSB Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- OSB Wood Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- OSB Oriented Strand Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Waterproof Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Green Core Moisture Resistant Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 12mm 16mm 18mm MR Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Waterproof Moisture Proof Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- HMR High Moisture Resistant Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Moisture Resistant Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Warm White Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Solid Color Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Wood Grain Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 18mm Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- E1 Grade Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- MFC Melamine Face Chipboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Both Sides Melamine Chipboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Faced Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Particleboard MFC Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Faced Chipboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Melamine Particle Board (6 items)

Particle board pre-faced with melamine decor paper, the standard panel of volume furniture production.

- MFC Melamine Face Chipboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Both Sides Melamine Chipboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Faced Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Particleboard MFC Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Faced Chipboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Melamine Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Moisture Resistant Particle Board (6 items)

Chipboard with moisture resistant resin for kitchen, bathroom and humid-climate furniture.

- Waterproof Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Green Core Moisture Resistant Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 12mm 16mm 18mm MR Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Waterproof Moisture Proof Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- HMR High Moisture Resistant Particleboard | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Moisture Resistant Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Laminated Particle Board (6 items)

Chipboard supplied with a bonded decorative laminate surface for furniture and fit-out.

- Warm White Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Solid Color Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Wood Grain Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- 18mm Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- E1 Grade Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Laminated Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

OSB (6 items)

Oriented strand board in OSB1 to OSB4 grades for structural and packaging use.

- OSB1 OSB2 OSB3 Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Multi Colors OSB Panel | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Structural Panel OSB Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- Waterproof OSB Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- OSB Wood Particle Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)
- OSB Oriented Strand Board | WR,WBP,E0,E1,E2 | Tolerance +/-0.2mm (thickness<6mm), +/-0.3~0.5mm (thickness≥6mm)

Blockboard (5 items)

Solid timber core board faced with veneer, for long spans that must not sag.

- Commercial Veneer Faced Block Board | 1220x2440mm or as client's request | 12~25mm
- 1220 x 2440mm Laminated Wood Block Board | 1220x2440mm or as client's request | 12~25mm
- Glossy White 18 mm Melamine Block Board | 1220x2440mm or as client's request | 12~25mm
- Melamine Block Board | 1220x2440mm or as client's request | 12~25mm
- Block Board | 1220x2440mm or as client's request | 12~25mm

Ecological Board (2 items)

Low-emission faced panels for furniture programmes with an environmental specification.

- Surface Melamine Ecological Board | 1220x2440mm or as client's request | 12~25mm
- Ecological Board | 1220x2440mm or as client's request | 12~25mm

Wooden Boards (5 items)

Core panel lines selected as the starting point for most enquiries.

- Oriented Strand Board (OSB) | 1220x2440mm, 1250x2500mm, 1250x3000mm, or as Customized | 2.7~30mm(3mm,5mm,9mm)
- Film-faced Plywood / Construction Plywood | 1220x2440mm, 1250x3000mm, or Customized | 2.7~30mm (4mm, 6mm, 9mm)
- Commercial Plywood - 1220x2440mm, 1250x3000mm, or as Customized | 1220x2440mm, 1250x3000mm, or as Customized
- MDF Board - 2.7~30mm (3mm, 5mm, 9mm, 12mm, 15mm, 18mm) | 1220x2440mm, 1250x2500mm, 1250x3000mm, or as Customized
- Water Resistant Plywood - Wooden Boards Type 2 | 1220*2440mm(4'*8'),900*2100mm ,1250*2500mm or upon request

Wood Floor (9 items)

Solid, engineered and laminate flooring supplied by container for residential and contract projects.

- Waterproof Laminate Wood Flooring
- Engineered Laminate Flooring
- Laminate Hardwood Flooring
- Multi-layer Wooden Floor
- Straight Grain Oak Solid Wood Flooring
- Pine Composite Outdoor Flooring
- Vinyl Laminate Wood Flooring
- Laminate Wood Flooring
- Solid Wood Flooring

Solid Wood Flooring (8 items)

Flooring milled directly from solid timber, with the natural texture and warmth of real wood.

- Waterproof Laminate Wood Flooring
- Engineered Laminate Flooring
- Laminate Hardwood Flooring
- Straight Grain Oak Solid Wood Flooring
- Pine Composite Outdoor Flooring
- Vinyl Laminate Wood Flooring
- Laminate Wood Flooring
- Solid Wood Flooring

Multi-layer Wooden Floor (1 items)

Engineered multi-layer flooring that keeps a real wood surface while resisting seasonal movement.

- Multi-layer Wooden Floor