

Sanitary Valves and Fittings

Product Catalogue | 135 items | 15 categories

Wenzhou Zhenan Machinery Co., Ltd

Founded 2003 | 20000 m2 plant | Wenzhou, China

Standards: AS1528, BS4825, DIN 11864, 3-A, SMS, RJT, ISO

Materials: AISI 304 and AISI 316L | Standard finish Ra 0.8 um

Certifications: 3-A Sanitary Standards, FDA, CE, GMP

WhatsApp +86 151 1818 2281 | znsanitaryvalve.com

21 products

Compact on-off isolation for hygienic pipework, from a hand lever on a 1 inch transfer line to a pneumatic actuator on a tank outlet.

Hygienic Powder Tight Butterfly Valve - Wafer Tri-Clamp Connection

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/hygienic-powder-tight-butterfly-valve-wafer-tri-clamp-connection.html>

Sanitary Stainless Steel Clamped Powder Butterfly Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/hygienic-manual-butterfly-valve-welded-ends-for-powder-applications.html>

Stainless Steel 316 Hygienic Tank Bottom Discharge Butterfly Valve - Powder Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-316-hygienic-tank-bottom-discharge-butterfly-valve-powder-tight.html>

Stainless Steel Hygienic Grade Sanitary Pneumatic Butterfly Valve - Clamped Connection

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-grade-pneumatic-butterfly-valve-clamped-connection.html>

Stainless Steel Food Grade Manual Butterfly Valve - Flange-Clamped

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-manual-butterfly-valve-flange-clamped.html>

Sanitary Butterfly Valve - Gripper Handle Male-Male Thread

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-butterfly-valve-duck-type-handle-male-male-thread.html>

Sanitary Stainless Steel Manual Welding Quick Release Powder Butterfly Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-processing-butterfly-valve-big-size-pull-handle-welded.html>

Stainless Steel Sanitary Manual Butterfly Valve - Round Handle Union-Male

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-butterfly-valve-plastic-handle-male-male-thread-e5-a4-8d-e5-88-b6.html>

Stainless Steel Sanitary Butterfly Valve - Plastic Handle Male-Male Thread

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-butterfly-valve-plastic-handle-male-male-thread.html>

Sanitary Pneumatic Welded Butterfly Valve with Actuator - Stainless Steel

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/pneumatic-sanitary-welded-butterfly-valve-with-actuator-stainless-steel.html>

Sanitary Manual Butterfly Valve Weld End High Purity

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-manual-butterfly-valve-weld-end-high-purity.html>

Sanitary Pneumatic Butterfly Valve CIP Tri-Clamp Connection

<https://znsanitaryvalve.com/products/sanitary-pneumatic-butterfly-valve-cip-tri-clamp-connection.html>

Stainless Steel Sanitary Powder Butterfly Valve for Tank Bottom Discharge

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-powder-butterfly-valve-for-tank-bottom-discharge.html>

Sanitary Manual Male-Welded Butterfly Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-manual-male-welded-butterfly-valve.html>

Stainless Steel Food Grade Sanitary Pneumatic Butterfly Valve with Limit Switch

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-pneumatic-butterfly-valve-with-limit-switch.html>

Sanitary Stainless Steel Sanitary Flange Valve | Food Grade

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-sanitary-flange-valve-food-grade.html>

Stainless Steel Sanitary Threaded 3-Way Butterfly Valve | Manual

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-threaded-3-way-butterfly-valve-manual.html>

Sanitary Stainless Steel Flange End Butterfly Valve | Round Handle

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-flange-end-butterfly-valve-round-handle.html>

Sanitary Tri-Clamp Butterfly Valves with Plastic Handle

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-tri-clamp-butterfly-valves-with-plastic-handle.html>

Sanitary Tri-Clamp Butterfly Valve Clamped with SS Handle

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-tri-clamp-butterfly-valve-pull-trigger-manual-control-e5-a4-8d-e5-88-b6.html>

Sanitary Tri-Clamp Butterfly Valve | Pull-Trigger Manual Control

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-tri-clamp-butterfly-valve-pull-trigger-manual-control.html>

20 products

Full bore shut-off where the line must drain clean and the pressure drop has to stay near zero, including 3-way and 4-way diverting bodies.

Stainless Steel Forged Hygienic Manual 4way Ball Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-forged-hygienic-manual-ball-valve.html>

3-Piece Sanitary Ball Valve with Pneumatic Actuation

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/3-piece-sanitary-ball-valve-with-pneumatic-actuation.html>

Food Grade Stainless Steel 3-Way Female Threaded Ball Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-equipment-manual-ball-valve-clamped-non-retention-e5-a4-8d-e5-88-b6-e5-a4-8d-e5-88-b6.html>

Stainless Steel Food Equipment Manual Ball Valve - Clamped Non-Retention

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-equipment-manual-ball-valve-clamped-non-retention.html>

Stainless Steel Food Grade 2-Way Ball Valve - Clamped - Type 1

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-2-way-ball-valve-clamped-2.html>

Stainless Steel Food Grade Pneumatic Non-Retention Ball Valve - Tri-Clamped

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-pneumatic-ball-valve-tri-clamp-non-retention.html>

Stainless Steel Food Grade Pneumatic Straight-Way Ball Valve - Tri-Clamp

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-pneumatic-straight-way-ball-valve-tri-clamp.html>

Stainless Steel Food Grade 2-Way Ball Valve - Clamped - Type 2

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-grade-2-way-ball-valve-clamped.html>

Stainless Steel Hygienic 3-Way Ball Valve - Clamped Manual

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-3-way-ball-valve-clamped-manual.html>

Stainless Steel Hygienic Straight-Way Ball Valve - Female Threaded

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-straight-way-ball-valve-female-threaded.html>

Stainless Steel Hygienic 3-Way Ball Valve - Threaded Connection

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-3-way-ball-valve-threaded-connection.html>

Stainless Steel Hygienic 2-Way Ball Valve - Tri-Clamp

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-2-way-ball-valve-tri-clamp.html>

Stainless Steel Sanitary Welded Manual Non-Retention Ball Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-welded-manual-non-retention-ball-valve.html>

Stainless Steel Sanitary 2-Way Ball Valve - Male Threaded

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-2-way-ball-valve-male-threaded.html>

Stainless Steel Sanitary Butterfly Type Ball Valve - Round Handle Tri-Clamp

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-butterfly-type-ball-valve-round-handle-tri-clamp.html>

Stainless Steel Sanitary Manual 3-Way Ball Valve - Clamped Connection

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-manual-3-way-ball-valve-clamped-connection.html>

Stainless Steel Sanitary Pneumatic 3-Piece Ball Valve - Threaded Connection

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-pneumatic-3-piece-ball-valve-threaded-connection.html>

Stainless Steel Food Processing Manual Ball Valve - Tri-Clamp Non-Retention

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-processing-manual-ball-valve-tri-clamp-non-retention.html>

Stainless Steel Hygienic Manual Ball Valve - Middle-Clamp Non-Retention

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-manual-ball-valve-middle-clamp-non-retention.html>

Stainless Steel Sanitary Butterfly Type Ball Valve - Round Handle Welded

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-butterfly-type-ball-valve-round-handle-welded.html>

15 products

The valve to use when the actuation mechanism must be completely isolated from the product, for high purity water, media and sterile transfer.

Stainless Steel Sanitary Pneumatic Bending Tank Bottom Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-pneumatic-bending-tank-bottom-valve.html>

Manual Clamped Diaphragm Valve for Pharmaceutical and Food Industries

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/manual-clamped-diaphragm-valve-for-pharmaceutical-and-food-industries.html>

Food Grade Stainless Steel Manual Diaphragm Valve with High Precision Casting

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/food-grade-stainless-steel-manual-diaphragm-valve-with-high-precision-casting.html>

Tri-Clamped Aluminum Pneumatic Diaphragm Valve for Stainless Steel Food Processing Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/tri-clamped-aluminum-pneumatic-diaphragm-valve-for-stainless-steel-food-processing-equipment.html>

Manual Stainless Steel Sanitary Tank Bottom Valve for Food Processing-Diaphragm Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/manual-stainless-steel-aseptic-tank-bottom-valve-for-food-processing-diaphragm-valve.html>

Manual Clamped Sanitary Diaphragm Valve with Drain - Stainless Steel

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-manual-clamped-diaphragm-valve-with-drain-stainless-steel.html>

Sanitary Manual Tank Bottom Seat Valve - Stainless Steel Food Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-manual-tank-bottom-seat-valve-stainless-steel-food-equipment.html>

Hygienic Manual Tank-Bottom Diaphragm Valve - Stainless Steel

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/hygienic-manual-tank-bottom-diaphragm-valve-stainless-steel.html>

Manual Operated Stainless Steel Clamped Tank Bottom Diaphragm Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/manual-operated-stainless-steel-clamped-tank-bottom-diaphragm-valve.html>

Sanitary Stainless Steel Pneumatic Bending Type Tank Bottom Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-pneumatic-bending-type-tank-bottom-valve.html>

Hygienic Stainless Steel Pneumatic Diaphragm Valve with SS Actuator - Tri-Clamp

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/hygienic-stainless-steel-pneumatic-diaphragm-valve-with-ss-actuator-tri-clamp.html>

Sanitary Stainless Steel Pneumatic Tri-Clamp Diaphragm Valve with Mini Actuator

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-pneumatic-tri-clamp-diaphragm-valve-with-mini-actuator.html>

Food Grade Stainless Steel Pneumatic Tank Bottom Diaphragm Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/food-grade-stainless-steel-pneumatic-tank-bottom-diaphragm-valve.html>

Food Grade Stainless Steel Manual T-Type Clamped Forging Diaphragm Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/food-grade-stainless-steel-manual-t-type-clamped-forging-diaphragm-valve.html>

Stainless Steel Hygienic U Type Manual Diaphragm Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-grade-u-type-manual-diaphragm-valve.html>

8 products

Non-return protection that stops product, CIP chemical or air flowing back into a clean section of the plant.

Sanitary Stainless Steel Double-Union NRV Check Valve for Food Processing Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-double-union-nrv-check-valve-for-food-processing-equipment.html>

Stainless Steel Sanitary Welded Check Valve with Clamp Connection for Food Applications

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-check-valve-with-clamp-connection-for-food-applications.html>

Sanitary Stainless Steel Thread Welding Check Valve

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-union-check-valve-with-middle-clamp-design-for-food-processing.html>

Stainless Steel Sanitary Tri Clamped Check Valve with Light Clamp

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-middle-clamp-check-valve-for-food-processing-systems.html>

Sanitary NRV Check Valve with Clamped Middle Connection

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-nrv-check-valve-with-clamped-middle-connection.html>

Stainless Steel Sanitary Union Type Check Valve with Middle-Clamp Design

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-union-type-check-valve-with-middle-clamp-design.html>

Sanitary Ball Type NRV Check Valve Hygienic Grade

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-ball-type-nrv-check-valve-hygienic-grade.html>

Sanitary Stainless Steel NRV Check Valve with Middle-Clamp and Male Threading

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-nrv-check-valve-with-middle-clamp-and-male-threading.html>

12 products

Branch fittings in clamped, welded and union versions, including short outlet, Y-type, U-type and instrument tees.

Sanitary Stainless Steel Butt Weld Reducing Tee

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-butt-weld-reducing-tee.html>

Stainless Steel Sanitary Tri-Clamp End U Type Tee

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-u-type-reducing-tee-with-tri-clamped-ends.html>

Sanitary Stainless Steel 90 Degree Welding Double Bend

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-reducing-short-tee.html>

Sanitary Stainless Steel 90 Degree Clamp Double Elbow

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-double-bend-elbow-line-splitter.html>

AS Sanitary Stainless Steel Welded Short Tee

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-reducing-short-tee-for-food-processing-systems.html>

Sanitary Stainless Steel Equal Tee with Male-Union Connection for Food Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-equal-tee-with-male-union-connection-for-food-systems.html>

Sanitary Stainless Steel Clamped Equal Tee

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-clamped-equal-tee.html>

Sanitary Stainless Steel Welded Equal Tee for Hygienic Fluid Distribution

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-equal-tee-for-hygienic-fluid-distribution.html>

Sanitary Stainless Steel 45 Degree Welded Y Tee for Food and Beverage Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-lateral-y-tee-for-food-and-beverage-systems.html>

Sanitary Stainless Steel Lateral Y Tee with Tri-Clamp Connection for Food Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-lateral-y-tee-with-tri-clamp-connection-for-food-equipment.html>

Sanitary Stainless Steel Welded Y-Type Tee for Hygienic Fluid Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-y-type-tee-for-hygienic-fluid-systems.html>

Sanitary Stainless Steel Clamped Y-Type Tee for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-clamped-y-type-tee-for-food-processing-systems.html>

9 products

45, 90 and 180 degree bends in clamped, welded and threaded versions, including long radius bends for pumped product.

BPE Sanitary 180 Degree Clamp U Type Elbow

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-180-u-type-welded-elbow-for-hygienic-fluid-systems.html>

Sanitary Stainless Steel 180° U-Type Welded Elbow Bend for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-180-u-type-welded-elbow-bend-for-food-processing-systems.html>

Sanitary Stainless Steel 45 Degree Tri-Clamped Elbow Bend for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-45-tri-clamped-elbow-bend-for-food-processing-systems.html>

Stainless Steel 90 Degree Clamp Elbow for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-tri-clamp-90-elbow-for-food-processing-systems.html>

Sanitary 45 Degree Clamp-Weld Elbow for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-45-clamp-weld-bend-for-food-processing-systems.html>

Sanitary Stainless Steel 90 Degree Elbow Union Connected for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-90-male-nut-elbow-union-for-food-processing-systems.html>

Sanitary Stainless Steel Butt-Weld 45 Degree Short Bend for Hygienic Fluid Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-90-long-bend-elbow-for-food-processing-systems-2.html>

Sanitary Stainless Steel 90 Degree Welded Short Elbow for Food Processing Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-90-long-bend-elbow-for-food-processing-systems.html>

Stainless Steel Sanitary Welded Elbow Long 90° Bend for Food Processing Pipelines

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-long-90-bend-for-food-processing-pipelines.html>

6 products

Concentric and eccentric reducers that change line size without creating a pocket the line cannot drain.

Stainless Steel Sanitary Clamped Eccentric Reducer

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-clamped-eccentric-reducer-stainless-steel.html>

Stainless Steel Clamped Concentric Reducer for Hygienic Pipelines

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-food-processing-clamped-concentric-reducer-for-hygienic-pipelines.html>

Sanitary Stainless Steel Butt Weld Eccentric Reducer for Hygienic Pipelines

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-butt-weld-eccentric-reducer-for-hygienic-pipelines.html>

Stainless Steel Sanitary Clamped Concentric Reducer

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-clamped-concentric-reducer-stainless-steel.html>

Sanitary Stainless Steel Male Thread Concentric Reducer

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-food-processing-male-threading-concentric-reducer.html>

3A Sanitary Stainless Steel Butt Welded Concentric Reducer

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/3a-sanitary-stainless-steel-butt-welded-concentric-reducer.html>

7 products

Threaded union sets that let a line be broken and remade by hand, in DIN 11851, DIN 11864, SMS, RJT and IDF patterns.

Hygienic Stainless Steel Union Male Part for Sanitary Pipelines

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/hygienic-stainless-steel-union-male-part-for-sanitary-pipelines.html>

DIN11864 Union Male for Stainless Steel Food Processing Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/din11864-union-male-for-stainless-steel-food-processing-equipment.html>

Sanitary DIN Union Liner for Stainless Steel Food Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-din-union-liner-for-stainless-steel-food-equipment.html>

Sanitary Solid End Cap with Chain for Food Processing Equipment

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-solid-end-cap-with-chain-for-food-processing-equipment.html>

Sanitary SMS Round Nut with 6 Slots Stainless Steel Fittings

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-sms-round-nut-with-6-slots-stainless-steel-fittings.html>

Sanitary Stainless Steel SMS Complete Union for Food Processing Pipelines

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-sms-complete-union-for-food-processing-pipelines.html>

Sanitary Stainless Steel RJT Complete Union for Hygienic Pipeline Connections

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-rjt-complete-union-for-hygienic-pipeline-connections.html>

2 products

Four-way fittings for manifolds and CIP headers where two branches meet the main run at the same point.

Food Grade Sanitary Clamped Cross for Sanitary Piping Systems

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/food-grade-clamped-cross-fitting-for-sanitary-piping-systems.html>

Sanitary Stainless Steel Welded Equal Cross for Food Grade

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-equal-cross-for-food-grade.html>

3 products

Clamps that hold the joint, from light single-pin clamps to heavy duty and high pressure bolt closures.

Heavy Duty Sanitary High Pressure Clamp with Bolt Closure

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/heavy-duty-sanitary-high-pressure-clamp-with-bolt-closure.html>

Food Grade Heavy Duty Tri-Clover Clamp for Sanitary Connections

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/food-grade-heavy-duty-tri-clover-clamp-for-sanitary-connections.html>

Sanitary Double Pin Tri-Clamp for High-Pressure Applications

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-double-pin-tri-clamp-for-high-pressure-applications.html>

6 products

Hygienic pipe supports that hold the line at the correct fall without trapping water behind the bracket.

Stainless Steel Pipe Holder with Bolt Nut for Sanitary Applications

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-pipe-holder-with-bolt-nut-for-sanitary-applications.html>

Stainless Steel Hygienic Hex Pipe Holder for Sanitary Tubing

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-hygienic-hex-pipe-holder-for-sanitary-tubing.html>

Sanitary Stainless Steel Round Pipe Hanger with Base Plate

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-round-pipe-hanger-with-base-plate.html>

Stainless Steel Sanitary Hexagon Pipe Holder Without Base

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-food-grade-hex-pipe-support.html>

Sanitary Pipe Holder with Blue Sleeve for Tubing Support

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-pipe-holder-with-blue-sleeve-for-tubing-support.html>

Sanitary Stainless Steel Welded Pipe Holder-Heavy Type

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-heavy-type-weld-pipe-holder.html>

10 products

Bag, cartridge and lenticular housings plus inline strainers, from a single bag unit to a mobile filtration skid with its own pump.

Bag Filter Housing Skid with Centrifugal Pump - Mobile Filtration Solution

<https://znsanitaryvalve.com/products/bag-filter-housing-skid-with-centrifugal-pump-mobile-filtration-solution.html>

Stainless Steel Duplex Multi-Bag Filter Housing - Uninterrupted Flow

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-duplex-multi-bag-filter-housing-uninterrupted-flow.html>

Stainless Steel Multi-Cartridge Filter Housing - High Flow & Efficiency

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-multi-cartridge-filter-housing-high-flow-efficiency.html>

Sanitary Filter Housing Skid for Cannabis and CBD Oil Filtration

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-filter-housing-skid-for-cannabis-and-cbd-oil-filtration.html>

Sanitary Stainless Steel High Flow Filter Housing - Maximum Efficiency

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-high-flow-filter-housing-maximum-efficiency.html>

Sanitary Stainless Steel Stack Lenticular Filter Housing

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-stack-lenticular-filter-housing.html>

Sanitary Stainless Steel Cartridge Filter Housing

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-liquid-cartridge-filter-housing.html>

Sanitary Stainless Steel Duplex Bag Filter Housing - Non-Stop Filtration

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-duplex-bag-filter-housing-non-stop-filtration.html>

Sanitary Stainless Steel Multi-Bag Filter Housing - High-Flow

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-multi-bag-filter-housing-high-flow.html>

Sanitary Stainless Steel Bag Filter Housing

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-single-bag-filter-housing.html>

5 products

Round, square, oval and pressure manways that give safe access into a tank and still hold the vessel rating.

Hygienic Stainless Steel Round Pressure Manway - Safe & Secure

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/hygienic-stainless-steel-round-pressure-manhole-safe-secure.html>

Stainless Steel Sanitary Square Manway for Hygienic Tanks and Vessels

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-square-manway-for-hygienic-tanks-and-vessels.html>

Sanitary Stainless Steel Oval Manway - Easy Access & Hygienic

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-oval-manway-easy-access-hygienic.html>

Stainless Steel Sanitary Pressure Manway with a Round Sight Glass

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-pressure-manhole-with-a-round-sight-glass.html>

Stainless Steel Sanitary Manway Cover for Non-Pressure Tanks

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/stainless-steel-sanitary-round-manhole-cover-for-non-pressure-tanks.html>

7 products

Inline and tank mounted sight glasses so operators can see the product without breaking into the line.

Sanitary Stainless Steel Sight Glass with Wire Light

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-sight-glass-with-wire-light.html>

Sanitary Stainless Steel Union Type Sight Glass

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-union-type-sight-glass-2.html>

Sanitary Stainless Steel Straight Welded Sight Glass

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-straight-welded-sight-glass.html>

Sanitary Stainless Steel Tubular Sight View Glass

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-union-type-sight-glass.html>

Sanitary Stainless Steel Food Grade Cross Type Sight Glass

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-food-grade-cross-type-sight-glass.html>

Sanitary Stainless Steel Sight Glass with Wiper and Light

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-union-sight-glass-with-wiper-and-light-2.html>

Sanitary Stainless Steel Sight Glass with Led Light

Material: SS 304 or SS 316L for option | Media: Water, oil, milk, beverage, sanitary fluid etc | Connection: Butt-Welded, Thread, Clamped, Flange | Size Range: 1"-6"

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-union-sight-glass-with-wiper-and-light.html>

4 products

Fixed and rotating CIP devices that put cleaning solution on every internal surface of a tank.

Sanitary Stainless Steel Rotary T-Shaped Rotating Spray Cleaning Ball

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-rotary-t-shaped-rotating-spray-cleaning-ball.html>

Sanitary Stainless Steel 360-degree Rotating Spray Ball

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-360-degree-rotating-spray-ball.html>

Sanitary Stainless Steel Welded Rotary Cleaning Ball for CIP Systems

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-welded-rotary-cleaning-ball-for-cip-systems.html>

Sanitary Stainless Steel Fixed Welded Cleaning Ball

<https://znsanitaryvalve.com/products/sanitary-stainless-steel-fixed-welded-cleaning-ball.html>

Send us six things and we can usually quote without a second round of questions:

1. Line size and the standard you work to
2. Media
3. Working pressure
4. Working temperature
5. Quantity
6. Any drawing, photo or sample

Standard items are typically 7-15 days. Custom and bulk orders are quoted with a confirmed date before production. Material certificates to EN 10204 3.1 on request.

WhatsApp: +86 151 1818 2281 Attn: Mia

Address: Dingxiang Road, Binhai Industry, Wenzhou City, China

Web: <https://znsanitaryvalve.com>